

All India Institute of Medical Sciences Bathinda (Punjab)

Mandi Dabwali Road,
Bathinda, Punjab-151001



Rate Contract of Various Dental

Consumable items

Ref. No.	:	AIIMS/BTI/Tender/26
Publishing Date	:	30 Aug 2021 03:30 PM
Pre-Bid Meeting	:	07 Sep 2021 03:30 PM
Bid Submission Start Date	:	30 Aug 2021 03:30 PM
Last Date of Bid Submission	:	21 Sep 2021 03:00 PM
Bid Opening	:	22 Sep 2021 03:30 PM

Tender documents may be downloaded from institute's web site www.aiimsbathinda.edu.in (for reference only) and CPPP site <https://eprocure.gov.in/eprocure/app>

Email: procurementcellaiimsbti@gmail.com

TENDER NOTICE

Rate Contract of Various Dental Consumable Items at AIIMS, Bathinda, Mandi Dabwali Road, Bathinda, Punjab-151001

1. E-tenders in Two Bids (Technical & Financial) are invited on behalf of the Executive Director, All India Institute of Medical Sciences, Bathinda from interested and eligible manufacturer or their authorised distributors/dealers, for providing **various surgical consumable items** at **AIIMS Bathinda** initially for one year and further extendable for one year on satisfactory performance.

2. Bids shall be submitted online only at CPPP website: <https://eprocure.gov.in/eprocure/app>.

3. The complete bidding process is online. Bidders should be in possession of valid digital Signature Certificate (DSC) for online submission of bids. Prior to bidding DSC need to be registered on the website mentioned above. For any assistance for e-bidding process, if required, bidder may contact to the helpdesk at 0120-4001 002.

4. Tenderer/Contractor/Bidders are advised to follow the instructions provided in the 'Instructions to the Contractors/Tenderer/Bidders for the e-submission of the bids online through the Central Public Procurement Portal for e Procurement at <https://eprocure.gov.in/eprocure/app>'.

5. Bid documents may be scanned with 100 dpi with black and white option which helps in reducing size of the scanned document.

6. Hard Copy of Bid security declaration tender fee and documents for technical bid etc. must be delivered to AIIMS, Bathinda on or before last date/time of Bid Submission as mentioned above. The bid with Financial bid will be summarily rejected.

7. The tender shall be submitted online in two part, viz., technical bid and financial bid. All the pages of bid being submitted must be signed and sequentially numbered by the bidder irrespective of nature of content of the documents before uploading.

The offers submitted by Telegram/Fax/email shall not be considered. No correspondence will be entertained in this matter.

8. Any future clarification and/or corrigendum(s) shall be communicated through <https://eprocure.gov.in/eprocure/app> or through our website: www.aiimsbathinda.edu.in. The bidders are required to regularly check the website to know about any/all such corrigendum(s) as only these bids, taking care of such corrigendum(s) shall be considered for finalization of the tender.

9. Bidder should necessarily enclose a covering letter mentioning a summary of applied document with proper numbering. Secondly, bid should also attach a compliance sheet as per specification mentioning that they are complying to all specification or have any variation.

10. The pre bid conference would be held through video conferencing. Interested firms are requested to share their details through email for video conferencing before the date and time of the conference. All firm's representative who are attending the pre bid meeting, shall produce an authorization letter from their firm on the firm's letter head. They are required to put their query in writing before the committee and submit the same in writing on its letter head. The query may also be submitted through email on procurement@aiimsbathinda.in.

11. All the duly filled/completed pages of the tender should be given serial /page number on each page and signed by the owner of the firm or his Authorized signatory. In case the tenders are signed by the Authorized signatory, a copy of the power of attorney/authorization may be enclosed along with tender. A copy of the terms & conditions shall be signed on each page and submitted with the technical bid as token of acceptance of terms & conditions. Tender with unsigned pages/incomplete/partial/part of tender if submitted will be rejected outrightly.

12. Any omission in filling the columns of Financial Bid form (Schedule of Rates) shall debar a tender from being considered. Rates should be filed up carefully by the tenderer. All corrections in this schedule must be duly attested by full signature of the tenderers. The corrections made by using fluid and overwriting will not be accepted and tender would be rejected by full signature of the tenderers. The corrections made by using fluid and overwriting will not be accepted and tender would be rejected.
13. **Bid Security:** - A Bid Security Declaration should be submitted with technical bid in place of Bid Security/EMD as per Office Memorandum No. 9/4/2020-PPD dated 12 Nov 2020 by Ministry of Finance, Government of India.
14. Bidders are not allowed to submit more than one bid for the same/similar tendered item else all his bids shall be cancelled thereby making him disqualified in addition blacklisted for participating in future tenders by AIIMS Bathinda.
15. The successful bidders have to execute a contract on Indian non judicial stamp paper of Rs.100/- (Rupees one hundred only) within twenty-one (21) days from the date of award of this tender in his favour and also required to furnish the **Security Deposit equals to 3% of the contract value** in the form of FD/BG/TD/CD for **two months extra of the contract period** from any Nationalised/Schedule bank duly pledged in favour of “Executive Director AIIMS Bathinda” & payable at Bathinda only. The EMD deposited by successful bidder may be adjusted towards Security Deposit as demanded above after its validation for the required period. If the successful bidder fails to furnish the full security deposit or difference amount between Security Deposit and EMD within 21 (twenty-one) days after the issue of **Letter of Award** of Work, his bid security (EMD) shall be forfeited and award of tender in suppliers favour automatically stands terminated at his cost & liability, unless time extension has been granted by AIIMS, Bathinda.
16. The needful action will be taken if successful bidder fails to supply the goods/equipment in stipulated time or fails to comply with any of the terms & conditions of the contract or fail to sign the contract.
17. The bid shall be valid and open for acceptance by the competent authority of AIIMS Bathinda for a period of 180 (one hundred eighty) days from the published date of opening of the tenders and no request for any variation in quoted rates and / withdrawal of tender on any ground by bidders shall be entertained. The unilateral withdraw at any stage will cause forfeiture of EMD in addition to any remedy that the purchaser may have under the law.
18. To assist in the analysis, evaluation and computation of the bids, the Competent Authority, may ask bidders individually for clarification of their bids. The request for Clarification and the response shall be in writing but no change in the price or substance of the bid offered shall be permitted.
19. After evaluation, the work shall be awarded normally to the Agency fulfilling all the conditions of the contract and who has quoted the lowest rate as per financial bid after complying with the all the Acts / provisions stated / referred to for adherence in the tender.
20. The competent authority of AIIMS, Bathinda reserves all rights to accept or reject any/ all tender(s) without assigning any reason. It can also impose/relax any administrative term and condition/specifications of the tender enquiry after due discussion in pre-bid conference. This will be communicated and shown over the website of the Institute. No representation will be considered after pre-bid meeting and **bidders may ensure its queries only in pre-bid meeting**. AIIMS, Bathinda also reserves the right to reject any bid which in his opinion is non-responsive or violating any of the conditions/specifications without any liability to any loss whatsoever it may cause to the bidder in the process.
21. Tender must be submitted on the prescribed Tender Form otherwise tender will be cancelled straightway.
22. The tender form is not transferable.
23. Canvassing in any form is strictly prohibited and the tenderers who are found canvassing are liable to have their tenders rejected out rightly.
24. It is required by all concerned, namely the Bidders/Suppliers, as the case may be to observe highest

standard of ethics during the procurement and execution of this Tender.

25. Installation at consignee's site should be free of cost immediately on arrival of equipment at consignee's site (for equipment).

26. In case the quality of goods supplied are not in conformity with the standard given in tender and as per the samples supplied or the supplies are found defective at any stage these goods shall immediately will be taken back by the supplier and will be replaced with the tender quality goods, without any delay. The competent authority reserves all rights to reject the goods if the same are not found in accordance with the required description / specifications and liquidates damages shall be charged in addition to the cost of re- tender. The supplier is required to provide the demonstration of equipment at AIIMS premises to the AIIMS representatives for its evaluation as per the specification & desired functionality standard. However, a submission of videography displaying functionality as per tender specification may also be considered by the AIIMS, representative.

27. It must be mentioned clearly whether bidder is a manufacturer/sole distributor/ sole agent for the items for which he is quoting.

- a. **Manufacturer** must add a certificate that item(s) is manufactured by them as per range of products.
- b. **Sole Manufacturers** must add a certificate that they are the sole manufacturer of the Item for which they are quoting in this tender enquiry & item is /are their proprietary Item in India. The rate certificate is also required from the sole manufactures that the Rates quoted are the same as they quote to other State/Centre Govt./reputed Private organization and DGS&D rate for the similar item(s) and these are not higher than those quoted by them.
- c. **Authorized agents** must add authority letter from their Manufacturer/Principals on the letter head of the manufacturer/principals signed by a competent person and comes in proforma given in attach must duly supported by a notarized affidavit on Indian Non-Judicial Stamp Paper of Rs.100/- (Rupees One Hundred only) that they are quoting Rates on behalf of them. The authorization letter must give/mention the purpose for which it is allowed. The validity period of the authorization letter must be mentioned in the authority letter otherwise tender will be liable to rejection.

28. In case the bidder on whom the supply order has been placed, fails to make supplies within the delivery schedule and the purchaser has to resort risk purchase, the purchaser (AIIMS, Bathinda) may recover from the tender the difference between the cost calculated on the basis of risk purchase price and that calculated on the basis of rates quoted by tenderer. In case of repeated failure in supplying the order goods the supply order may be cancelled and action will be taken as per bid security declaration.

29. The bidders should have furnished a copy of GST registration number, the State / U.T. of registration and the date of such registration. Tenders not complying with this condition will be rejected.

30. **Turnover provisions:** - (i) The tenderers should submit along with the tender, a photo state copy of the last three years Annual Accounts with Audit certificate by Chartered Accountant, Income Tax returns and a copy of current valid income tax clearance certificate (IT CC), otherwise bidder will not be considered for administrative evaluation (in evaluation of Technical bid) and will be declared **disqualified** in technical evaluation.

(ii) In case of bidder falls under Section 44AD/44ADA/44AE of Income Tax shall be required to submit turnover certificate verified by Chartered Accountant with his Registration number issued by Institute of Chartered Accountants of India.

(iii) In case of supplier is an Indian Agent, the firm can submit copies of purchase orders issued in favour of firm (*As the payment is made through LC directly to foreign manufacturer and equipment payment does not exist in the book of account of the supplier*) in support to its turnover whatever amount is getting short.

31. **Sample/demonstration:** - In case, the item required prior submission of sample/ performing demonstration, tenderer will have to submit sample/perform demonstration of the equipment/item to the competent authority of the institute, the bidder will have to born all the expenses for the same. Non submission of sample/non performing demonstration will **disqualify** the bidder in the technical bidding process and financial bid of the bidder will not be opened.

32. The tenderer hereby guarantees that the equipment/consumable supplied to the Institute (purchaser) under the Contract shall be of the best quality/latest version and workmanship and new in all respects and shall be strictly in accordance with the specification and particulars contained/ mentioned in the Tender Document. The kits/consumables at the time of receiving should have minimum 6 months shelves life (expiry). The tenderer will have further guarantees that the said equipment/consumable would continue to conform to the description and quality aforesaid for a period of five (5) years guarantee period (as per MoH&FW guidelines), from the date of installation of the said equipment/consumable to the purchaser and notwithstanding the fact that the Purchaser (Inspector) may have inspected and /or approved the said equipment, if during the aforesaid period of five years the said equipment/consumable be discovered not to conform to the description and quality as required as per specification or not giving satisfactory performance or have deteriorated, the decision of the Purchaser in that behalf shall be final and binding on the tenderer and the Purchaser shall be entitled to call upon the tenderer to rectify/replace the equipment/consumable or such portion there of as is found to be defective by the purchaser within a reasonable period or such specified period as may be allowed by the purchaser in his discretion on/an application made thereof by the tenderer and in such an event, the above mentioned warranty period shall apply to the equipment/consumable replaced from the date of replacement thereof. In case of failure of the tenderer to rectify or replace the equipment/consumable, within specified time, the purchaser shall be entitled to recover the cost with all expenses from the tenderer for such defective equipment.

33. Full description & specifications, make/brand and name of the manufacturing firm must be clearly mentioned in the tender, failing which, the tender will not be considered. The tenderer must also mention whether the goods are imported / indigenous. Descriptive literature / catalogues must be attached with the tender in original, failing which, tender may be disqualified.

34. **Force Majeure:** Any failure or omission to carryout of the provisions of this supply by the supplier shall not give right for any claim by supplier and purchaser to one against the other, if such failure or omission arise from an act of God which shall include all acts of natural calamities from civil strikes compliance with any statistics and or requisitions of the Government lockout and Strikes, riots, embargoes or from any political or other reasons beyond the suppliers control including war (whether declared or not) civil war or state of incarceration provided that notice of the occurrence of any event by either party to the other shall be within two weeks from the date of occurrence of such an event which could be attributed to force majeure. Any delay due to Force Majeure will not be attributable to the either of the parties.

35. The equipment installed should be up for 95% of the total warranty time. If the equipment is down for more than 5% suitable action shall be taken against the supplier including imposition of penalty as deemed fit.

36. If there is a close system the tenderer shall ensure and will have to submit an affidavit on Indian Non Judicial stamp paper of Rs.100/- along with technical bid that spare parts and consumables for these equipment's/instruments/item will be available at reasonable fixed rates for next 10 (ten) years, such rates should not be more than the rates supplied to institutes of national importance.

37. The successful Bidder shall at all times agree to indemnify and keep indemnified the purchaser against all losses, damages which may arise in respect of action/inactions of such Bidder or breach of any term of this tender by such Bidder. All claims regarding indemnity shall survive the termination of the contract with such Bidder.

38. In case the vendor fails to supply the spare parts or fails to provide the agreed maintenance during the prescribed period, as per the terms of contract, the purchaser is automatically entitled to procure the required parts and hire services from the market at the risk and cost of the vendor, such inability of bidder will entail forfeiture the security deposit. The purchaser also reserves the right to terminate the contract on immediate notice, if the vendor fails to comply with this clause for more than one instance.

39. **Liquidated damage/demerge:** - The time for the date of delivery/ dispatch stipulated in supply order shall be deemed to be the essence of the contract and if the supplier fails to deliver or dispatch any consignment within the period prescribed for such delivery or dispatch in the supply order, liquidated damages may be deducted from the bill @ 0.5% per week subject to maximum of 10% of the value of the delayed goods or services under the contract. The competent authority of the institute may also cancel the supply at the cost & liability of the supplier. In such a case, bid security of the supplier shall stand forfeited. The supply of equipment must be in single consignment, inclusive of all parts & accessories in adherence to the specification so as to make the equipment fully functional at the time of the installation. No installation repeat shall be signed in case of absence of any part as per the specification.

40. **Legal Jurisdiction:** -The Courts at Bathinda alone and no other Court will have the jurisdiction to try the matter, dispute or reference between the parties arising out of this tender/supply Order/contract.

Applicable Law:

41. The contract shall be governed by the laws and procedures established by Govt. of India, within the framework of applicable legislation and enactment made from time to time concerning such Commercial dealings /processing.

42. Any disputes are subject to exclusive jurisdiction of Competent Court and Forum in Bathinda/Chandigarh, Punjab India only.

43. Except as otherwise provided under this Contract for immediate termination of the Contract, in the event of a disputes which may be arising out of the execution of the tender contract, the matter will be referred to the Deputy Director (Administration). Appeal against the decision of the DDA will lie to the Director, AIIMS Bathinda and his decision shall be final and binding upon both the parties.

I / We hereby accept the terms and Conditions given in the tender

(Signature & Stamp of the bidder)

Note- Please sign each page of document including terms & conditions & tender

(B) Financial terms and conditions

1. Rates are strictly required to be offered/quoted on the prescribed “**Financial Bid format**”. Financial bid submitted without prescribed format may not be considered and will be deemed improper subject to the condition that there is a requirement to mention other item which are not mentioned in the said format.
2. Rates quoted should be inclusive of all applicable taxes, packing, forwarding, postage and transportation charges at for AIIMS Bathinda (Site of installation/Use).
3. The supplier has to submit a notarised affidavit on Indian Non Judicial Stamp Paper of Rs.100/- that the bidder has not quoted the price higher than previously supplied to any government Institute/Organisation/reputed Private Organisation or DGS&D rate in recent past. Therefore, if at any stage it has been found that the supplier has quoted lower rates than those quoted in this tender; the Institute (the purchaser) would be given the benefit of lower rates by the Supplier and any excess payment if any, will become immediately payable to the AIIMS, Bathinda. If such affidavit is not submitted, tender will be out rightly rejected. **(Part of technical bid)**
4. If the price of the contracted articles is/ are controlled by the Government, in no circumstances the payment will be higher than the controlled rate.
5. Tender will be regarded as constituting an offer open to acceptance in whole or in part at the discretion of the competent authority of the institute for a period of 180 days (6 months) valid from the date of opening of the tender by the committee.
6. Order shall be issued for tentative annual requirement on actual need basis. Bills in triplicate for the items supplied by the selected firm(s), should be raised for payment. Payment shall be released after it is ensured that the items/quantity and quality of items supplied are to the entire satisfaction of this office and accepted. If any item is found to be defective, or not of the desired quality, the same shall be replaced immediately, for which no extra payment shall be made by AIIMS, Bathinda.
7. The corrections made by using fluid and overwriting will not be accepted and tender would be rejected.
8. **Tender Currencies:** The bidders are required to quote in Indian Rupees only.
9. **GST:** - If a bidder asks for GST to be paid extra, the rate and nature of tax applicable should be shown separately. The GST will be paid as per the rate at which it is liable to be assessed or has actually been assessed provided the transaction of sale is legally liable to GST and is payable as per the terms of the contract.
10. **Payment terms:** - The payment shall be made to the supplier on the satisfactory receipt of the goods ordered. Advance payment shall not be made under any circumstances. The payment shall be made to the supplier’s A/C through NEFT/RTGS mode as per the details provided by the supplier.

NO DEMURRAGE / WHARFAGE CHARGES WILL BE PAYABLE BY THE INSTITUTE UNDER ANY CIRCUMSTANCES. NO ADVANCE PAYMENT WILL BE PAYABLE FOR CUSTOM CLEARANCE/ FREIGHT/INSURANCE ETC

Note: In case of any dispute regarding award of tender, decision of AIIMS Administration would be final.

I / We hereby accept the terms and Conditions given in the tender

(Signature & Stamp of the bidder)

Note- Please sign each page of document including terms & conditions & tender

TECHNICAL BID
(Documents to be attached in the “Technical Bid”)

1. Name & Address of the manufacturer and their authorised dealers/ distributors/Agency with phone number, email, name and telephone/mobile	
2. Specify your firm/company is a manufacturer/ authorised dealer/ distributor/ Agency	
3. Whether the signature on each page has been made by the bidder or not.	
4. Name, Address & designation of the authorized person (Sole proprietor/partner /Director)	
5. Have you previously supplied these items to any government/ reputed private organization? If yes, attach the relevant poof.	
6. Please provide a notarised affidavit on Indian Non Judicial stamp paper of Rs. 100/- that you have not quoted the price higher than previously supplied to any government Institute/Organisation/reputed Private Organisation or DGS&D rate in last one year. If you don't fulfil this criteria, your tender will be out rightly rejected.	
7. Please attach copy of last three years of Income Tax Return	
8. Turnover a. Please attach balance sheet (duly certified by Chartered Accountant) for last three (3) years (Attach copy of annual minimum turnover which should not be less than 25 lakh duly certified by the Chartered Accountant) b. The bidder falls under Section 44AD/44ADA/44AE of Income Tax Act shall be required to submit turnover certificate verified by Chartered Accountant with his Registration number issued by Institute of Chartered Accountants of India. c. Indian Agent can submit its copy of POs of LC cases, in support of its amount getting short in required turnover. d. Start-ups may submit its Start-up Registration for consideration (Relaxation in turnover can be considered as the case may be, subject to fulfilment of other conditions. However, it will not mandatory)	
9. PAN No. (Please attach copy)	
10. GST Registration Number. (Please attach copy)	
11. Acceptance of terms & conditions attached (Yes/No). Please sign each page of terms and conditions as token of acceptance and submit as part of tender document with technical bid. Otherwise your tender will be rejected.	
12. Power of Attorney/authorization for signing the bid documents (Not required in case of sole-proprietorship.)	
13. Please submit a notarized affidavit on Indian Non judicial stamp paper of Rs. 100/- that no case is pending with the police against the Proprietor/firm/partner or the Company (Agency). Indicate any convictions in the past against the Company/firm/partner.	
14. Please declare that proprietor/firm/company has never been black listed/debarred by any organization. An oath certificate to this effect may be enclosed on Rs.100 notarized stamp paper.	
15. Please submit two performance certificate from your two different customers to whom you have supplied such type of consumables in previous 3 years	
16. Tender fee Rs. 1180/- should be deposited in the account of Executive Director, AIIMS Bathinda online through NEFT/RTGS. The details of account are as under: - Account No. : 39813074890 Name of Account : Executive Director, AIIMS Bathinda Name of Bank & Branch : SBI, Milk Plant Branch IFSC Code : SBIN0050872 The copy of UTR should be uploaded with technical bid, No Tender fee will be accepted offline. Incomplete tender in any respect shall be summarily rejected.	

Undertaking

1. I/We have read and understood the contents of the Tender and agree to abide by the terms and conditions of this Tender.
2. I/We shall supply the items of requisite quality and quantity at given rate in timely manner.
3. I/We also confirm that in the event of my/our tender being accepted, I/we hereby undertake to furnish within 15 days, Bank Guarantee/ Performance Security after the issue of Purchase Order, as applicable, in the format to be provided by AIIMS Bathinda in addition to execution of a contract as pre-condition for obtaining the supply orders.
4. I/We further undertake that none of the Proprietor/Partners/Directors of the firm was or is Proprietor or Partner or Director of any firm with whom the Government have banned /suspended business dealings. I/We further undertake to report to the AIIMS Bathinda immediately after we are informed but in any case, not later 15 days, if any firm in which Proprietor/Partners/Directors are Proprietor or Partner or Director of such a firm which is banned/suspended in future during the currency of the Contract with you.
5. I/We undertake that the information given in this tender are true and correct in all respect and I/We hold the responsibility for the same.

(Signature of the Bidder)

Name:

Designation with Seal of the Firm:

MANUFACTURER'S / PRINCIPAL'S AUTHORIZATION FORM

(Clause 11 (c) of **other terms and conditions** of the tender)

To

The Administrative Officer,
All India Institute of Medical Sciences
Bathinda

Dear Sir,

TENDER: _____.

we, _____, who are established and reputable manufacturers of _____, having factories at _____ and _____, hereby authorize Messrs. _____ (*name and address of agents*) to bid, negotiate and conclude the contract with you against Tender No. _____ for the above goods manufactured by us.

We hereby extend our full guarantee and warranty as per the conditions of tender contract for the goods offered for supply against this tender by the above firm.

The authorization is valid up to _____

Yours faithfully,

(Name) For and on behalf of Messrs. _____
(*Name of manufacturers*)/Principal.

FORMAT OF BID SECURITY DECLARATION

(On Bidders Letter head)

I / We, the authorized signatory of M/s....., participating in the subject tender No. for the item / job of, do hereby declare:

(i) That I / we have availed the benefit of waiver of EMD while submitting our offer against the subject Tender and no EMD being deposited for the said tender.

(ii) That in the event we withdraw / modify our bid during the period of validity Or I/we fail to execute formal contract agreement within the given timeline OR I/we fail to submit a Performance Security within the given timeline Or I/we commit any breach of Tender Conditions / Contract which attracts penal action of forfeiture of EMD and I/we will be suspended from being eligible for bidding / award of all future contract(s) of All India Institute of Medical Sciences, Bathinda for a period of one year from the date of committing such breach.

Signature and Seal of Authorised Signatory of bidder
Name of Authorized Signatory

Company Name

**BANK GUARANTEE FORM FOR PERFORMANCE SECURITY/ CMC
SECURITY**

To

Executive Director

All India Institute of Medical Sciences
Bathinda,
Mandi Dabwali Road,
Bathinda (Punjab)-249201

WHEREAS _____(Name and address of the supplier) (Hereinafter called “the supplier”) has undertaken, in pursuance of contract no _____ dated _____ to supply (description of goods and services) (herein after called “the contract”). AND WHEREAS it has been stipulated by you in the said contract that the supplier shall furnish you with a bank guarantee by a scheduled commercial bank recognised by you for the sum specified therein as security for compliance with its obligations in accordance with the contract; AND WHEREAS we have agreed to give the supplier such a irrevocable bank guarantee;

NOW THEREFORE we hereby affirm that we are guarantors and responsible to you unconditionally, on behalf of the supplier, up to a total of _____(Amount of the guarantee in words and figures), and we undertake to pay you, upon your first written demand declaring the supplier to be in default under the contract and without cavil or argument, any sum or sums within the limits of (amount of guarantee) as aforesaid, without your needing to prove or to show grounds or reasons for your demand or the sum specified therein.

We hereby waive the necessity of you to first demanding the said amount of guarantee from the supplier before raising the demand with us. You may directly raise the demand with us, without asking the supplier for the same.

We further agree that no change or addition to or other modification of the terms of the contract to be performed there under or of any of the contract documents which may be made between you and the supplier shall in any way release us from any liability under this guarantee and we hereby waive notice of any such change, addition or modification.

This guarantee will not be changed due to change in the constitution of the bank or the supplier.

This guarantee shall be valid up to 65 months from the date of satisfactory installation of the equipment i.e. up to --
----- (indicate date).

.....
(Signature with date of the authorized officer of the Bank)

.....
Name and designation of the officer

.....
Seal, name & address of the Bank and address of the Branch

Instruction for Online Bid Submission

The bidders are required to submit soft copies of their bids electronically on the CPP Portal, using valid Digital Signature Certificates. The instructions given below are meant to assist the bidders in registering on the CPP Portal, prepare their bids in accordance with the requirements and submitting their bids online on the CPP Portal.

More information useful for submitting online bids on the CPP Portal may be obtained at: <https://eprocure.gov.in/eprocure/app>.

REGISTRATION

- Bidders are required to enroll on the e-Procurement module of the Central Public Procurement Portal (URL: <https://eprocure.gov.in/eprocure/app>) by clicking on the link “Online bidder Enrollment” on the CPP Portal which is free of charge.
- As part of the enrolment process, the bidders will be required to choose a unique username and assign a password for their accounts.
- Bidders are advised to register their valid email address and mobile numbers as part of the registration process. These would be used for any communication from the CPP Portal.
- Upon enrolment, the bidders will be required to register their valid Digital Signature Certificate issued by any Certifying Authority recognized by CCA India (e.g. Sify / nCode / eMudhra etc.), with their profile.
- Only one valid DSC should be registered by a bidder. Please note that the bidders are responsible to ensure that they do not lend their DSC’s to others which may lead to misuse.
- Bidder then logs in to the site through the secured log-in by entering their user ID / password and the password of the DSC / e-Token.

SEARCHING FOR TENDER DOCUMENTS

- There are various search options built in the CPP Portal, to facilitate bidders to search active tenders by several parameters. These parameters could include Tender ID, Organization Name, Location, Date, Value, etc. There is also an option of advanced search for tenders, wherein the bidders may combine a number of search parameters such as Organization Name, Form of Contract, Location, Date, Other keywords etc. to search for a tender published on the CPP Portal.
- Once the bidders have selected the tenders they are interested in, they may download the required documents / tender schedules. These tenders can be moved to the respective ‘My Tenders’ folder. This would enable the CPP Portal to intimate the bidders through SMS / email in case there is any corrigendum issued to the tender document.
- The bidder should make a note of the unique Tender ID assigned to each tender, in case they want to obtain any clarification / help from the Helpdesk.

PREPARATION OF BIDS

- Bidder should take into account any corrigendum published on the tender document before submitting their bids.
- Please go through the tender advertisement and the tender document carefully to understand the documents required to be submitted as part of the bid.

- Please note the Number of covers in which the bid documents have to be submitted, the number of documents - including the names and content of each of the document that need to be submitted. Any deviations from these may lead to rejection of the bid.
- Bidder, in advance, should get ready the bid documents to be submitted as indicated in the tender document / schedule and generally, they can be in PDF / XLS / RAR / DWF/JPG Tender No.: formats. Bid documents may be scanned with 100 dpi with black and white option which helps in reducing size of the scanned document.
- To avoid the time and effort required in uploading the same set of standard documents which are required to be submitted as a part of every bid, a provision of uploading such standard documents (e.g. PAN card copy, annual reports, auditor certificates etc.) has been provided to the bidders. Bidders can use “My Space” or “Other Important Documents” area available to them to upload such documents. These documents may be directly submitted from the “My Space” area while submitting a bid, and need not be uploaded again and again. This will lead to a reduction in the time required for bid submission process.

SUBMISSION OF BIDS

- Bidder should log into the site well in advance for bid submission so that they can upload the bid in time i.e. on or before the bid submission time. Bidder will be responsible for any delay due to other issues.
- The bidder has to digitally sign and upload the required bid documents one by one as indicated in the tender document.
- Bidder has to select the payment option as “offline” to pay the tender fee / EMD as applicable and enter details of the instrument.
- Bidder should prepare the EMD as per the instructions specified in the tender document. The original should be posted/couriered/given in person to the concerned official, latest by the last date of bid submission or as specified in the tender documents. The details of the DD/any other accepted instrument, physically sent, should tally with the details available in the scanned copy and the data entered during bid submission time. Otherwise the uploaded bid will be rejected.
- Bidders are requested to note that they should necessarily submit their financial bids in the format provided and no other format is acceptable. If the price bid has been given as a standard BOQ format with the tender document, then the same is to be downloaded and to be filled by all the bidders. Bidders are required to download the BOQ file, open it and complete the white coloured (unprotected) cells with their respective financial quotes and other details (such as name of the bidder). No other cells should be changed. Once the details have been completed, the bidder should save it and submit it online, without changing the filename. If the BOQ file is found to be modified by the bidder, the bid will be rejected.
- The server time (which is displayed on the bidders’ dashboard) will be considered as the standard time for referencing the deadlines for submission of the bids by the bidders, opening of bids etc. The bidders should follow this time during bid submission.
- The documents being submitted by the bidders would be encrypted using PKI encryption all techniques to ensure the secrecy of the data. The data entered cannot be viewed by unauthorized persons until the time of bid opening. The confidentiality of the bids is maintained using the secured Socket Layer 128 bit encryption technology. Data storage encryption of sensitive fields is done. Any bid document that is uploaded to the server is subjected to symmetric encryption using a system generated symmetric key
- Further this key is subjected to asymmetric encryption using buyers/bid opener’s public keys. Overall, the uploaded tender documents become readable only after the tender opening by the authorized bid openers.
- The uploaded tender documents become readable only after the tender opening by the authorized bid openers.

- On the successful and timely submission of bids (i.e. after Clicking “Freeze Bid Submission” in the portal), the portal will give a successful bid submission message & a bid Tender No. :
.....
summary will be displayed with the bid no. and the date & time of submission of the bid with all other relevant details.
- The bid summary has to be printed and kept as an acknowledgement of the submission of the bid. This acknowledgement may be used as an entry pass for any bid opening meetings.

ASSISTANCE TO BIDDERS

- Any queries relating to the tender document and the terms and conditions contained therein should be addressed to the Tender Inviting Authority for a tender or the relevant contact person indicated in the tender.
- Any queries relating to the process of online bid submission or queries relating to CPP Portal in general may be directed to the 24x7 CPP Portal Helpdesk number 0120-4200462, 0120- 4001002.

Sr No.	Item name of dental consumable	Detailed Product Specification	Preferred Brands Name(4-5)	Purpose Justification	Quantity required per year
Common Items					
1	Sutures (3-0, 5-0) Silk, Vicryl		All Can apply	For suturing of extraction socket, isolation	100 Packet Each
2	Cotton role for isolation		All Can apply		600
3	Suction tips	For Intraoral Suction It is made of non-toxic material, is phthalates free and latex free It has incorporated copper plated wire which allows to maintain a stable and price shape of the tube	All Can apply	Intraoral Suction	5000
4	Disposable Glass		All Can apply	Patient use	6000
5	Head cap		All Can apply		100
6	Cidex		All Can apply		10 litre
7	Rvg sleeves (rounded edge)	To prevent contamination for blood and saline,clear barrier sleeves for preventing cross contamination.	All Can apply	Rvg	2000 Pcs
8	B.P blade (no 11,12,15)		All Can apply		50 each
9	Lignocaine jelly		All Can apply		10
10	Arch bar (E2)	10 cmc length, stainless steel, erich arch bar & designed for screw fixation	All Can apply	Maxillofacial Trauma	10
11	Lignocain spray topical	Topical anesthetic agent. 10% xylocaine spray	All Can apply	Local Anesthesia	5
12	Needle 26 x 1 1/2"	Hypodermic needle,1 inch,hub color- brown,type lever silp,gauze 26g. Length 25 mm	All Can apply	Local Anesthesia	5
13	Smith ss wire 24g 0.55 mm	A frame or orthodontic devices	All Can apply	Maxillomanidbula Fixation	10
14	Smith ss wire 26g 0.45 mm	A frame or orthodontic devices	All Can apply	Maxillomanidbula Fixation	10
15	Feracrylum 1% w/w	A frame or orthodontic devices	All Can apply	Hemostasis	10
16	Alveogel		All Can apply		10
17	Anti cavity topical APF preventive treatment gel	1.23% acidulated phoshate fluoride gel	All Can apply	Dental Caries Treatment	1
Prostho Items					
1	Rubber base impression material (Addition silicon)	P& P	3M/Dentsply/eq uivalent	denture fabrication	4
2	Sticky wax	10 STICKS /90GM	All can apply	denture fabrication	10

3	Die stone	1.5	All can apply	denture fabrication	20
4	Green Stick	DPI	All can apply	denture fabrication	10
5	Articulating paper	0.8 microns thicknes of 12 micron, 40 micron and 100 micron of black blue and red colour	All can apply	Dental Occlusion Correction	10
6	Cold mould seal (DPI)	Seperating agent for acrylic and casts	All can apply	Denture	2
7	Dental plaster type-2	Calcium sulphate beta hemihydrate.	All can apply	Dental Cast Preparation	10
8	Dental stone type - 3	Calcium sulphate alpha hemihydrate.	All can apply	Dental Cast Preparation	10
9	Fiber post (plastic)	Esthetic post for anterior and premolar. Translucent reinforced composite fiber	All can apply	Crown	5
10	Gingival non-medicated retraction cord	Knitted, non medicated, 0 / 00 / 000	All can apply	Crown Preparation	2
11	Green stick compound	Tracing compound/ tray compound	All can apply	Denture	5
12	Heat cure acrylic-pink	Heat activated, acrylic resin with polymer, monomer. high cross linked	All can apply	Denture	1
13	Impression compound	Thermoplastic, for primary impression in edentulous patients, comes in cake form	All can apply	Denture	10
14	Inflamable spirit for lamp	90% ethyl alcohol for burning spirit lamp	All can apply	Denture	2
15	Modelling wax	2mm thick wax sheets, base plate wax.	All can apply	Denture	15
16	Occlusion spray	Recognition of high spot, bottle and nozzle.	All can apply	Occlusion Correction	1
17	Polishing cake (acrylic)	For acrylic polishing , pumice high siliceous material.	All can apply	Denture	12
18	Polishing cake (Metal)	For metal polishing, cake form.	All can apply	Denture	12
19	Zinc oxide + eugenol based paste	For final impression in complete denture patients. Rigid material.	All can apply	Denture	2
20	Zinc oxide eugenol cement	Temporary cement. Sedative	All can apply	Temporary Cement	2
21	Zinc phosphate powder+liquid(ha vard cement)	Permanent luting, high compressive strength.	All can apply	Permanent Luting Cement	1
22	Zoe paste (resin bonded zinc oxide / eugenol cement)	Paste form, 2 tubes zinc oxide and eugenol paste. High strength, longer life, fine finish.	All can apply	Dental Impression	2
23	Acrylic trimmer stone (White)	For trimming, finishing and polishing dentures.	All can apply	Acrylic Trimming	10

	Conical				
24	Acrylic trimmer stone (Black) Conical	For trimming, finishing and polishing dentures.	All can apply	Acrylic Trimming	10
25	Acrylic trimmer stone (Pink) Conical	For trimming, finishing and polishing dentures.	All can apply	Acrylic Trimming	10
26	Acrylic trimmer stone (Blue) Conical	For trimming, finishing and polishing dentures.	All can apply	Acrylic Trimming	10
27	Acrylic trimmer stone (White) Cylindrical	For trimming, finishing and polishing dentures.	Shofu or Equivalent	Acrylic Trimming	10
28	Acrylic trimmer stone (Black) Cylindrical	For trimming, finishing and polishing dentures.	All can apply	Acrylic Trimming	10
29	Acrylic trimmer stone (Pink) Cylindrical	For trimming, finishing and polishing dentures.	All can apply	Acrylic Trimming	10
30	Acrylic trimmer stone (Blue) Cylindrical	For trimming, finishing and polishing dentures.	All can apply	Acrylic Trimming	10
31	Acrylic trimmer stone (White) Tapered	For trimming, finishing and polishing dentures.	All can apply	Acrylic Trimming	10
32	Acrylic trimmer stone (Black) Tapered	For trimming, finishing and polishing dentures.	All can apply	Acrylic Trimming	10
33	Acrylic trimmer stone (Pink) Tapered	For trimming, finishing and polishing dentures.	All can apply	Acrylic Trimming	10
34	Acrylic trimmer stone (Blue) Tapered	For trimming, finishing and polishing dentures.	All can apply	Acrylic Trimming	10
35	Screw Mandrel	Screw rotary mandrel. Ideal for use to hold diamond disc, wire brushes etc.	All can apply	Complete Denture	10
36	Disk Mandrel	Tool attachment that holds a small abrasive bristle disc. Used for cleaning, blending and finishing.	All can apply	Complete Denture	10
37	Sand Paper Mandrel	Fix sandpaper on mandrel to use for polishing of denture surfaces.	All can apply	Complete Denture	5
38	Pumice powder	The pumice is available in four grades of coarseness (Flour 2F, Fine F, Medium 0-1/2, Coarse 0-3/4) and three different sizes (5 lbs., 25 lbs., 50 lbs)	All can apply	Complete Denture	5
39	French Chalk powder	For polishing teeth	All can apply	Complete Denture	5
40	Wax sheet		All can apply	for prosthetic purpose	20 pkts
41	Trimming stone		All can apply	for prosthetic purpose	50

42	Sand paper 320,400,600,1000	320, 400 600, 1000	All can apply	for prosthetic purpose	15
43	Tongue guard		All can apply	for prosthetic purpose	10
44	Polishing cups		All can apply	for prosthetic purpose	15pkts
45	Polishing cake		All can apply	for prosthetic purpose	5
46	Polishing paste		All can apply	for prosthetic purpose	12
47	Polishing buff		All can apply	for prosthetic purpose	10
48	Polishing cone		All can apply	for prosthetic purpose	10
49	Lignocaine spray		All can apply	for prosthetic purpose	4
50	Lubricating oil		All can apply	for prosthetic purpose	10
51	Finishing stone		All can apply	for prosthetic purpose	30
52	Heat cure		All can apply	for prosthetic purpose	15
53	Cold cure		All can apply	for prosthetic purpose	2
54	Bioplast 1.5mm,2mm,3mm		All can apply	for prosthetic purpose	2
Orthodontic Consumables					
1	Crimpable J hooks for 19x25 archwire	Packet should contain 10 no. crimpable hooks of stainless steel for 0.018x0.025" arch wire dimension.	3M/Dentsply/ RMO	for orthodontic purpose	10
2	Silver solder (spool of 5 feet)	Spool of diameter 0.025" silver solder wire of 6 feet length.	3M/Dentsply/ RMO	for orthodontic purpose	1
3	Flux for silver solder	For soldering	3M/Dentsply/ RMO	for orthodontic purpose	1
4	Ortho Model box	Plastic	3M/Dentsply/ RMO	for orthodontic purpose	200
5	Orthodontic Relief wax	Relief wax for orthodontic purpose	3M/Dentsply/ RMO	for orthodontic purpose	10 Packets
6	Orthodontic Composite Kit	For bonding of orthodontic brackets	3M/Dentsply/ RMO	for orthodontic purpose	10
7	Separators	Packet should contain 1000 seperators of high quality	3M/Dentsply/ RMO	for orthodontic purpose	5 Packets
8	Ligator Ties	Ligator Ties Pack of 1000	3M/Dentsply/ RMO	for orthodontic purpose	5
9	Vita Light Cure Band Cement	For band cementation	3M/Dentsply/ RMO	for orthodontic purpose	5
10	Ligature wire 0.009 inch	Spool of 500 grams of soft austenitic stainless-steel ligature wire of diameter 0.10 mm or 0.012 mm.	3M/Dentsply/ RMO	for orthodontic purpose	2
11	A.J. wilcock .010" (Premium plus)	Packet should contain 10 no. high quality A.J Wilcock wire	3M/Dentsply/ RMO	for orthodontic purpose	2 spools
12	A.J. wilcock .012"	Packet should contain 10 no. high	3M/Dentsply/ RMO	for orthodontic	2 spools

	(premium plus)	quality A.J Wilcock wire	RMO	purpose	
13	A.J. wilcock .014" (Special plus)	Packet should contain 10 no. high quality A.J Wilcock wire	3M/Dentsply/ RMO	for orthodontic purpose	2 spools
14	A.J. wilcock .016" (Regular plus)	Packet should contain 10 no. high quality A.J Wilcock wire	3M/Dentsply/ RMO	for orthodontic purpose	2 spools
15	A.J. wilcock .016" (Special plus)	Packet should contain 10 no. high quality A.J Wilcock wire	3M/Dentsply/ RMO	for orthodontic purpose	2 spools
16	A.J.wilcock.018" (Regular plus)	Packet should contain 10 no. high quality A.J Wilcock wire	3M/Dentsply/ RMO	for orthodontic purpose	2 spools
17	A.J.wilcock.018" (Special plus)	Packet should contain 10 no. high quality A.J Wilcock wire	3M/Dentsply/ RMO	for orthodontic purpose	2 spools
18	A.J. wilcock .020" (Regular plus)	Packet should contain 10 no. high quality A.J Wilcock wire	3M/Dentsply/ RMO	for orthodontic purpose	2 spools
19	A.J. wilcock .020" (Special plus)	Packet should contain 10 no. high quality A.J Wilcock wire	3M/Dentsply/ RMO	for orthodontic purpose	2 spools
20	S.S wire straight-014"	Packet should contain 10 no. straight high quality austenitic stainless-steel orthodontic wire of diameter 0.014".	3M/Dentsply/ RMO	for orthodontic purpose	10 pcs
21	S.S wire straight-016"	Packet should contain 10 no. straight high quality austenitic stainless-steel orthodontic wire of diameter 0.016".	3M/Dentsply/ RMO	for orthodontic purpose	10 pcs
22	S.S wire straight-018"	Packet should contain 10 no. straight high quality austenitic stainless-steel orthodontic wire of diameter 0.018".	3M/Dentsply/ RMO	for orthodontic purpose	10 pcs
23	S.S wire straight-020"	Packet should contain 10 no. straight high quality austenitic stainless-steel orthodontic wire of diameter 0.020".	3M/Dentsply/ RMO	for orthodontic purpose	10 pcs
24	S.S wire straight-022"	Packet should contain 10 no. straight high quality austenitic stainless-steel orthodontic wire of diameter 0.022".	3M/Dentsply/ RMO	for orthodontic purpose	10 pcs
25	S.S wire straight-016x22"	Packet should contain 10 no. straight high quality austenitic stainless-steel orthodontic wire of dimension 0.016 x 0.022".	3M/Dentsply/ RMO	for orthodontic purpose	10 pcs
26	S.S wire straight-017x25"	Packet should contain 10 no. straight high quality austenitic stainless-steel orthodontic wire of dimension 0.017x0.025".	3M/Dentsply/ RMO	for orthodontic purpose	10 pcs
27	S.S wire straight-018x25"	Packet should contain 10 no. straight high quality austenitic stainless-steel orthodontic wire of dimension 0.018x0.025".	3M/Dentsply/ RMO	for orthodontic purpose	10 pcs
28	S.S wire straight-019x25"	Packet should contain 10 no. straight high quality austenitic stainless-steel orthodontic wire of dimension 0.019x0.025".	3M/Dentsply/ RMO	for orthodontic purpose	10 pcs
29	S.S wire straight-021x25"	Packet should contain 10 no. straight high quality austenitic stainless-steel orthodontic wire of dimension 0.021x0.025".	3M/Dentsply/ RMO	for orthodontic purpose	10 pcs

30	S.S wire prefomed			for orthodontic purpose	
31	S.S wire prefomed Upper- 014"	Packet should contain 10 no. 0.014" round prefomed blank of austenitic stainless-steel archwire for various orthodontic uses.	3M/Dentsply/RMO	for orthodontic purpose	10 pcs
32	S.S wire prefomed Lower- 014"	Packet should contain 10 no. 0.014" round prefomed blank of austenitic stainless-steel archwire for various orthodontic uses.	3M/Dentsply/RMO	for orthodontic purpose	10 pcs
33	S.S wire prefomed Upper- 016"	Packet should contain 10 no. 0.016" round prefomed blank of austenitic stainless-steel archwire for various orthodontic uses.	3M/Dentsply/RMO	for orthodontic purpose	10 pcs
34	S.S wire prefomed Lower- 016"	Packet should contain 10 no. 0.016" round prefomed blank of austenitic stainless-steel archwire for various orthodontic uses.	3M/Dentsply/RMO	for orthodontic purpose	10 pcs
35	S.S wire prefomed Upper- 018"	Packet should contain 10 no. 0.018" round prefomed blank of austenitic stainless-steel archwire for various orthodontic uses.	3M/Dentsply/RMO	for orthodontic purpose	10 pcs
36	S.S wire prefomed Lower- 018"	Packet should contain 10 no. 0.018" round prefomed blank of austenitic stainless-steel archwire for various orthodontic uses.	3M/Dentsply/RMO	for orthodontic purpose	10 pcs
37	S.S wire prefomed Upper- 020"	Packet should contain 10 no. 0.020" round prefomed blank of austenitic stainless-steel archwire for various orthodontic uses.	3M/Dentsply/RMO	for orthodontic purpose	10 pcs
38	S.S wire prefomed Lower- 020"	Packet should contain 10 no. 0.020" round prefomed blank of austenitic stainless-steel archwire for various orthodontic uses.	3M/Dentsply/RMO	for orthodontic purpose	10 pcs
39	S.S wire prefomed Upper- 0.016x22"	Packet should contain 10 no. 0.016" x 0.022" round prefomed blank of austenitic stainless-steel archwire (Upper and Lower each) for various orthodontic uses.	3M/Dentsply/RMO	for orthodontic purpose	10 pcs
40	S.S wire prefomed Lower- 0.016x22"	Packet should contain 10 no. 0.016" x 0.022" round prefomed blank of austenitic stainless-steel archwire (Upper and Lower each) for various orthodontic uses.	3M/Dentsply/RMO	for orthodontic purpose	10 pcs
41	S.S wire prefomed Upper- 017x025"	Packet should contain 10 no. 0.017" x 0.025" round prefomed blank of austenitic stainless-steel archwire (Upper and Lower each) for various orthodontic uses.	3M/Dentsply/RMO	for orthodontic purpose	10 pcs
42	S.S wire prefomed Lower- 017x025"	Packet should contain 10 no. 0.017" x 0.025" round prefomed blank of austenitic stainless-steel archwire (Upper and Lower each) for various orthodontic uses.	3M/Dentsply/RMO	for orthodontic purpose	10 pcs
43	S.S wire prefomed	Packet should contain 10 no.	3M/Dentsply/	for orthodontic	10 pcs

	Upper- 018x025"	0.018" x 0.025" round preformed blank of austenitic stainless-steel archwire (Upper and Lower each) for various orthodontic uses.	RMO	purpose	
44	S.S wire prefomed Lower- 018x025"	Packet should contain 10 no. 0.018" x 0.025" round preformed blank of austenitic stainless-steel archwire (Upper and Lower each) for various orthodontic uses.	3M/Dentsply/ RMO	for orthodontic purpose	10 pcs
45	S.S wire prefomed Upper- 019x025"	Packet should contain 10 no. 0.019" x 0.025" round preformed blank of austenitic stainless-steel archwire (Upper and Lower each) for various orthodontic uses.	3M/Dentsply/ RMO	for orthodontic purpose	10 pcs
46	S.S wire prefomed Lower- 019x025"	Packet should contain 10 no. 0.019" x 0.025" round preformed blank of austenitic stainless-steel archwire (Upper and Lower each) for various orthodontic uses.	3M/Dentsply/ RMO	for orthodontic purpose	10 pcs
47	S.S wire prefomed upper- 021x025"	Packet should contain 10 no. 0.021" x 0.025" round preformed blank of austenitic stainless-steel archwire (Upper and Lower each) for various orthodontic uses.	3M/Dentsply/ RMO	for orthodontic purpose	10 pcs
48	S.S wire prefomed Lower- 021x025"	Packet should contain 10 no. 0.021" x 0.025" round preformed blank of austenitic stainless-steel archwire (Upper and Lower each) for various orthodontic uses.	3M/Dentsply/ RMO	for orthodontic purpose	10 pcs
49	Elgiloy blue- 014"	Packet should contain 10 no. high quality elgiloy for various orthodontic uses.	3M/Dentsply/ RMO	for orthodontic purpose	5 pcs
50	Elgiloy blue- 016"	Packet should contain 10 no. high quality elgiloy for various orthodontic uses.	3M/Dentsply/ RMO	for orthodontic purpose	5 pcs
51	Elgiloy blue- 018"	Packet should contain 10 no. high quality elgiloy for various orthodontic uses.	3M/Dentsply/ RMO	for orthodontic purpose	5 pcs
52	Elgiloy blue- 16x22"	Packet should contain 10 no. high quality elgiloy for various orthodontic uses.	3M/Dentsply/ RMO	for orthodontic purpose	5 pcs
53	Elgiloy blue- 17x25"	Packet should contain 10 no. high quality elgiloy for various orthodontic uses.	3M/Dentsply/ RMO	for orthodontic purpose	5 pcs
54	Elgiloy blue- 18x25"	Packet should contain 10 no. high quality elgiloy for various orthodontic uses.	3M/Dentsply/ RMO	for orthodontic purpose	5 pcs
55	Elgiloy blue- 19x25"	Packet should contain 10 no. high quality elgiloy for various orthodontic uses.	3M/Dentsply/ RMO	for orthodontic purpose	5 pcs
56	Elgiloy blue- 21x25"	Packet should contain 10 no. high quality elgiloy for various orthodontic uses.	3M/Dentsply/ RMO	for orthodontic purpose	5 pcs
57	Elgiloy Red - 014"	Packet should contain 10 no. high quality elgiloy for various	3M/Dentsply/ RMO	for orthodontic purpose	5 pcs

		orthodontic uses.			
58	Elgiloy Red - 016"	Packet should contain 10 no. high quality elgiloy for various orthodontic uses.	3M/Dentsply/RMO	for orthodontic purpose	5 pcs
59	Elgiloy Red - 018"	Packet should contain 10 no. high quality elgiloy for various orthodontic uses.	3M/Dentsply/RMO	for orthodontic purpose	5 pcs
60	Elgiloy Green - 014"	Packet should contain 10 no. high quality elgiloy for various orthodontic uses.	3M/Dentsply/RMO	for orthodontic purpose	5 pcs
61	Elgiloy Green- 016"	Packet should contain 10 no. high quality elgiloy for various orthodontic uses.	3M/Dentsply/RMO	for orthodontic purpose	5 pcs
62	Elgiloy Green - 018"	Packet should contain 10 no. high quality elgiloy for various orthodontic uses.	3M/Dentsply/RMO	for orthodontic purpose	5 pcs
63	TMA wire prefomed Upper- 016x022	Packet should contain 10 no. high quality TMA wire for various orthodontic uses.	3M/Dentsply/RMO	for orthodontic purpose	5 pcs
64	TMA wire prefomed Lower- 016x022	Packet should contain 10 no. high quality TMA wire for various orthodontic uses.	3M/Dentsply/RMO	for orthodontic purpose	5 pcs
65	TMA wire prefomed Upper- 017x025	Packet should contain 10 no. high quality TMA wire for various orthodontic uses.	3M/Dentsply/RMO	for orthodontic purpose	5 pcs
66	TMA wire prefomed Lower- 017x025	Packet should contain 10 no. high quality TMA wire for various orthodontic uses.	3M/Dentsply/RMO	for orthodontic purpose	5 pcs
67	TMA wire prefomed Upper- 018x025	Packet should contain 10 no. high quality TMA wire for various orthodontic uses.	3M/Dentsply/RMO	for orthodontic purpose	5 pcs
68	TMA wire prefomed Lower- 018x025	Packet should contain 10 no. high quality TMA wire for various orthodontic uses.	3M/Dentsply/RMO	for orthodontic purpose	5 pcs
69	TMA wire prefomed Upper- 019x025	Packet should contain 10 no. high quality TMA wire for various orthodontic uses.	3M/Dentsply/RMO	for orthodontic purpose	5 pcs
70	TMA wire prefomed Lower- 019x025	Packet should contain 10 no. high quality TMA wire for various orthodontic uses.	3M/Dentsply/RMO	for orthodontic purpose	5 pcs
71	TMA wire prefomed Upper- 021x025	Packet should contain 10 no. high quality TMA wire for various orthodontic uses.	3M/Dentsply/RMO	for orthodontic purpose	5 pcs
72	TMA wire prefomed Lower- 021x025	Packet should contain 10 no. high quality TMA wire for various orthodontic uses.	3M/Dentsply/RMO	for orthodontic purpose	5 pcs
73	TMA wire straight- 016x022	Packet should contain 10 no. straight high quality titanium molybdenum (TMA/CNA) alloy archwire of dimension 0.016x0.022" for various orthodontic uses.	3M/Dentsply/RMO	for orthodontic purpose	5 pcs
74	TMA wire straight- 017x025	Packet should contain 10 no. straight high quality titanium molybdenum (TMA/CNA) alloy	3M/Dentsply/RMO	for orthodontic purpose	5 pcs

		archwire of dimension 0.017x0.025” for various orthodontic uses.			
75	TMA wire straight- 018x025	Packet should contain 10 no. straight high quality titanium molybdenum (TMA/CNA) alloy archwire of dimension 0.018x0.025” for various orthodontic uses.	3M/Dentsply/RMO	for orthodontic purpose	5 pcs
76	TMA wire straight- 019x025	Packet should contain 10 no. straight high quality titanium molybdenum (TMA/CNA) alloy archwire of dimension 0.019x0.025” for various orthodontic uses.	3M/Dentsply/RMO	for orthodontic purpose	5 pcs
77	TMA wire straight- 032”	Packet should contain 10 no. straight high quality titanium molybdenum (TMA/CNA) alloy round wire of dimension 0.032” for various orthodontic uses.	3M/Dentsply/RMO	for orthodontic purpose	5 pcs
78	Niti Round Upper- 014”	Packet should contain 10 no. 0.014” preformed blank of Nickel titanium orthodontic archwire	3M/Dentsply/RMO	for orthodontic purpose	10 pcs
79	Niti Round Lower- 014”	Packet should contain 10 no. 0.014” preformed blank of Nickel titanium orthodontic archwire	3M/Dentsply/RMO	for orthodontic purpose	10 pcs
80	Niti Round Upper- 016”	Packet should contain 10 no. 0.016” preformed blank of Nickel titanium orthodontic archwire	3M/Dentsply/RMO	for orthodontic purpose	10 pcs
81	Niti Round Lower- 016”	Packet should contain 10 no. 0.016” preformed blank of Nickel titanium orthodontic archwire	3M/Dentsply/RMO	for orthodontic purpose	10 pcs
82	Niti Round Upper- 018”	Packet should contain 10 no. 0.018” preformed blank of Nickel titanium orthodontic archwire	3M/Dentsply/RMO	for orthodontic purpose	10 pcs
83	Niti Round Lower- 018”	Packet should contain 10 no. 0.018” preformed blank of Nickel titanium orthodontic archwire	3M/Dentsply/RMO	for orthodontic purpose	10 pcs
84	Niti Round Upper- 020”	Packet should contain 10 no. 0.020” preformed blank of Nickel titanium orthodontic archwire	3M/Dentsply/RMO	for orthodontic purpose	10 pcs
85	Niti Round Lower- 020”	Packet should contain 10 no. 0.020” preformed blank of Nickel titanium orthodontic archwire	3M/Dentsply/RMO	for orthodontic purpose	10 pcs
86	Niti Rectangular Upper- 016x022”	Packet should contain 10 no. 0.016” x0.022” preformed blank of Nickel titanium orthodontic archwire	3M/Dentsply/RMO	for orthodontic purpose	10 pcs
87	Niti Rectangular Lower- 016x022”	Packet should contain 10 no. 0.016” x0.022” preformed blank of Nickel titanium orthodontic archwire	3M/Dentsply/RMO	for orthodontic purpose	10 pcs
88	Niti Rectangular Upper- 017x025”	Packet should contain 10 no. 0.017” x0.025” preformed blank of Nickel titanium orthodontic	3M/Dentsply/RMO	for orthodontic purpose	10 pcs

		archwire			
89	Niti Rectangular Lower- 017x025"	Packet should contain 10 no. 0.017" x0.025" preformed blank of Nickel titanium orthodontic archwire	3M/Dentsply/RMO	for orthodontic purpose	10 pcs
90	Niti Rectangular Upper- 018x025"	Packet should contain 10 no. 0.018" x0.025" preformed blank of Nickel titanium orthodontic archwire	3M/Dentsply/RMO	for orthodontic purpose	10 pcs
91	Niti Rectangular Lower- 018x025"	Packet should contain 10 no. 0.018" x0.025" preformed blank of Nickel titanium orthodontic archwire	3M/Dentsply/RMO	for orthodontic purpose	10 pcs
92	Niti Rectangular Upper- 019x025"	Packet should contain 10 no. 0.019" x0.025" preformed blank of Nickel titanium orthodontic archwire	3M/Dentsply/RMO	for orthodontic purpose	10 pcs
93	Niti Rectangular Lower- 019x025"	Packet should contain 10 no. 0.019" x0.025" preformed blank of Nickel titanium orthodontic archwire	3M/Dentsply/RMO	for orthodontic purpose	10 pcs
94	Niti Rectangular Upper- 021x025"	Packet should contain 10 no. 0.021" x0.025" preformed blank of Nickel titanium orthodontic archwire	3M/Dentsply/RMO	for orthodontic purpose	10 pcs
95	Niti Rectangular Lower- 021x025"	Packet should contain 10 no. 0.021" x0.025" preformed blank of Nickel titanium orthodontic archwire	3M/Dentsply/RMO	for orthodontic purpose	10 pcs
96	Multistranded straight wire – 016"	Packet should contain 10 no.	3M/Dentsply/RMO	for orthodontic purpose	10 pcs
97	Bioforce wires Upper- 018x025"	Packet should contain 10 no. 0.018" x0.025" high quality wires for orthodontic purpose	3M/Dentsply/RMO	for orthodontic purpose	5 pcs
98	Bioforce wires Lower- 018x025"	Packet should contain 10 no. 0.018" x0.025" high quality wires for orthodontic purpose	3M/Dentsply/RMO	for orthodontic purpose	5 pcs
99	Band material stainless steel 125x0.003"	It should be in a box having dimension of 125x0.003" and 8 feet length. The inner side of the band should be laser etched.	3M/Dentsply/RMO	for orthodontic purpose	5 pcs
100	Band material stainless steel 150x0.004"	It should be in a box having dimension of 150x0.004" and 8 feet length. The inner side of the band should be laser etched.	3M/Dentsply/RMO	for orthodontic purpose	5 pcs
101	Band material stainless steel 180x0.006"	It should be in a box having dimension of 180x0.006" and 8 feet length. The inner side of the band should be laser etched.	3M/Dentsply/RMO	for orthodontic purpose	5 pcs
102	Preformed bands for first molars (in all sizes)			for orthodontic purpose	
103	Upper right	Packet should contain preformed molar bands of high quality	3M/Dentsply/RMO	for orthodontic purpose	200 pcs

104	Upper left	Packet should contain preformed molar bands of high quality	3M/Dentsply/RMO	for orthodontic purpose	200 pcs
105	Lower right	Packet should contain preformed molar bands of high quality	3M/Dentsply/RMO	for orthodontic purpose	200 pcs
106	Lower left	Packet should contain preformed molar bands of high quality	3M/Dentsply/RMO	for orthodontic purpose	200 pcs
107	Prewelded bands for first molar (in all sizes)			for orthodontic purpose	
108	Upper right (Double)	Packet should contain pre welded molar bands of high quality	3M/Dentsply/RMO	for orthodontic purpose	200 pcs
109	Upper left (Double)	Packet should contain pre welded molar bands of high quality	3M/Dentsply/RMO	for orthodontic purpose	200 pcs
110	Lower right (Single)	Packet should contain pre welded molar bands of high quality	3M/Dentsply/RMO	for orthodontic purpose	200 pcs
111	Lower left (Single)	Packet should contain pre welded molar bands of high quality	3M/Dentsply/RMO	for orthodontic purpose	200 pcs
112	Weldable molar tubes for first molar (Std edgewise, convertible)			for orthodontic purpose	
113	Upper right (Double)	Packet should contain four weldable 1st molar tubes (0.018" slot)	3M/Dentsply/RMO	for orthodontic purpose	10 pcs
114	Upper left (Double)	Packet should contain four weldable 1st molar tubes (0.018" slot)	3M/Dentsply/RMO	for orthodontic purpose	10 pcs
115	Lower right (Single)	Packet should contain four weldable 1st molar tubes (0.018" slot)	3M/Dentsply/RMO	for orthodontic purpose	10 pcs
116	Lower left (Single)	Packet should contain four weldable 1st molar tubes (0.018" slot)	3M/Dentsply/RMO	for orthodontic purpose	10 pcs
117	Upper right (Triple)	Packet should contain four weldable 1st molar tubes (0.018" slot)	3M/Dentsply/RMO	for orthodontic purpose	10 pcs
118	Upper left (Triple)	Packet should contain four weldable 1st molar tubes (0.018" slot)	3M/Dentsply/RMO	for orthodontic purpose	10 pcs
119	Lower right (double)	Packet should contain four weldable 1st molar tubes (0.018" slot)	3M/Dentsply/RMO	for orthodontic purpose	10 pcs
120	Lower left (double)	Packet should contain four weldable 1st molar tubes (0.018" slot)	3M/Dentsply/RMO	for orthodontic purpose	10 pcs
121	Weldable molar tubes for first molar (Roth, convertible)			for orthodontic purpose	
122	Upper right (Double)	Packet should contain four weldable 1st molar tubes (0.018" slot)	3M/Dentsply/RMO	for orthodontic purpose	10 pcs
123	Upper left (Double)	Packet should contain four weldable 1st molar tubes (0.018" slot)	3M/Dentsply/RMO	for orthodontic purpose	10 pcs
124	Lower right (Single)	Packet should contain four weldable 1st molar tubes (0.018" slot)	3M/Dentsply/RMO	for orthodontic purpose	10 pcs
125	Lower left (Single)	Packet should contain four weldable 1st molar tubes (0.018" slot)	3M/Dentsply/RMO	for orthodontic purpose	10 pcs

		slot)			
126	Upper right (Triple)	Packet should contain four weldable 1st molar tubes (0.018" slot)	3M/Dentsply/RMO	for orthodontic purpose	10 pcs
127	Upper left (Triple)	Packet should contain four weldable 1st molar tubes (0.018" slot)	3M/Dentsply/RMO	for orthodontic purpose	10 pcs
128	Lower right (double)	Packet should contain four weldable 1st molar tubes (0.018" slot)	3M/Dentsply/RMO	for orthodontic purpose	10 pcs
129	Lower left (double)	Packet should contain four weldable 1st molar tubes (0.018" slot)	3M/Dentsply/RMO	for orthodontic purpose	10 pcs
130	Weldable molar tubes for second molar			for orthodontic purpose	
131	Upper right	Packet should contain four weldable 2nd molar tubes (0.018" slot). Each packet should have 4 number of molar tubes for each 2nd molar in every quadrant.	3M/Dentsply/RMO	for orthodontic purpose	10 pcs
132	Upper left	Packet should contain four weldable 2nd molar tubes (0.018" slot). Each packet should have 4 number of molar tubes for each 2nd molar in every quadrant.	3M/Dentsply/RMO	for orthodontic purpose	10 pcs
133	Lower right	Packet should contain four weldable 2nd molar tubes (0.018" slot). Each packet should have 4 number of molar tubes for each 2nd molar in every quadrant.	3M/Dentsply/RMO	for orthodontic purpose	10 pcs
134	Lower left	Packet should contain four weldable 2nd molar tubes (0.018" slot). Each packet should have 4 number of molar tubes for each 2nd molar in every quadrant.	3M/Dentsply/RMO	for orthodontic purpose	10 pcs
135	Bondable molar tubes (with broad base) for second molar			for orthodontic purpose	
136	Upper right	Packet should contain four bondable 2nd molar tubes (0.018" slot). Each packet should have 4 number of molar tubes for each 2nd molar in every quadrant.	3M/Dentsply/RMO	for orthodontic purpose	10 pcs
137	Upper left	Packet should contain four bondable 2nd molar tubes (0.018" slot). Each packet should have 4 number of molar tubes for each 2nd molar in every quadrant.	3M/Dentsply/RMO	for orthodontic purpose	10 pcs
138	Lower right	Packet should contain four bondable 2nd molar tubes (0.018" slot). Each packet should have 4 number of molar tubes for each 2nd molar in every quadrant.	3M/Dentsply/RMO	for orthodontic purpose	10 pcs
139	Lower left	Packet should contain four bondable 2nd molar tubes (0.018" slot). Each packet should have 4	3M/Dentsply/RMO	for orthodontic purpose	10 pcs

		number of molar tubes for each 2nd molar in every quadrant.			
140	Debonding carbide burs	Debonding burs	3M/Dentsply/RMO	for orthodontic purpose	10 packet
141	Lead pallets for Biostar	High quality lead pallets	3M/Dentsply/RMO	for orthodontic purpose	1 kg
142	White stone	(for orthodontic study models, working time 4-6 minutes, setting time should not exceed 10 min, should produce excellent surface details)	3M/Dentsply/RMO	for orthodontic purpose	20 kg
143	Set of orthodontic bases with hinge	orthodontic base	3M/Dentsply/RMO	for orthodontic purpose	50 No.
144	Three pin expansion screw (Universal)	Three pin expansion screw (Universal)	3M/Dentsply/RMO	for orthodontic purpose	10 pcs
145	Fan shaped expansion screw (Single piece)	Fan shaped expansion screw (Single piece)	3M/Dentsply/RMO	for orthodontic purpose	10 pcs
146	Abrasive strips (4 mm, diamond coated)	Double sided	3M/Dentsply/RMO	for orthodontic purpose	10 pcs
147	Abrasive strips (4 mm, diamond coated)	Single sided	3M/Dentsply/RMO	for orthodontic purpose	10 pcs
148	NiTi closed coil spring			for orthodontic purpose	
149	NiTi closed coil spring 100 gm – 9 mm	NiTi closed coil spring 100 gm – 9 mm	3M/Dentsply/RMO	for orthodontic purpose	10 pcs
150	NiTi closed coil spring 100 gm – 11 mm	NiTi closed coil spring 100 gm – 11 mm	3M/Dentsply/RMO	for orthodontic purpose	10 pcs
151	NiTi closed coil spring 150 gm – 9 mm	NiTi closed coil spring 150 gm – 9 mm	3M/Dentsply/RMO	for orthodontic purpose	10 pcs
152	NiTi closed coil spring 150 gm – 11 mm	NiTi closed coil spring 150 gm – 11 mm	3M/Dentsply/RMO	for orthodontic purpose	10 pcs
153	NiTi closed coil spring 250 gm – 9 mm	NiTi closed coil spring 250 gm – 9 mm	3M/Dentsply/RMO	for orthodontic purpose	10 pcs
154	NiTi closed coil spring 250 gm – 11 mm	NiTi closed coil spring 250 gm – 11 mm	3M/Dentsply/RMO	for orthodontic purpose	10 pcs
155	NiTi open coil spring spool – 0.012”	Packet should contain NiTi open coil springs in spool having internal diameter of 0.036” of 15 inch length.	3M/Dentsply/RMO	for orthodontic purpose	10 pcs
156	Soft ligature wire 0.009”	(spool of 15-25 gm)	3M/Dentsply/RMO	for orthodontic purpose	2 spools
157	Preformed ligature	(short) - 0.010”	3M/Dentsply/RMO	for orthodontic purpose	0.5 kg
158	Headgear tube for activator	0.045” diameter	3M/Dentsply/RMO	for orthodontic purpose	20 pcs

159	Headgear tube for activator	0.045" diameter	3M/Dentsply/ RMO	for orthodontic purpose	10 tubes
160	Headgear strap	high quality, non-allergic, denim - High pull/ medium pull	3M/Dentsply/ RMO	for orthodontic purpose	50 pcs
161	Cervical pull neck strap	high quality, non-allergic, denim	3M/Dentsply/ RMO	for orthodontic purpose	10 pcs
162	Safety release module (with metal clip)	Safety release module (with metal clip)	3M/Dentsply/ RMO	for orthodontic purpose	20 pcs
163	Chin cap	small	3M/Dentsply/ RMO	for orthodontic purpose	10 pcs
164	Chin cap	Medium	3M/Dentsply/ RMO	for orthodontic purpose	10 pcs
165	Face bow	small	3M/Dentsply/ RMO	for orthodontic purpose	10 pcs
166	Face bow	medium	3M/Dentsply/ RMO	for orthodontic purpose	10 pcs
167	Facemask	Petit -small	3M/Dentsply/ RMO	for orthodontic purpose	10 pcs
168	Facemask	Petit - medium	3M/Dentsply/ RMO	for orthodontic purpose	10 pcs
169	Facemask	Delaire - small	3M/Dentsply/ RMO	for orthodontic purpose	10 pcs
170	Facemask	Delaire - medium	3M/Dentsply/ RMO	for orthodontic purpose	10 pcs
171	Elastomeric separators	seperators	3M/Dentsply/ RMO	for orthodontic purpose	10 pcs
172	Elastomeric modules (Multi colored)	multi coloured	3M/Dentsply/ RMO	for orthodontic purpose	10 pcs
173	Lip bumper	high quality	3M/Dentsply/ RMO	for orthodontic purpose	10 pcs
174	Elastic chain	short	3M/Dentsply/ RMO	for orthodontic purpose	5 spools
175	Elastic chain	medium	3M/Dentsply/ RMO	for orthodontic purpose	5 spools
176	Elastic chain	long	3M/Dentsply/ RMO	for orthodontic purpose	5 spools
177	Elastic cotton thread	Elastic cotton thread	3M/Dentsply/ RMO	for orthodontic purpose	
178	Protective elastomeric tube	3 mts.	3M/Dentsply/ RMO	for orthodontic purpose	
179	Intra oral elastics	Each packet should contain 1000 no latex elastics of 3/16" dimension having force of 4.5 Oz.	3M/Dentsply/ RMO	for orthodontic purpose	100 pcs
180	Intra oral elastics	Each packet should contain 1000 no latex elastics of 1/4" dimension having force of 4.5 Oz.	3M/Dentsply/ RMO	for orthodontic purpose	100 pcs
181	Intra oral elastics	Each packet should contain 1000 no latex elastics of 1/8" dimension having force of 4.5 Oz.	3M/Dentsply/ RMO	for orthodontic purpose	100 pcs
182	Intra oral elastics	Each packet should contain 1000 no latex elastics of 3/8" dimension having force of 4.5 Oz.	3M/Dentsply/ RMO	for orthodontic purpose	100 pcs

183	Intra oral elastics	Each packet should contain 1000 no latex elastics of 3/16" dimension having force of 4.5 Oz.	3M/Dentsply/RMO	for orthodontic purpose	100 pcs
184	Extra oral elastics	Each packet should contain 1000 no latex elastics of 1/4" dimension having force of 4.5 Oz.	3M/Dentsply/RMO	for orthodontic purpose	100 pcs
185	Extra oral elastics	Each packet should contain 1000 no latex elastics of 5/16" dimension having force of 4.5 Oz.	3M/Dentsply/RMO	for orthodontic purpose	100 pcs
186	Extra oral elastics	Each packet should contain 1000 no latex elastics of 3/8" dimension having force of 4.5 Oz.	3M/Dentsply/RMO	for orthodontic purpose	100 pcs
187	Extra oral elastics	Each packet should contain 1000 no latex elastics of 1/2" dimension having force of 4.5 Oz.	3M/Dentsply/RMO	for orthodontic purpose	100 pcs
188	Hyrax expansion screw	(for maxillary arch)8mm	3M/Dentsply/RMO	for orthodontic purpose	10
189	Hyrax expansion screw	for mandibular arch	3M/Dentsply/RMO	for orthodontic purpose	10
190	Preformed NiTi intrusion arch	Preformed NiTi intrusion arch	3M/Dentsply/RMO	for orthodontic purpose	10
191	Forsus appliance	Forsus appliance	3M/Dentsply/RMO	for orthodontic purpose	10
192	Jones jig –	Appliance for molar distalization	3M/Dentsply/RMO	for orthodontic purpose	5
193	NiTi palatal expander with two lingual sheaths	NiTi palatal expander with two lingual sheaths	3M/Dentsply/RMO	for orthodontic purpose	5
194	Preformed quadhelix	Preformed quadhelix	3M/Dentsply/RMO	for orthodontic purpose	5
195	Crimpable surgical hooks for 19x25 archwire	Crimpable surgical hooks for 19x25 archwire	3M/Dentsply/RMO	for orthodontic purpose	50
196	Crimpable stops for 19x25 archwire	Crimpable stops for 19x25 archwire	3M/Dentsply/RMO	for orthodontic purpose	50
197	Kobyashi hook	Kobyashi hook	3M/Dentsply/RMO	for orthodontic purpose	20 pcs
198	Lingual button bondable	Packet should contain 10 no. bondable lingual button of stainless steel with curved base.	3M/Dentsply/RMO	for orthodontic purpose	20 pcs
199	Lingual button weldable	Packet should contain 10 no. weldable lingual button.	3M/Dentsply/RMO	for orthodontic purpose	20 pcs
200	Lingual sheath (weldable)	Packet should contain 10 no. weldable lingual sheath.	3M/Dentsply/RMO	for orthodontic purpose	20 pcs
201	Preformed transpalatal bar (0.9 mm)	Preformed transpalatal bar (0.9 mm)	3M/Dentsply/RMO	for orthodontic purpose	20 pcs
202	Direct bonding retainer	Direct bonding retainer	3M/Dentsply/RMO	for orthodontic purpose	2
203	Orthodontic miniscrew implant with driver	1.4mmdiameter,8mm,10mm,length tapered(bracket head)	3M/Dentsply/RMO	for orthodontic purpose	

204		1.4mm diameter,8mm,10mm length,tapered (short head)	3M/Dentsply/RMO	for orthodontic purpose	20
205	Variable size crimpable hooks	Variable size crimpable hooks for wire size 016-022x028 assorted from one-4steps right and left side	3M/Dentsply/RMO	for orthodontic purpose	2
206	Acetate tracing sheets (50 micron thickness)A4 size	Acetate tracing sheets (50 micron thickness)A4 size	3M/Dentsply/RMO	for orthodontic purpose	100
207	Tracing pencils (0.5mm tip) (black,blue,red,green)	3M/Dentsply/RMO	for orthodontic purpose	10
208	Glass marking pencil	Glass marking pencil	3M/Dentsply/RMO	for orthodontic purpose	5
209	Orthodontic appliances box	Orthodontic appliances box made of non toxic,unbreakable plastic	3M/Dentsply/RMO	for orthodontic purpose	5 pkts
210	SS Gauze wire	18,19,20,21,22,23	3M/Dentsply/RMO	for orthodontic purpose	5 pkts
211	Forsus appliance	Forsus appliance	3M/Dentsply/RMO	for orthodontic purpose	4
212	Bracket set .022 slot Edgewise	Bracket set .022 slot Edgewise	3M/Dentsply/RMO	for orthodontic purpose	5 pkts
213	Bracket set .022 slot Roth	Bracket set .022 slot Roth	3M/Dentsply/RMO	for orthodontic purpose	5 pkts
214	Bracket set .022 slot MBT	Bracket set .022 slot MBT	3M/Dentsply/RMO	for orthodontic purpose	5 pkts
215	Bracket set - APC metal .022 slot Roth	Bracket set - APC metal .022 slot Roth	3M/Dentsply/RMO	for orthodontic purpose	5
216	Bracket set - APC ceramic .022 slot Roth	Bracket set - APC ceramic .022 slot Roth	3M/Dentsply/RMO	for orthodontic purpose	100 sets
217	Self ligating Bracket – 022 slot MBT	Self ligating Bracket – 022 slot MBT	3M/Dentsply/RMO	for orthodontic purpose	100 sets
218	Orthodontic pt case file	Orthodontic pt case file	3M/Dentsply/RMO	for orthodontic purpose	50

Periodontal Items

1	Artificial Bone Substitute	Calcium phosphosilicate with polyethylene glycol, Putty format , allows easy manipulation ,Should have retention and adapt to the defect, Syringe form in cartridges (0.25cc pack of 4)	All can Apply	Used for bone Augmentation, Implants	6
2	Bondable reinforcement ribbon	Individual strps, resin coated, reinforcement ribbon, thickness 0.35 mm, 2 mm width 1 pack of 20-25 cm			5
3	Bondable reinforcement ribbon	strips, resin coated , bondable reinforcement ribbon approx 3 mm width for periodontal Splinting, 1 pack of 20-25 cm	All can Apply	For splinting of mobile teeth	5
4	Allograft	Osteoconductive, xenograft, bone	All can Apply		10

		substitute material, particle size 0.25-1mm			
5	Bone Graft (Synthetic Alloplast)	Regenerative, bioceramic, osteoconductive, biphasic graft combination of hydroxyapatite and TCP (0.5 cc in vial)			15
6	Bone Graft (Synthetic Alloplast)	Bioactive bioglass synthetic particulate bone graft material vials of 0.5cc	All can Apply	Ideal for minimally invasive surgeries, hard to access defects, immediate implant surgeries,	15
7	Collagen Membrane	Unique, transparent, resorbable membrane, Sterile, Should maintain structural integrity , Should be easy to handle : Resilient & Non-Friable, Should be easy to place –biodegradable (25*30 mm), (20*25 mm)	Perio Col, Septodont, Healiguide	Used for both Guided Tissue Regeneration (GTR) and Guided Bone Regeneration (GBR) procedures.	25
8	Dental Floss	Packet should contain 1 dental floss and may be of different variants like waxed, nonwaxed, mint	All can Apply	For interproximal Cleaning	10
9	Interdental brushes	Disposable, straight and contraangle, for narrow and wide spaces (Pack of 6)	Stim/Thermosed /Colgateror/Similar		20
10	Laser Fiber	320 um, Laser tip, compatible with Dentsply Sirona dental diode laser (1 pack of 25 tips)	All can Apply		1
11	Periodontal Dressing	Pack should contain base and catalyst two tubes and free of eugenol .	Coe- Pack or Similar	For periodontal dressing after Surgery	8
12	Periodontal Dressing	Visible light cure dressing, urethane dimethacrylate	Barricaid or Similar	For periodontal dressing after Surgery	5
13	Periodontal local drug Delivery	In fiber or gel form containing tetracycline/doxycycline / chlorhexidine as active ingredient , available in sterilized vial (pack of 4 vials)	All can apply	For intrapocket drug delivery	20
14	Photosensitizer Dye	For Photodynamic therapy in Periodontal pockets in form of syringe			10
15	Prophy Cups	Screw type cups for contraangle handpiece for polishing the teeth (Pack of 10), webbed configuration	All can Apply	Polishing of teeth	10
16	Polishing Paste	Paste should be in bottle of 200-300 gm. Expiry date should be at least 1 year from the date of supply	All can Apply	Polishing of teeth	2
17	Surgical Burs for straight handpiece 701	High quality tungsten carbide burs for use in straight handpiece	SS white/Cross tech/ shofu	For osteoplasty, Bone contouring, Implant site preparation	10

18	Surgical Burs for straight handpiece No. 702	High quality tungsten carbide burs for use in straight handpiece	SS white/Cross tech/ Shofu	For osteoplasty, Bone contouring, Implant site preparation	10
19	Surgical Burs for straight handpiece no. 703	High quality tungsten carbide burs for use in straight handpiece	SS white/Cross tech/ shofu	For osteoplasty, Bone contouring, Implant site preparation	10
20	Surgical Burs for straight handpiece Round bur 4	High quality tungsten carbide burs for use in straight handpiece	SS white/Cross tech/ shofu	For osteoplasty, Implant site preparation	5
21	Surgical Burs for straight handpiece Round bur 8	High quality tungsten carbide burs for use in straight handpiece	SS white/Cross tech/ shofu	For osteoplasty, Implant site preparation	5
22	Surgical Suction tip diameter 1mm	Autoclavable, Surgical Stainless steel, Metal suction tip used for suction during surgeries	All can Apply	Periodontal Surgeries	3
23	Surgical Suction tip diameter 2 mm	Autoclavable, surgical stainless Steel, Metal suction tip used for suction during surgeries	All can Apply	Periodontal Surgeries	3
24	Ultrasonic Scaling Tips	Compatible with Hedron/EMS tip No. G1			8
25	Ultrasonic Scaling Tips	Compatible with Hedron/EMS Tip No. G2			8
26	Ultrasonic Scaling Tips	Compatible with Hedron/EMS Tip No. G3			8
27	Ultrasonic Scaling tips	Compatibele with Hedron/EMS Tip No. P1		Ultrasonic Sclaing/ cleaning of teeth	5

Conservative & Endodontic Materials

1	Acid etchant for composite resin (3M ESPE)	Low viscosity, gel like consistency, 5% / 10% Hydrofluric acid	Dentsply or 3M or Ivoclar	Dental Restoration	10
2	Anti cavity topical APF preventive treatment gel	1.23% acidulated phoshate fluoride gel	All can Apply	Dental Caries Treatment	1
3	Carbide burs TC Bur Cylinder #558	Tungsten carbide but for cavity preparation, made with high quality fine grain tungsten carbide, sharper blades, wears longer	SS White or Crosstech or Dentsply	Cavity Preparation	2
4	Pulp devitaliser (Caustinerf)	Non carcinogenic, mummifying agent. Paraformaldehyde (non arsenic)	Septodont/Prevest or Dentsply	Root Canal Treatment	2
5	Pulp devitaliser	Non carcinogenic, mummifying agent. Paraformaldehyde (non arsenic)	Voco Depulpin By Dentsply or Sptodont	Root Canal Treatment	2
6	Cavity lining (DPI)	Apply in thin layers 0.5mm. calcium hydroxide or zinc phosphate. seals the dentin.	All can Apply	Dental Restoration	2

7	Cavity conditioner (GC)	Conditioner for bonding surface of teeth, thin viscosity, 3% aluminium chloride	All can Apply	Dental Restoration	2
8	Chlohexidine gluconate root canal gel 2% (CAVISEPT by Neelkanth)	2% chlohexidine gluconate	All can Apply	Root Canal Treatment	4
9	Chlohexidine gluconate canal irrigation 2% solution (Neelkanth)	2% chlohexidine gluconate	Safe Plus / Xenon or Equivalent	Root Canal Treatment	5
10	Composite finishing kit stones (SHOFU)	Finishing and polishing kit for composit resin. Green-adjusting, white-finishing	Dentsply or 3M or Ivoclar	Dental Restoration	2
11	Radio opaque calcium hydroxide composition (Dycal)	Calcium hydroxide for direct and indirect pulp capping. Base and calalyst form	Dentsply or 3M or Ivoclar	Root Canal Treatment	2
12	Zinc oxide eugenol root canal sealant	Endomethasone, radioopaque, inert,antiseptic,antiinflammatory. Liquid and powder	Dentsply or 3M or Ivoclar	Root Canal Treatment	1
13	Pulp devitalizing paraformaldehyde -based paste	Non carcinogenic, mummifying agent. Paraformaldehyde (non arsenic)	Dentsply or 3M or Ivoclar	Root Canal Treatment	1
14	Fiber post (plastic)	Esthetic post for anterior and premolar. Translucent reinforced composite fiber	Dentsply or 3M or Ivoclar	Crown	2
15	Gates glidden drill 32 mm No. 1-6	Shaping of coronal third of root canal. Stainless steel	Dentsply or 3M or Ivoclar	Root Canal Treatment	2
16	Gluma Desensitizing Agent	For detinal sensitivity	Dentsply or 3M or Ivoclar	Dental Restoration	2
17	Gingival non-medicated retraction cord	Knitted, non medicated, 0 / 00 / 000	All can Apply	Crown Preparation	1
18	Composite finishing interproximal strips with aluminium oxide coating - Fine/Superfine	SOFLEX PROXIMAL STRIPS WITH DIFFERENT GRADES (FINE, MEDIUM, SUPERFINE)	3M Espe or Shofu or Dentsply	Dental Restoration	2
19	Gutta percha (regular)	Thermoplastic,inert,radioopaque	Dentsply or Kerr Endo od Meta	Root Canal Treatment	6
20	Gutta purcha point 20	Thermoplastic,inert,radioopaque	Dentsply or Kerr Endo od Meta	Root Canal Treatment	6

21	Gutta purcha point 25	Thermoplastic,inert,radiopaque	Dentsply or Kerr Endo od Meta	Root Canal Treatment	6
22	Gutta purcha point 30	Thermoplastic,inert,radiopaque	Dentsply or Kerr Endo od Meta	Root Canal Treatment	6
23	Gutta purcha point 35	Thermoplastic,inert,radiopaque	Dentsply or Kerr Endo od Meta	Root Canal Treatment	2
24	Gutta purcha point 40	Thermoplastic,inert,radiopaque	Dentsply or Kerr Endo od Meta	Root Canal Treatment	3
25	Gutta purcha point 45	Thermoplastic,inert,radiopaque	Dentsply or Kerr Endo od Meta	Root Canal Treatment	2
26	H file 25mm 08 no.	Round cross section for BMP of root canal . High cutting ability	Dentsply or Kerr Endo od Coltene	Root Canal Treatment	1
27	H file 25mm 15 no.	Round cross section for BMP of root canal . High cutting ability	Dentsply or Kerr Endo od Coltene	Root Canal Treatment	3
28	H file 25mm 20 no.	Round cross section for BMP of root canal . High cutting ability	Dentsply or Kerr Endo od Coltene	Root Canal Treatment	2
29	H file 25mm 25 no.	Round cross section for BMP of root canal . High cutting ability	Dentsply or Kerr Endo od Coltene	Root Canal Treatment	2
30	H file 25mm 30 no.	Round cross section for BMP of root canal . High cutting ability	Dentsply or Kerr Endo od Coltene	Root Canal Treatment	2
31	H file 25mm 35 no.	Round cross section for BMP of root canal . High cutting ability	Dentsply or Kerr Endo od Coltene	Root Canal Treatment	2
32	H file 25mm 40 no.	Round cross section for BMP of root canal . High cutting ability	Dentsply or Kerr Endo od Coltene	Root Canal Treatment	2
33	K-files 21 MM (no 8)	Square cross section stainless steel, flexible. Used for BMP. Twisted	Dentsply or Kerr Endo od Coltene	Root Canal Treatment	8
34	K-files 21 MM (no10)	Square cross section stainless steel, flexible. Used for BMP. Twisted	Dentsply or Kerr Endo od Coltene	Root Canal Treatment	12
35	K-files 21 MM (no15)	Square cross section stainless steel, flexible. Used for BMP. Twisted	Dentsply or Kerr Endo od Coltene	Root Canal Treatment	12
36	K-files 21 MM (no 20)	Square cross section stainless steel, flexible. Used for BMP. Twisted	Dentsply or Kerr Endo od Coltene	Root Canal Treatment	8
37	K-files 21 MM (no 25)	Square cross section stainless steel, flexible. Used for BMP. Twisted	Dentsply or Kerr Endo od Coltene	Root Canal Treatment	8
38	K-files 21 MM (no 30)	Square cross section stainless steel, flexible. Used for BMP. Twisted	Dentsply or Kerr Endo od Coltene	Root Canal Treatment	5
39	K-files 21 MM (no 35)	Square cross section stainless steel, flexible. Used for BMP. Twisted	Dentsply or Kerr Endo od Coltene	Root Canal Treatment	3
40	K-files 21 MM (no 40)	Square cross section stainless steel, flexible. Used for BMP. Twisted	Dentsply or Kerr Endo od Coltene	Root Canal Treatment	3

41	K-files 25 MM (no 8)	Square cross section stainless steel, flexible. Used for BMP. Twisted	Dentsply or Kerr Endo od Coltene	Root Canal Treatment	2
42	K-files 25 MM (no10)	Square cross section stainless steel, flexible. Used for BMP. Twisted	Dentsply or Kerr Endo od Coltene	Root Canal Treatment	2
43	K-files 25 MM (no15)	Square cross section stainless steel, flexible. Used for BMP. Twisted	Dentsply or Kerr Endo od Coltene	Root Canal Treatment	2
44	K-files 25 MM (no 20)	Square cross section stainless steel, flexible. Used for BMP. Twisted	Dentsply or Kerr Endo od Coltene	Root Canal Treatment	2
45	K-files 25 MM (no 25)	Square cross section stainless steel, flexible. Used for BMP. Twisted	Dentsply or Kerr Endo od Coltene	Root Canal Treatment	2
46	K-files 25 MM (no 30)	Square cross section stainless steel, flexible. Used for BMP. Twisted	Dentsply or Kerr Endo od Coltene	Root Canal Treatment	2
47	K-files 25 MM (no 35)	Square cross section stainless steel, flexible. Used for BMP. Twisted	Dentsply or Kerr Endo od Coltene	Root Canal Treatment	2
48	K-files 25 MM (no 40)	Square cross section stainless steel, flexible. Used for BMP. Twisted	Dentsply or Kerr Endo od Coltene	Root Canal Treatment	2
49	Hydro fluoric (hf)	Porcelain etchant. 5% / 10% Hydrofluoric acid	Dentsply/ Vita/3M or Equivalent	Dental Restoration	1
50	Hypo chloride 3%	Root canal irrigant. Antimicrobial activity	All can Apply	Dental Restoration	8
51	Matrix band strips no.1	Stainless steel, moldable for mesioocclusal/distocclusal cavity(0.0015 inches thick)	All can Apply	Restoration	5
52	Matrix band strips no.8	Used in mesio-occluso-distal cavity, stainless steel, thickness of 0.0015 inches	All can Apply	Restoration	5
53	Matrix strips straight (plastic)	Used in mesio-occluso-distal cavity, stainless steel, thickness of 0.0015 inches	All can Apply	Restoration	2
54	Metapex	Used as Intracanal Medicament	Meta Biomed or Diadent or Ammdent	Restoration	4
55	Optra pol (composite polisher)	Ivoclar. Microfinediamond crystals, for polishing composite.	All can Apply	Restoration	1
56	Paper point 25	For drying root canal, highly absorbant sterile, stiff enough to be inserted in canal without losing shape.	Dentsply or Meta or Diadent	Root Canal Treatment	10

57	Paper point 30	For drying root canal,highly absorbant sterile, stiff enough to be inserted in canal without loosing shape.	Dentsply or Meta or Diadent	Root Canal Treatment	10
58	Paper point 35	For drying root canal,highly absorbant sterile, stiff enough to be inserted in canal without loosing shape.	Dentsply or Meta or Diadent	Root Canal Treatment	10
59	Paper point 40	For drying root canal,highly absorbant sterile, stiff enough to be inserted in canal without loosing shape.	Dentsply or Meta or Diadent	Root Canal Treatment	10
60	Paper points (regular)	For drying root canal,highly absorbant sterile, stiff enough to be inserted in canal without loosing shape.	Dentsply or Meta or Diadent	Root Canal Treatment	5
61	Petroleum jelly	Used as seperating media ,bland emolient dressing and soothing ointment.	All can Apply	Restoration	5
62	Protaper Gold Rotary 25 mm Files	For Biomechanical preparation of root canal	Dentsply or Kerr Endo od Coltene	Root Canal Treatment	2
63	Protaper GP Points F1	For Obturation of Root Canal	Dentsply or Kerr Endo od Coltene	Root Canal Treatment	10
64	Protaper GP Points F2	For Obturation of Root Canal	Dentsply or Kerr Endo od Coltene	Root Canal Treatment	10
65	Protaper GP Points F1	For Obturation of Root Canal	Dentsply or Kerr Endo od Coltene	Root Canal Treatment	5
66	Protaper Gold Rotary 21 mm Files	For Biomechanical preparation of root canal	Dentsply or Kerr Endo od Coltene	Root Canal Treatment	4
67	Protaper Hand 21 mm	For Biomechanical preparation of root canal	Dentsply or Kerr Endo od Coltene	Root Canal Treatment	2
68	Protaper Hand 21 mm	For Biomechanical preparation of root canal	Dentsply or Kerr Endo od Coltene	Root Canal Treatment	2
69	Protaper Hand 25 mm	For Biomechanical preparation of root canal	Dentsply or Kerr Endo od Coltene	Root Canal Treatment	1
70	Plugger 21mm 15-40	Used for placement of MTA/BIODENTIN in apical region.	Dentsply or Kerr Endo od Coltene	Root Canal Treatment	2
71	R c cal (calcium hydroxide paste)	Calcium hydroxide and barium sulphate. Ready to use, paste form	All can Apply	Root Canal Treatment	10
72	R c solve (dissolve gp and znoc)	Dissolves GP in failed root canal cases. Derivative of orange oil, liquid, non irritant.	Dentsply or Kerr Endo od Coltene	Root Canal Treatment	2
73	Root Canal Conditioner	For Conditioning of Root Canal during BMP	Dentsply or Kerr Endo od Coltene	Root Canal Treatment	2
74	Rc-help (edta),	EDTA , lubricating root canal.	Dentsply or Kerr Endo od Coltene	Root Canal Treatment	12

75	Round diamond bur for contrangle	Diamond bur for caries removal.	Ss White/ Crosstech orMani	Restoration	5
76	Rvg sleeves (rounded edge)	To prevent contamination for blood and saline,clear barrier sleeves for preventing cross contamination.	All can Apply	Rvg	10
77	Silane coupling agent	Mechanical strength for composite material. Improved adhesion to polymer matrix	Vita/Dentsply or3M	Restoration	1
78	Sof-lex coarse and grueso disc 1/2 inch	Polishing wheels, color code,coarse to fine, for polishing restorations.	Dentsply or Kerr Endo od Coltene	Restoration	1
79	Sof-lex extra thin contouring and polishing disc 3/8 inch	Polishing wheels, color code,coarse to fine, for polishing restorations.	Dentsply or Kerr Endo od Coltene	Restoration	1
80	Spreader 21mm 15-40	For lateral condensation of gutta percha in root canal. Made up of stainless steel	Dentsply or Kerr Endo od Coltene	Root Canal Treatment	2
81	Spreader 25mm 15-40	For lateral condensation of gutta percha in root canal. Made up of stainless steel	Dentsply or Kerr Endo or Coltene	Root Canal Treatment	2
82	Wedges(wooden)	Use in mesio-occlusal and disto-occlusal restorations.	All can Apply	Restoration	2
83	GIC Cement Luting and Lining	Use for cementation of crown	GC or 3M or Shofu	Cementation of Crown	2
84	GIC for Restoration	Use for Cavity Restoration	GC or 3M or Shofu	Restoration	4
85	MTA White	Use for Perforation Repair	Dentsply or Septodont or Angelus	Restoration	2
86	Biodentine	Use for Revascularization	Dentsply or Septodont or Angelus	Restoration	1
87	Dycal	Use as Cavity Liner	Dentsply or Kerr Endo or Coltene	Restoration	2
88	Temporary Filling Material	Use for temporary restorations	Dentsply or Kerr Endo or Coltene	Restoration	5
89	Root Canal Sealer	For sealing of root canals	Dentsply or Kerr Endo or Coltene	Root Canal Treatment	3
90	MTA based Sealer	For Obturation of Root Canal	Dentsply or Kerr Endo or Coltene	RCT	1
91	Flowable Composite	For Restoration	Dentsply or Kerr Endo or Coltene	Restoration	15
92	Dual Core Bonding Agent	For Restoration	Dentsply or Kerr Endo or Coltene	Restoration	3
93	Retreatment Files	For Re RCT	Dentsply or Kerr Endo or Coltene	RE Root Canal Treatment	2

94	Zinc phosphate powder+liquid(ha vard cement)	Permanent luting,high compressive strength.	All can Apply	Permanent Luting Cement	2
95	Composite splint (Interling)	For Splinting	All can Apply	Splinting	1
96	Burs assorted for contrangle handpiece (Round, taper Fissure, Inverted cone)	For cavity cutting	Mani or Dentsply or Shofu	Restoration	5
97	Diamond Burs- For airotor handpice - assorted	For Cavity Cutting	Mani or Dentsply or Shofu	Restoration	5
98	Butane Blow Torch with Refill Cylender	For Endodontic Obturation	All can apply	To Heat obturation instrument	3
99	Etchant gel 37% phosphoric acid Gel (9ml)	For Cavity Cutting	All can apply	Restoration	6
100	Resin Cement	Self adhesive, Self curing	All can apply	For Post Cementation	2
101	Endodontic Refrigerant Sprays	To check pulp Vitality	All can apply	For vitality of pulp	1
102	Compsite Restoration Kit	For Cavity Restoration	Dentsply or 3M or Ivoclar	For Restoration of Cavity	3
103	Composite Polishing Paste	For finishing and polishing of composite Restoration	All can apply	For Fnishing and polishing	2
104	Bleeching Kit	For Teeth Bleaching	Opalesence/Pola office/Ultradent	For Inoffice bleach by chemical and light cure method	4
105	Core Build up Material	For Temporary crown	All can apply	For Provisional Crown	2

Pedodontics Consumables

1	Rubber dam	High quality rubber dam kit	Coltene/Dentsply/3M	Isolation	1
2	stainless steel crown kit	stainless steel crown for primary tooth	Coltene/Dentsply/3M	Crown	1
3	Retainer free matrix band	stainless steel matrix band used without retainer	Any brand can apply	for restoration purpose	2
4	Matrix band	stainless steel matrix band used with retainer no:8	Any brand can apply	for restoration purpose	4
5	Cellophane sheet	cellophane sheet composite restorations	Any brand can apply	for restoration purpose	3
5	Pit and fissure sealent	Pit and fissure sealent	Coltene/Dentsply/3M	for restoration purpose	3

6	Composite restoration	IPS Emprss direct	Coltene/Dentsply/3M	for restoration purpose	3
7	pediatric endodontic files	Rotary endodontic files used in primary tooth	kedo s	root canal treatment	2
8	pediatric endodontic files	Hand files used in primary tooth	kedo s	root canal treatment	3
9	mixing pad	3*3 sheet for mixing of restorations	Coltene/Dentsply/3M	for restoration purpose	3
10	APF thixotropic gel	APF thixotropic gel	Any brand can apply	Fluoride application	2
11	Disposable tray for fluoride application	for fluoride gel	Any brand can apply	Fluoride application	10
12	Caries detecting dye	Caries detecting dye	Xenon	Caries management	2
13	Fluoride varnish	Fluoride varnish	Coltene/Dentsply/3M	Fluoride application	2
14	Mouth gag	Mouth gag for children	Coltene/Dentsply/3M	for keeping mouth open in children	1
15	Mouth prop	Mouth prop for children	Any brand can apply	for keeping mouth open in children	2
16	Metapex	calcium hydroxide + iodoform	Any brand can apply	Caries management	6

Sr No.	Item name of dental consumable	Detailed Product Specification	Unit Price (In INR)	GST %	Total Price (in INR)
Common Items					
1	Sutures (3-0, 5-0) Silk, Vicryl				
2	Cotton role for isolation				
3	Suction tips	For Intraoral Suction It is made of non-toxic material, is phthalates free and latex free It has incorporated copper plated wire which allows to maintain a stable and price shape of the tube			
4	Disposable Glass				
5	Head cap				
6	Cidex				
7	Rvg sleeves (rounded edge)	To prevent contamination for blood and saline,clear barrier sleeves for preventing cross contamination.			

8	B.P blade (no 11,12,15)				
9	Lignocaine jelly				
10	Arch bar (E2)	10 cm length, stainless steel, erich arch bar & designed for screw fixation			
11	Lignocain spray topical	Topical anesthetic agent. 10% xylocaine spray			
12	Needle 26 x 1 1/2"	Hypodermic needle, 1 inch, hub color- brown, type lever silp, gauze 26g. Length 25 mm			
13	Smith ss wire 24g 0.55 mm	A frame or orthodontic devices			
14	Smith ss wire 26g 0.45 mm	A frame or orthodontic devices			
15	Feracrylum 1% w/w	A frame or orthodontic devices			
16	Alveogel				
17	Anti cavity topical APF preventive treatment gel	1.23% acidulated phoshate fluoride gel			

Prosthodontic Items

1	Rubber base impression material (Addition silicon)	P& P			
2	Sticky wax	10 STICKS /90GM			
3	Die stone	1.5			
4	Green Stick	DPI			
5	Articulating paper	0.8 microns thicknes of 12 micron, 40 micron and 100 micron of black blue and red colour			
6	Cold mould seal (DPI)	Seperating agent for acrylic and casts			
7	Dental plaster type-2	Calcium sulphate beta hemihydrate.			
8	Dental stone type - 3	Calcium sulphate alpha hemihydrate.			
9	Fiber post (plastic)	Esthetic post for anterior and premolar. Translucent reinforced composite fiber			
10	Gingival non-medicated retraction cord	Knitted, non medicated, 0 / 00 / 000			
11	Green stick compound	Tracing compound/ tray compound			

12	Heat cure acrylic-pink	Heat activated, acrylic resin with polymer, monomer, high cross linked			
13	Impression compound	Thermoplastic, for primary impression in edentulous patients, comes in cake form			
14	Inflamable spirit for lamp	90% ethyl alcohol for burning spirit lamp			
15	Modelling wax	2mm thick wax sheets, base plate wax.			
16	Occlusion spray	Recognition of high spot, bottle and nozzle.			
17	Polishing cake (acrylic)	For acrylic polishing , pumice high siliceous material.			
18	Polishing cake (Metal)	For metal polishing, cake form.			
19	Zinc oxide + eugenol based paste	For final impression in complete denture patients. Rigid material.			
20	Zinc oxide eugenol cement	Temporary cement. Sedative			
21	Zinc phosphate powder+liquid(ha vard cement)	Permanent luting, high compressive strength.			
22	Zoe paste (resin bonded zinc oxide / eugenol cement)	Paste form, 2 tubes zinc oxide and eugenol paste. High strength, longer life, fine finish.			
23	Acrylic trimmer stone (White) Conical	For trimming, finishing and polishing dentures.			
24	Acrylic trimmer stone (Black) Conical	For trimming, finishing and polishing dentures.			
25	Acrylic trimmer stone (Pink) Conical	For trimming, finishing and polishing dentures.			
26	Acrylic trimmer stone (Blue) Conical	For trimming, finishing and polishing dentures.			
27	Acrylic trimmer stone (White) Cylindrical	For trimming, finishing and polishing dentures.			
28	Acrylic trimmer stone (Black) Cylindrical	For trimming, finishing and polishing dentures.			
29	Acrylic trimmer stone (Pink) Cylindrical	For trimming, finishing and polishing dentures.			
30	Acrylic trimmer stone (Blue) Cylindrical	For trimming, finishing and polishing dentures.			

31	Acrylic trimmer stone (White) Tapered	For trimming,finishing and polishing dentures.			
32	Acrylic trimmer stone (Black) Tapered	For trimming,finishing and polishing dentures.			
33	Acrylic trimmer stone (Pink) Tapered	For trimming,finishing and polishing dentures.			
34	Acrylic trimmer stone (Blue) Tapered	For trimming,finishing and polishing dentures.			
35	Screw Mandrel	Screw rotary mandrel. Ideal for use to hold diamond disc, wire brushes etc.			
36	Disk Mandrel	Tool attachment that holds a small abrasive bristle disc. Used for cleaning, blending and finishing.			
37	Sand Paper Mandrel	Fix sandpaper on mandrel to use for polishing of denture surfaces.			
38	Pumice powder	The pumice is available in four grades of coarseness (Flour 2F, Fine F, Medium 0-1/2, Coarse 0-3/4) and three different sizes (5 lbs., 25 lbs., 50 lbs)			
39	French Chalk powder	For polishing teeth			
40	Wax sheet				
41	Trimming stone				
42	Sand paper 320,400,600,1000	320, 400 600, 1000			
43	Tongue guard				
44	Polishing cups				
45	Polishing cake				
46	Polishing paste				
47	Polishing buff				
48	Polishing cone				
49	Lignocaine spray				
50	Lubricating oil				
51	Finishing stone				
52	Heat cure				
53	Cold cure				

54	Bioplast 1.5mm,2mm,3mm				
Orthodontic Consumables					
1	Crimpable J hooks for 19x25 archwire	Packet should contain 10 no. crimpable hooks of stainless steel for 0.018x0.025" arch wire dimension.			
2	Silver solder (spool of 5 feet)	Spool of diameter 0.025" silver solder wire of 6 feet length.			
3	Flux for silver solder	For soldering			
4	Ortho Model box	Plastic			
5	Orthodontic Relief wax	Relief wax for orthodontic purpose			
6	Orthodontic Composite Kit	For bonding of orthodontic brackets			
7	Separators	Packet should contain 1000 separators of high quality			
8	Ligator Ties	Ligator Ties Pack of 1000			
9	Vita Light Cure Band Cement	For band cementation			
10	Ligature wire 0.009 inch	Spool of 500 grams of soft austenitic stainless-steel ligature wire of diameter 0.10 mm or 0.012 mm.			
11	A.J. wilcock .010" (Premium plus)	Packet should contain 10 no. high quality A.J Wilcock wire			
12	A.J. wilcock .012" (premium plus)	Packet should contain 10 no. high quality A.J Wilcock wire			
13	A.J. wilcock .014" (Special plus)	Packet should contain 10 no. high quality A.J Wilcock wire			
14	A.J. wilcock .016" (Regular plus)	Packet should contain 10 no. high quality A.J Wilcock wire			
15	A.J. wilcock .016" (Special plus)	Packet should contain 10 no. high quality A.J Wilcock wire			
16	A.J.wilcock.018" (Regular plus)	Packet should contain 10 no. high quality A.J Wilcock wire			
17	A.J.wilcock.018" (Special plus)	Packet should contain 10 no. high quality A.J Wilcock wire			
18	A.J. wilcock .020" (Regular plus)	Packet should contain 10 no. high quality A.J Wilcock wire			
19	A.J. wilcock .020" (Special plus)	Packet should contain 10 no. high quality A.J Wilcock wire			
20	S.S wire straight- 014"	Packet should contain 10 no. straight high quality austenitic stainless-steel orthodontic wire of diameter 0.014".			
21	S.S wire straight- 016"	Packet should contain 10 no. straight high quality austenitic stainless-steel orthodontic wire of diameter 0.016".			

22	S.S wire straight-018"	Packet should contain 10 no. straight high quality austenitic stainless-steel orthodontic wire of diameter 0.018".			
23	S.S wire straight-020"	Packet should contain 10 no. straight high quality austenitic stainless-steel orthodontic wire of diameter 0.020".			
24	S.S wire straight-022"	Packet should contain 10 no. straight high quality austenitic stainless-steel orthodontic wire of diameter 0.022".			
25	S.S wire straight-016x22"	Packet should contain 10 no. straight high quality austenitic stainless-steel orthodontic wire of dimension 0.016 x 0.022".			
26	S.S wire straight-017x25"	Packet should contain 10 no. straight high quality austenitic stainless-steel orthodontic wire of dimension 0.017x0.025".			
27	S.S wire straight-018x25"	Packet should contain 10 no. straight high quality austenitic stainless-steel orthodontic wire of dimension 0.018x0.025".			
28	S.S wire straight-019x25"	Packet should contain 10 no. straight high quality austenitic stainless-steel orthodontic wire of dimension 0.019x0.025".			
29	S.S wire straight-021x25"	Packet should contain 10 no. straight high quality austenitic stainless-steel orthodontic wire of dimension 0.021x0.025".			
30	S.S wire prefomed				
31	S.S wire prefomed Upper- 014"	Packet should contain 10 no. 0.014" round prefomed blank of austenitic stainless-steel archwire for various orthodontic uses.			
32	S.S wire prefomed Lower- 014"	Packet should contain 10 no. 0.014" round prefomed blank of austenitic stainless-steel archwire for various orthodontic uses.			
33	S.S wire prefomed Upper- 016"	Packet should contain 10 no. 0.016" round prefomed blank of austenitic stainless-steel archwire for various orthodontic uses.			
34	S.S wire prefomed Lower- 016"	Packet should contain 10 no. 0.016" round prefomed blank of austenitic stainless-steel archwire for various orthodontic uses.			
35	S.S wire prefomed Upper- 018"	Packet should contain 10 no. 0.018" round prefomed blank of austenitic stainless-steel archwire for various orthodontic uses.			
36	S.S wire prefomed	Packet should contain 10 no.			

	Lower- 018"	0.018" round preformed blank of austenitic stainless-steel archwire for various orthodontic uses.			
37	S.S wire prefomed Upper- 020"	Packet should contain 10 no. 0.020" round preformed blank of austenitic stainless-steel archwire for various orthodontic uses.			
38	S.S wire prefomed Lower- 020"	Packet should contain 10 no. 0.020" round preformed blank of austenitic stainless-steel archwire for various orthodontic uses.			
39	S.S wire prefomed Upper- 0.016x22"	Packet should contain 10 no. 0.016" x 0.022" round preformed blank of austenitic stainless-steel archwire (Upper and Lower each) for various orthodontic uses.			
40	S.S wire prefomed Lower- 0.016x22"	Packet should contain 10 no. 0.016" x 0.022" round preformed blank of austenitic stainless-steel archwire (Upper and Lower each) for various orthodontic uses.			
41	S.S wire prefomed Upper- 017x025"	Packet should contain 10 no. 0.017" x 0.025" round preformed blank of austenitic stainless-steel archwire (Upper and Lower each) for various orthodontic uses.			
42	S.S wire prefomed Lower- 017x025"	Packet should contain 10 no. 0.017" x 0.025" round preformed blank of austenitic stainless-steel archwire (Upper and Lower each) for various orthodontic uses.			
43	S.S wire prefomed Upper- 018x025"	Packet should contain 10 no. 0.018" x 0.025" round preformed blank of austenitic stainless-steel archwire (Upper and Lower each) for various orthodontic uses.			
44	S.S wire prefomed Lower- 018x025"	Packet should contain 10 no. 0.018" x 0.025" round preformed blank of austenitic stainless-steel archwire (Upper and Lower each) for various orthodontic uses.			
45	S.S wire prefomed Upper- 019x025"	Packet should contain 10 no. 0.019" x 0.025" round preformed blank of austenitic stainless-steel archwire (Upper and Lower each) for various orthodontic uses.			
46	S.S wire prefomed Lower- 019x025"	Packet should contain 10 no. 0.019" x 0.025" round preformed blank of austenitic stainless-steel archwire (Upper and Lower each) for various orthodontic uses.			
47	S.S wire prefomed upper- 021x025"	Packet should contain 10 no. 0.021" x 0.025" round preformed blank of austenitic stainless-steel archwire (Upper and Lower each)			

		for various orthodontic uses.			
48	S.S wire prefomed Lower- 021x025"	Packet should contain 10 no. 0.021" x 0.025" round preformed blank of austenitic stainless-steel archwire (Upper and Lower each) for various orthodontic uses.			
49	Elgiloy blue- 014"	Packet should contain 10 no. high quality elgiloy for various orthodontic uses.			
50	Elgiloy blue- 016"	Packet should contain 10 no. high quality elgiloy for various orthodontic uses.			
51	Elgiloy blue- 018"	Packet should contain 10 no. high quality elgiloy for various orthodontic uses.			
52	Elgiloy blue- 16x22"	Packet should contain 10 no. high quality elgiloy for various orthodontic uses.			
53	Elgiloy blue- 17x25"	Packet should contain 10 no. high quality elgiloy for various orthodontic uses.			
54	Elgiloy blue- 18x25"	Packet should contain 10 no. high quality elgiloy for various orthodontic uses.			
55	Elgiloy blue- 19x25"	Packet should contain 10 no. high quality elgiloy for various orthodontic uses.			
56	Elgiloy blue- 21x25"	Packet should contain 10 no. high quality elgiloy for various orthodontic uses.			
57	Elgiloy Red - 014"	Packet should contain 10 no. high quality elgiloy for various orthodontic uses.			
58	Elgiloy Red - 016"	Packet should contain 10 no. high quality elgiloy for various orthodontic uses.			
59	Elgiloy Red - 018"	Packet should contain 10 no. high quality elgiloy for various orthodontic uses.			
60	Elgiloy Green - 014"	Packet should contain 10 no. high quality elgiloy for various orthodontic uses.			
61	Elgiloy Green- 016"	Packet should contain 10 no. high quality elgiloy for various orthodontic uses.			
62	Elgiloy Green - 018"	Packet should contain 10 no. high quality elgiloy for various orthodontic uses.			
63	TMA wire prefomed Upper- 016x022	Packet should contain 10 no. high quality TMA wire for various orthodontic uses.			
64	TMA wire prefomed Lower- 016x022	Packet should contain 10 no. high quality TMA wire for various orthodontic uses.			

65	TMA wire prefomed Upper-017x025	Packet should contain 10 no. high quality TMA wire for various orthodontic uses.			
66	TMA wire prefomed Lower-017x025	Packet should contain 10 no. high quality TMA wire for various orthodontic uses.			
67	TMA wire prefomed Upper-018x025	Packet should contain 10 no. high quality TMA wire for various orthodontic uses.			
68	TMA wire prefomed Lower-018x025	Packet should contain 10 no. high quality TMA wire for various orthodontic uses.			
69	TMA wire prefomed Upper-019x025	Packet should contain 10 no. high quality TMA wire for various orthodontic uses.			
70	TMA wire prefomed Lower-019x025	Packet should contain 10 no. high quality TMA wire for various orthodontic uses.			
71	TMA wire prefomed Upper-021x025	Packet should contain 10 no. high quality TMA wire for various orthodontic uses.			
72	TMA wire prefomed Lower-021x025	Packet should contain 10 no. high quality TMA wire for various orthodontic uses.			
73	TMA wire straight- 016x022	Packet should contain 10 no. straight high quality titanium molybdenum (TMA/CNA) alloy archwire of dimension 0.016x0.022” for various orthodontic uses.			
74	TMA wire straight- 017x025	Packet should contain 10 no. straight high quality titanium molybdenum (TMA/CNA) alloy archwire of dimension 0.017x0.025” for various orthodontic uses.			
75	TMA wire straight- 018x025	Packet should contain 10 no. straight high quality titanium molybdenum (TMA/CNA) alloy archwire of dimension 0.018x0.025” for various orthodontic uses.			
76	TMA wire straight- 019x025	Packet should contain 10 no. straight high quality titanium molybdenum (TMA/CNA) alloy archwire of dimension 0.019x0.025” for various orthodontic uses.			
77	TMA wire straight- 032”	Packet should contain 10 no. straight high quality titanium molybdenum (TMA/CNA) alloy round wire of dimension 0.032” for various orthodontic uses.			
78	Niti Round Upper-014”	Packet should contain 10 no. 0.014” prefomed blank of Nickel			

		titanium orthodontic archwire			
79	Niti Round Lower- 014”	Packet should contain 10 no. 0.014” preformed blank of Nickel titanium orthodontic archwire			
80	Niti Round Upper- 016”	Packet should contain 10 no. 0.016” preformed blank of Nickel titanium orthodontic archwire			
81	Niti Round Lower- 016”	Packet should contain 10 no. 0.016” preformed blank of Nickel titanium orthodontic archwire			
82	Niti Round Upper- 018”	Packet should contain 10 no. 0.018” preformed blank of Nickel titanium orthodontic archwire			
83	Niti Round Lower- 018”	Packet should contain 10 no. 0.018” preformed blank of Nickel titanium orthodontic archwire			
84	Niti Round Upper- 020”	Packet should contain 10 no. 0.020” preformed blank of Nickel titanium orthodontic archwire			
85	Niti Round Lower- 020”	Packet should contain 10 no. 0.020” preformed blank of Nickel titanium orthodontic archwire			
86	Niti Rectangular Upper- 016x022”	Packet should contain 10 no. 0.016” x0.022” preformed blank of Nickel titanium orthodontic archwire			
87	Niti Rectangular Lower- 016x022”	Packet should contain 10 no. 0.016” x0.022” preformed blank of Nickel titanium orthodontic archwire			
88	Niti Rectangular Upper- 017x025”	Packet should contain 10 no. 0.017” x0.025” preformed blank of Nickel titanium orthodontic archwire			
89	Niti Rectangular Lower- 017x025”	Packet should contain 10 no. 0.017” x0.025” preformed blank of Nickel titanium orthodontic archwire			
90	Niti Rectangular Upper- 018x025”	Packet should contain 10 no. 0.018” x0.025” preformed blank of Nickel titanium orthodontic archwire			
91	Niti Rectangular Lower- 018x025”	Packet should contain 10 no. 0.018” x0.025” preformed blank of Nickel titanium orthodontic archwire			
92	Niti Rectangular Upper- 019x025”	Packet should contain 10 no. 0.019” x0.025” preformed blank of Nickel titanium orthodontic archwire			
93	Niti Rectangular Lower- 019x025”	Packet should contain 10 no. 0.019” x0.025” preformed blank of Nickel titanium orthodontic archwire			

94	Niti Rectangular Upper- 021x025"	Packet should contain 10 no. 0.021" x0.025" preformed blank of Nickel titanium orthodontic archwire			
95	Niti Rectangular Lower- 021x025"	Packet should contain 10 no. 0.021" x0.025" preformed blank of Nickel titanium orthodontic archwire			
96	Multistranded straight wire – 016"	Packet should contain 10 no.			
97	Bioforce wires Upper- 018x025"	Packet should contain 10 no. 0.018" x0.025" high quality wires for orthodontic purpose			
98	Bioforce wires Lower- 018x025"	Packet should contain 10 no. 0.018" x0.025" high quality wires for orthodontic purpose			
99	Band material stainless steel 125x0.003"	It should be in a box having dimension of 125x0.003" and 8 feet length. The inner side of the band should be laser etched.			
100	Band material stainless steel 150x0.004"	It should be in a box having dimension of 150x0.004" and 8 feet length. The inner side of the band should be laser etched.			
101	Band material stainless steel 180x0.006"	It should be in a box having dimension of 180x0.006" and 8 feet length. The inner side of the band should be laser etched.			
102	Preformed bands for first molars (in all sizes)				
103	Upper right	Packet should contain preformed molar bands of high quality			
104	Upper left	Packet should contain preformed molar bands of high quality			
105	Lower right	Packet should contain preformed molar bands of high quality			
106	Lower left	Packet should contain preformed molar bands of high quality			
107	Prewelded bands for first molar (in all sizes)				
108	Upper right (Double)	Packet should contain pre welded molar bands of high quality			
109	Upper left (Double)	Packet should contain pre welded molar bands of high quality			
110	Lower right (Single)	Packet should contain pre welded molar bands of high quality			
111	Lower left (Single)	Packet should contain pre welded molar bands of high quality			
112	Weldable molar tubes for first molar (Std edgewise, convertible)				
113	Upper right (Double)	Packet should contain four weldable 1st molar tubes (0.018" slot)			

114	Upper left (Double)	Packet should contain four weldable 1st molar tubes (0.018" slot)			
115	Lower right (Single)	Packet should contain four weldable 1st molar tubes (0.018" slot)			
116	Lower left (Single)	Packet should contain four weldable 1st molar tubes (0.018" slot)			
117	Upper right (Triple)	Packet should contain four weldable 1st molar tubes (0.018" slot)			
118	Upper left (Triple)	Packet should contain four weldable 1st molar tubes (0.018" slot)			
119	Lower right (double)	Packet should contain four weldable 1st molar tubes (0.018" slot)			
120	Lower left (double)	Packet should contain four weldable 1st molar tubes (0.018" slot)			
121	Weldable molar tubes for first molar (Roth, convertible)				
122	Upper right (Double)	Packet should contain four weldable 1st molar tubes (0.018" slot)			
123	Upper left (Double)	Packet should contain four weldable 1st molar tubes (0.018" slot)			
124	Lower right (Single)	Packet should contain four weldable 1st molar tubes (0.018" slot)			
125	Lower left (Single)	Packet should contain four weldable 1st molar tubes (0.018" slot)			
126	Upper right (Triple)	Packet should contain four weldable 1st molar tubes (0.018" slot)			
127	Upper left (Triple)	Packet should contain four weldable 1st molar tubes (0.018" slot)			
128	Lower right (double)	Packet should contain four weldable 1st molar tubes (0.018" slot)			
129	Lower left (double)	Packet should contain four weldable 1st molar tubes (0.018" slot)			
130	Weldable molar tubes for second molar				
131	Upper right	Packet should contain four weldable 2nd molar tubes (0.018" slot). Each packet should have 4 number of molar tubes for each 2nd molar in every quadrant.			

132	Upper left	Packet should contain four weldable 2nd molar tubes (0.018" slot). Each packet should have 4 number of molar tubes for each 2nd molar in every quadrant.			
133	Lower right	Packet should contain four weldable 2nd molar tubes (0.018" slot). Each packet should have 4 number of molar tubes for each 2nd molar in every quadrant.			
134	Lower left	Packet should contain four weldable 2nd molar tubes (0.018" slot). Each packet should have 4 number of molar tubes for each 2nd molar in every quadrant.			
135	Bondable molar tubes (with broad base) for second molar				
136	Upper right	Packet should contain four bondable 2nd molar tubes (0.018" slot). Each packet should have 4 number of molar tubes for each 2nd molar in every quadrant.			
137	Upper left	Packet should contain four bondable 2nd molar tubes (0.018" slot). Each packet should have 4 number of molar tubes for each 2nd molar in every quadrant.			
138	Lower right	Packet should contain four bondable 2nd molar tubes (0.018" slot). Each packet should have 4 number of molar tubes for each 2nd molar in every quadrant.			
139	Lower left	Packet should contain four bondable 2nd molar tubes (0.018" slot). Each packet should have 4 number of molar tubes for each 2nd molar in every quadrant.			
140	Debonding carbide burs	Debonding burs			
141	Lead pallets for Biostar	High quality lead pallets			
142	White stone	(for orthodontic study models, working time 4-6 minutes, setting time should not exceed 10 min, should produce excellent surface details)			
143	Set of orthodontic bases with hinge	orthodontic base			
144	Three pin expansion screw (Universal)	Three pin expansion screw (Universal)			
145	Fan shaped expansion screw (Single piece)	Fan shaped expansion screw (Single piece)			
146	Abrasive strips (4	Double sided			

	mm, diamond coated)				
147	Abrasive strips (4 mm, diamond coated)	Single sided			
148	NiTi closed coil spring				
149	NiTi closed coil spring 100 gm – 9 mm	NiTi closed coil spring 100 gm – 9 mm			
150	NiTi closed coil spring 100 gm – 11 mm	NiTi closed coil spring 100 gm – 11 mm			
151	NiTi closed coil spring 150 gm – 9 mm	NiTi closed coil spring 150 gm – 9 mm			
152	NiTi closed coil spring 150 gm – 11 mm	NiTi closed coil spring 150 gm – 11 mm			
153	NiTi closed coil spring 250 gm – 9 mm	NiTi closed coil spring 250 gm – 9 mm			
154	NiTi closed coil spring 250 gm – 11 mm	NiTi closed coil spring 250 gm – 11 mm			
155	NiTi open coil spring spool – 0.012”	Packet should contain NiTi open coil springs in spool having internal diameter of .036" of 15 inch length.			
156	Soft ligature wire 0.009”	(spool of 15-25 gm)			
157	Preformed ligature	(short) -)0.010”			
158	Headgear tube for activator	0.045” diameter			
159	Headgear tube for activator	0.045” diameter			
160	Headgear strap	high quality, non-allergic, denim - High pull/ medium pull			
161	Cervical pull neck strap	high quality, non-allergic, denim			
162	Safety release module (with metal clip)	Safety release module (with metal clip)			
163	Chin cap	small			
164	Chin cap	Medium			
165	Face bow	small			
166	Face bow	medium			
167	Facemask	Petit -small			

168	Facemask	Petit - medium			
169	Facemask	Delaire - small			
170	Facemask	Delaire - medium			
171	Elastomeric separators	seperators			
172	Elastomeric modules (Multi colored)	multi coloured			
173	Lip bumper	high quality			
174	Elastic chain	short			
175	Elastic chain	medium			
176	Elastic chain	long			
177	Elastic cotton thread	Elastic cotton thread			
178	Protective elastromeric tube	3 mts.			
179	Intra oral elastics	Each packet should contain 1000 no latex elastics of 3/16" dimension having force of 4.5 Oz.			
180	Intra oral elastics	Each packet should contain 1000 no latex elastics of 1/4" dimension having force of 4.5 Oz.			
181	Intra oral elastics	Each packet should contain 1000 no latex elastics of 1/8" dimension having force of 4.5 Oz.			
182	Intra oral elastics	Each packet should contain 1000 no latex elastics of 3/8" dimension having force of 4.5 Oz.			
183	Intra oral elastics	Each packet should contain 1000 no latex elastics of 3/16" dimension having force of 4.5 Oz.			
184	Extra oral elastics	Each packet should contain 1000 no latex elastics of 1/4" dimension having force of 4.5 Oz.			
185	Extra oral elastics	Each packet should contain 1000 no latex elastics of 5/16" dimension having force of 4.5 Oz.			
186	Extra oral elastics	Each packet should contain 1000 no latex elastics of 3/8" dimension having force of 4.5 Oz.			
187	Extra oral elastics	Each packet should contain 1000 no latex elastics of 1/2" dimension having force of 4.5 Oz.			
188	Hyrax expansion screw	(for maxillary arch)8mm			
189	Hyrax expansion screw	for mandibular arch			

190	Preformed NiTi intrusion arch	Preformed NiTi intrusion arch			
191	Forsus appliance	Forsus appliance			
192	Jones jig –	Appliance for molar distalization			
193	NiTi palatal expander with two lingual sheaths	NiTi palatal expander with two lingual sheaths			
194	Preformed quadhelix	Preformed quadhelix			
195	Crimpable surgical hooks for 19x25 archwire	Crimpable surgical hooks for 19x25 archwire			
196	Crimpable stops for 19x25 archwire	Crimpable stops for 19x25 archwire			
197	Kobyashi hook	Kobyashi hook			
198	Lingual button bondable	Packet should contain 10 no. bondable lingual button of stainless steel with curved base.			
199	Lingual button weldable	Packet should contain 10 no. weldable lingual button.			
200	Lingual sheath (weldable)	Packet should contain 10 no. weldable lingual sheath.			
201	Preformed transpalatal bar (0.9 mm)	Preformed transpalatal bar (0.9 mm)			
202	Direct bonding retainer	Direct bonding retainer			
203	Orthodontic miniscrew implant with driver	1.4mmdiameter,8mm,10mm,length tapered(bracket head)			
204	Orthodontic miniscrew implant with driver	1.4mm diameter,8mm,10mm length,tapered (short head)			
205	Variable size crimpable hooks	Variable size crimpable hooks for wire size 016-022x028 assorted from one-4steps right and left side			
206	Acetate tracing sheets (50 micron thickness)A4 size	Acetate tracing sheets (50 micron thickness)A4 size			
207	Tracing pencils (0.5mm tip) (black,blue,red,green)			
208	Glass marking pencil	Glass marking pencil			
209	Orthodontic appliances box	Orthodontic appliances box made of non toxic,unbreakable plastic			
210	SS Gauze wire	18,19,20,21,22,23			

211	Forsus appliance	Forsus appliance			
212	Bracket set .022 slot Edgewise	Bracket set .022 slot Edgewise			
213	Bracket set .022 slot Roth	Bracket set .022 slot Roth			
214	Bracket set .022 slot MBT	Bracket set .022 slot MBT			
215	Bracket set - APC metal .022 slot Roth	Bracket set - APC metal .022 slot Roth			
216	Bracket set - APC ceramic .022 slot Roth	Bracket set - APC ceramic .022 slot Roth			
217	Self ligating Bracket – 022 slot MBT	Self ligating Bracket – 022 slot MBT			
218	Orthodontic pt case file	Orthodontic pt case file			
Periodontal Items					
1	Artificial Bone Substitute	Calcium phosphosilicate with polyethylene glycol, Putty format , allows easy manipulation ,Should have retention and adapt to the defect, Syringe form in cartridges (0.25cc pack of 4)			
2	Bondable reinforcement ribbon	Individual strps, resin coated, reinforcement ribbon, thickness 0.35 mm, 2 mm width 1 pack of 20-25 cm			
3	Bondable reinforcement ribbon	strips, resin coated , bondable reinforcement ribbon approx 3 mm width for periodontal Splinting, 1 pack of 20-25 cm			
4	Allograft	Osteoconductive, xenograft, bone substitute material, paricle size 0.25-1mm			
5	Bone Graft (Synthetic Alloplast)	Regenerative, bioceramic, osteoconductive, biphasic graft combination of hydroxyapatitte and TCP (0.5 cc in vial)			
6	Bone Graft (Synthetic Alloplast)	Bioactive bioglass synthetic particulate bone graft material vials of 0.5cc			
7	Collagen Membrane	Unique, transparent, resorbable membrane,Sterile, Should maintain structural integrity , Should be easy to handle : Resilient & Non-Friable,Should be easy to place –biodegradable			

		(25*30 mm), (20*25 mm)			
8	Dental Floss	Packet should contain 1 dental floss and may be of different variants like waxed, nonwaxed, mint			
9	Interdental brushes	Disposable, straight and contrangle, for narrow and wide spaces (Pack of 6)			
10	Laser Fiber	320 um, Laser tip, compatible with Dentsply Sirona dental diode laser (1 pack of 25 tips)			
11	Periodontal Dressing	Pack should contain base and catalyst two tubes and free of eugenol .			
12	Periodontal Dressing	Visible light cure dressing, urethane dimethacrylate			
13	Periodontal local drug Delivery	In fiber or gel form containing tetracycline/doxycycline / chlorhexidine as active ingredient , available in sterilized vial (pack of 4 vials)			
14	Photosensitiser Dye	For Photodynamic therapy in Periodontal pckets in form of syringe			
15	Prophy Cups	Screw type cups for contraangle handpiece for polishing the teeth (Pack of 10), webbed configuration			
16	Polishing Paste	Paste should be in bottle of 200-300 gm. Expiry date should be at least 1 year from the date of supply			
17	Surgical Burs for straight handpiece 701	High quality tungsten carbide burs for use in straight handpiece			
18	Surgical Burs for straight handpiece No. 702	High quality tungsten carbide burs for use in straight handpiece			
19	Surgical Burs for straight handpiece no. 703	High quality tungsten carbide burs for use in straight handpiece			
20	Surgical Burs for straight handpiece Round bur 4	High quality tungsten carbide burs for use in straight handpiece			
21	Surgical Burs for straight handpiece Round bur 8	High quality tungsten carbide burs for use in straight handpiece			

22	Surgical Suction tip diameter 1mm	Autoclavable, Surgical Stainless steel, Metal suction tip used for suction during surgeries			
23	Surgical Suction tip diameter 2 mm	Autoclavable, surgical stainless Steel, Metal suction tip used for suction during surgeries			
24	Ultrasonic Scaling Tips	Compatible with Hedron/EMS tip No. G1			
25	Ultrasonic Scaling Tips	Compatible with Hedron/EMS Tip No. G2			
26	Ultrasonic Scaling Tips	Compatible with Hedron/EMS Tip No. G3			
27	Ultrasonic Scaling tips	Compatibele with Hedron/EMS Tip No. P1			
Conservative & Endodontic Materials					
1	Acid etchant for composite resin (3M ESPE)	Low viscosity, gel like consistency, 5% / 10% Hydrofluric acid			
2	Anti cavity topical APF preventive treatment gel	1.23% acidulated phoshate fluoride gel			
3	Carbide burs TC Bur Cylinder #558	Tungsten carbide but for cavity preparation, made with high quality fine grain tungsten carbide, sharper blades, wears longer			
4	Pulp devitaliser (Caustinerf)	Non carcinogenic, mummifying agent. Paraformaldehyde (non arsenic)			
5	Pulp devitaliser	Non carcinogenic, mummifying agent. Paraformaldehyde (non arsenic)			
6	Cavity lining (DPI)	Apply in thin layers 0.5mm. calcium hydroxide or zinc phosphate. seals the dentin.			
7	Cavity conditioner (GC)	Conditioner for bonding surface of teeth, thin viscosity, 3% aluminium chloride			
8	Chlohexidine gluconate root canal gel 2% (CAVISEPT by Neelkanth)	2% chlohexidine gluconate			
9	Chlohexidine gluconate canal irrigation 2% solution (Neelkanth)	2% chlohexidine gluconate			

10	Composite finishing kit stones (SHOFU)	Finishing and polishing kit for composit resin. Green-adjusting, white-finishing			
11	Radio opaque calcium hydroxide composition (Dycal)	Calcium hydroxide for direct and indirect pulp capping. Base and calalyst form			
12	Zinc oxide eugenol root canal sealant	Endomethasone, radioopaque, inert,antiseptic,antiinflammatory. Liquid and powder			
13	Pulp devitalizing paraformaldehyde -based paste	Non carcinogenic, mummifying agent. Paraformaldehyde (non arsenic)			
14	Fiber post (plastic)	Esthetic post for anterior and premolar. Translucent reinforced composite fiber			
15	Gates glidden drill 32 mm No. 1-6	Shaping of coronal third of root canal. Stainless steel			
16	Gluma Desensitizing Agent	For detinal sensitivity			
17	Gingival non-medicated retraction cord	Knitted, non medicated, 0 / 00 / 000			
18	Composite finishing interproximal strips with aluminium oxide coating - Fine/Superfine	SOFLEX PROXIMAL STRIPS WITH DIFFERENT GRADES (FINE, MEDIUM, SUPERFINE)			
19	Gutta percha (regular)	Thermoplastic,inert,radioopaque			
20	Gutta purcha point 20	Thermoplastic,inert,radioopaque			
21	Gutta purcha point 25	Thermoplastic,inert,radioopaque			
22	Gutta purcha point 30	Thermoplastic,inert,radioopaque			
23	Gutta purcha point 35	Thermoplastic,inert,radioopaque			
24	Gutta purcha point 40	Thermoplastic,inert,radioopaque			
25	Gutta purcha point 45	Thermoplastic,inert,radioopaque			

26	H file 25mm 08 no.	Round cross section for BMP of root canal . High cutting ability			
27	H file 25mm 15 no.	Round cross section for BMP of root canal . High cutting ability			
28	H file 25mm 20 no.	Round cross section for BMP of root canal . High cutting ability			
29	H file 25mm 25 no.	Round cross section for BMP of root canal . High cutting ability			
30	H file 25mm 30 no.	Round cross section for BMP of root canal . High cutting ability			
31	H file 25mm 35 no.	Round cross section for BMP of root canal . High cutting ability			
32	H file 25mm 40 no.	Round cross section for BMP of root canal . High cutting ability			
33	K-files 21 MM (no 8)	Square cross section stainless steel, flexible. Used for BMP. Twisted			
34	K-files 21 MM (no10)	Square cross section stainless steel, flexible. Used for BMP. Twisted			
35	K-files 21 MM (no15)	Square cross section stainless steel, flexible. Used for BMP. Twisted			
36	K-files 21 MM (no 20)	Square cross section stainless steel, flexible. Used for BMP. Twisted			
37	K-files 21 MM (no 25)	Square cross section stainless steel, flexible. Used for BMP. Twisted			
38	K-files 21 MM (no 30)	Square cross section stainless steel, flexible. Used for BMP. Twisted			
39	K-files 21 MM (no 35)	Square cross section stainless steel, flexible. Used for BMP. Twisted			
40	K-files 21 MM (no 40)	Square cross section stainless steel, flexible. Used for BMP. Twisted			
41	K-files 25 MM (no 8)	Square cross section stainless steel, flexible. Used for BMP. Twisted			
42	K-files 25 MM (no10)	Square cross section stainless steel, flexible. Used for BMP. Twisted			
43	K-files 25 MM (no15)	Square cross section stainless steel, flexible. Used for BMP. Twisted			

44	K-files 25 MM (no 20)	Square cross section stainless steel, flexible. Used for BMP. Twisted			
45	K-files 25 MM (no 25)	Square cross section stainless steel, flexible. Used for BMP. Twisted			
46	K-files 25 MM (no 30)	Square cross section stainless steel, flexible. Used for BMP. Twisted			
47	K-files 25 MM (no 35)	Square cross section stainless steel, flexible. Used for BMP. Twisted			
48	K-files 25 MM (no 40)	Square cross section stainless steel, flexible. Used for BMP. Twisted			
49	Hydro fluoric (hf)	Porcelain etchant. 5% / 10% Hydrofluoric acid			
50	Hypochloride 3%	Root canal irrigant. Antimicrobial activity			
51	Matrix band strips no.1	Stainless steel, moldable for mesioocclusal/distocclusal cavity(0.0015 inches thick)			
52	Matrix band strips no.8	Used in mesio-occluso-distal cavity, stainless steel, thickness of 0.0015 inches			
53	Matrix strips straight (plastic)	Used in mesio-occluso-distal cavity, stainless steel, thickness of 0.0015 inches			
54	Metapex	Used as Intracanal Medicament			
55	Optra pol (composite polisher)	Ivoclar. Microfinediamond crystals,for polishing composite.			
56	Paper point 25	For drying root canal,highly absorbant sterile, stiff enough to be inserted in canal without losing shape.			
57	Paper point 30	For drying root canal,highly absorbant sterile, stiff enough to be inserted in canal without losing shape.			
58	Paper point 35	For drying root canal,highly absorbant sterile, stiff enough to be inserted in canal without losing shape.			

59	Paper point 40	For drying root canal,highly absorbant sterile, stiff enough to be inserted in canal without loosing shape.			
60	Paper points (regular)	For drying root canal,highly absorbant sterile, stiff enough to be inserted in canal without loosing shape.			
61	Petroleum jelly	Used as seperating media ,bland emolient dressing and soothing ointment.			
62	Protaper Gold Rotary 25 mm Files	For Biomechanical preparation of root canal			
63	Protaper GP Points F1	For Obturation of Root Canal			
64	Protaper GP Points F2	For Obturation of Root Canal			
65	Protaper GP Points F1	For Obturation of Root Canal			
66	Protaper Gold Rotary 21 mm Files	For Biomechanical preparation of root canal			
67	Protaper Hand 21 mm	For Biomechanical preparation of root canal			
68	Protaper Hand 21 mm	For Biomechanical preparation of root canal			
69	Protaper Hand 25 mm	For Biomechanical preparation of root canal			
70	Plugger 21mm 15-40	Used for placement of MTA/BIODENTIN in apical region.			
71	R c cal (calcium hydroxide paste)	Calcium hydroxide and barium sulphate. Ready to use, paste form			
72	R c solve (dissolve gp and znoc)	Dissolves GP in failed root canal cases. Derivative of orange oil, liquid, non irritant.			
73	Root Canal Conditioner	For Conditioning of Root Canal during BMP			
74	Rc-help (edta),	EDTA , lubricating root canal.			
75	Round diamond bur for contrangle	Diamond bur for caries removal.			
76	Rvg sleeves (rounded edge)	To prevent contamination for blood and saline,clear barrier sleeves for preventing cross contamination.			

77	Silane coupling agent	Mechanical strength for composite material. Improved adhesion to polymer matrix			
78	Sof-lex coarse and grueso disc 1/2 inch	Polishing wheels, color code, coarse to fine, for polishing restorations.			
79	Sof-lex extra thin contouring and polishing disc 3/8 inch	Polishing wheels, color code, coarse to fine, for polishing restorations.			
80	Spreader 21mm 15-40	For lateral condensation of gutta percha in root canal. Made up of stainless steel			
81	Spreader 25mm 15-40	For lateral condensation of gutta percha in root canal. Made up of stainless steel			
82	Wedges(wooden)	Use in mesio-occlusal and disto-occlusal restorations.			
83	GIC Cement Luting and Lining	Use for cementation of crown			
84	GIC for Restoration	Use for Cavity Restoration			
85	MTA White	Use for Perforation Repair			
86	Biodentine	Use for Revascularization			
87	Dycal	Use as Cavity Liner			
88	Temporary Filling Material	Use for temporary restorations			
89	Root Canal Sealer	For sealing of root canals			
90	MTA based Sealer	For Obturation of Root Canal			
91	Flowable Composite	For Restoration			
92	Dual Core Bonding Agent	For Restoration			
93	Retreatment Files	For Re RCT			
94	Zinc phosphate powder+liquid(harvard cement)	Permanent luting, high compressive strength.			
95	Composite splint (Interling)	For Splinting			
96	Burs assorted for contrangle handpiece (Round,	For cavity cutting			

	taper Fissure, Inverted cone)				
97	Diamond Burs- For airotor handpice - assorted	For Cavity Cutting			
98	Butane Blow Torch with Refill Cylinder	For Endodontic Obturation			
99	Etchant gel 37% phosphoric acid Gel (9ml)	For Cavity Cutting			
100	Resin Cement	Self adhesive, Self curing			
101	Endodontic Refrigerant Sprays	To check pulp Vitality			
102	Compsite Restoration Kit	For Cavity Restoration			
103	Composite Polishing Paste	For finishing and polishing of composite Restoration			
104	Bleaching Kit	For Teeth Bleaching			
105	Core Build up Material	For Temporary crown			

Pedodontics Consumables

1	Rubber dam	High quality rubber dam kit			
2	stainless steel crown kit	stainless steel crown for primary tooth			
3	Retainer free matrix band	stainless steel matrix band used without retainer			
4	Matrix band	stainless steel matrix band used with retainer no:8			
5	Cellophane sheet	cellophane sheet composite restorations			
6	Pit and fissure sealant	Pit and fissure sealent			
7	Composite restoration	IPS Emprss direct			
8	Pediatric endodontic files	Rotary endodontic files used in primary tooth			
9	Pediatric endodontic files	Hand files used in primary tooth			
10	mixing pad	3*3 sheet for mixing of restorations			

11	APF thixotropic gel	APF thixotropic gel			
12	Disposable tray for fluoride application	for fluoride gel			
13	Caries detecting dye	Caries detecting dye			
14	Fluoride varnish	Fluoride varnish			
15	Mouth gag	Mouth gag for children			
16	Mouth prop	Mouth prop for children			
17	Metapex	calcium hydroxide + iodoform			