

# ALL INDIA INSTITUTE OF MEDICAL SCIENCES, BATHINDA

INSTITUTE OF NATIONAL IMPORTANCE UNDER MINISTRY OF HEALTH AND

FAMILY WELFARE NEAR GIANI ZAIL SINGH COLLEGE, JODHPUR ROMANA,

DABWALI ROAD-151001

### INVITATION FOR QUOTATIONS FOR EQUIPMENT FOR NURSING FOUNDATION LABORATORY AT NURSING COLLEGE AT AIIMS BATHINDA

Reference No: AIIMS Bathinda/Proc.Cell/Nurs.Coll/2022/1282 Date of Issue: 26–Sep–2022 Last Date of Submission: 10–Oct–2022 Time: 17:00 PM

ALL INDIA INSTITUTE OF MEDICAL SCIENCES, BATHINDA

NEAR GIANI ZAIL SINGH COLLEGE, JODHPUR ROMANA, DABWALI ROAD-151001

Email: procurement@aiimsbathinda.in

Page 1 of 16

## INVITATION FOR QUOTATIONS FOR EQUIPMENT FOR NURSING FOUNDATION LABORATORY AT NURSING COLLEGE AT AIIMS BATHINDA

Sealed Quotations are hereby invited by the undersigned on behalf of the Director, AIIMS Bathinda for supply of "Equipment for Nursing Foundation laboratory at Nursing College AT AIIMS BATHINDA" as per terms & conditions mentioned below. The filled quotations along with all the required documents must reach in the office of The Procurement Cell, Second floor, Administrative block, Medical Collage building, AIIMS, Bathinda-151001, Punjab on or before Dated 10 Oct 2022 Time: 17:00PM. The Envelope containing the quotation would please be sealed and super scribed as under:

#### 1. Terms & Conditions:

- Quotations need to be submitted by speed post/registered post or may be submitted by hand directly to The Procurement Cell, First floor, Administrative block, Medical Collage building, AlIMS, Bathinda-151001, Punjab after obtaining the acknowledgement for the same from the office of the Procurement Cell, AIIMS Bathinda.
- 2. The envelope containing quotation should be sealed with wax/tape on both sides. The quotations received unsealed or after the deadline shall not be entertained under any circumstances whatsoever. In case of postal delay, the Institute will not be responsible. The offers submitted by fax/email shall not be considered and no correspondence will be entertained in this matter.
- Quotations must be in the enclosed prescribed Performa (Annexure –1) on the letter head of the firm duly signed by the Proprietor/ Partner/ Director or their authorized representative. In case of signing of quotation by the authorized representative, letter of authorization must be attached with the quotation.
- 4. The supplier should supply all the items.
- 5. Rates must be quoted in Indian Rupees in figures as well as in words. Rates mustbe quoted as per the format specified, taxes extra if any must be writtenseparately.
- 6. Rates must be inclusive of all charges (including transportation, battery, freight charges, Insurance, taxes, etc.)
- 7. In general, no overwriting or cutting is permitted in the rate. If found, the quotationshall be summarily rejected. However, except rate all cuttings and over writings must be signed by the authorized person of the firm.
- 8. Quotations qualified by such vague and indefinite expression such as "subject to prior confirmation", subject to immediate acceptance" etc. will be treated as vagueoffers and it will be rejected accordingly. Any conditional quotation shall be rejected summarily.
- 9. The rates quoted must be valid for 90 days minimum from the date of opening of the quotation and silence of any tenderer on this issue shall be treated as agreed with this condition.
- 10. Becoming L1 will not be the criteria for awarding of purchase order unless the rates and quality are reasonable & justified.

- 11. The supplier may be asked to submit a sample of the product, which will be evaluated technically and to ensure quality of the product at AIIMS, Bathinda. Price bids of only those firms will be opened which qualifies technically as per the recommendation of the committee. The bid to be submitted by the Bidder shall consist of 2 (two) parts: Part-I: The bidder shall seal the two envelopes (both technical & financial bids in twoseparate envelopes, clearly mentioned on envelope) and put in one outer cover.L1 will be awarded only after satisfying the quality criteria and desired specifications by the authority.
- 12. The expenditure incurred for demonstrating the items will be borne by the supplier.
- 13. RTGS/NEFT details need to be furnished by the supplier with the quotation on the letter head of supplier/firm/ agency.
- 14. The firm/agency may satisfy the following conditions and attach self-attested copyof the same with the quotation:
  - a) The firm shall have valid GST No. and PAN No.
  - b) Certificate of non-inclusion in the black listed by Govt/Department as per given format attached in Annexure-2 Rs. 100/ stamp paper duly notarized.
  - c) Purchase order of any Govt. Institute.
- 15. Market standing of minimum 3 Years. On Letter Head
- 16. Delivery Period 20 days from the award of work.
- 17. Liquidated Damage: -In the event of the Seller's failure to supply the goods/services as specified in this inquiry, the Buyer may at his discretion, withhold any payment until the completion of the contract. The Buyer may also deduct from the Seller as agreed, liquidated damages to the sum of 0.5% of thecontract price of the delayed/undelivered goods/services mentioned above for every week of delay or part thereof, subject to the maximum value of the liquidated Damages being not higher that 10% of the value of delayed goods.
- 18. Guarantee/Warranty Terms: The materials supplied by result of this Quotation/supply order shall be of the best quality and workmanship and new inall respects and shall be strictly in accordance with the specifications and particulars contained /mentioned against each item in this document/ supply order. The seller guarantees that the said materials would continue to conform to the description and quality aforesaid for a period of 36 months from the date of delivery of the said materials to the buyer.
- 19. Payment Terms: Payment will be only made after satisfactory delivery/ commissioning of material and after inspection by the authority at AIIMS Bathinda. 100% payment will be done only after delivery and submission of following documents by vendors to Finance Accounts Section-
- a) Contingent Bill in triplicate along with supporting vouchers.
- b) Store Receipt Certificate issued by stores.
- c) Inspection Report issued by the concerned department if applicable.
- 20. **Disputes:** In the event of any dispute or disagreement arising between the contractors and any other department of AIIMS Bathinda with regards to the interpretation of "Terms & Conditions" of this inquiry, the same shall be referred to the Director, AIIMS Bathinda whose decision will be final and binding upon the contractor.

- 21. AIIMS, Bathinda reserves the right to increase or decrease amount of work. Decisionof the AIIMS Bathinda on Quantity be final in this regard.
- 22. AIIMS, Bathinda reserves the right to reject any quotation or part or whole of thequotation process without assigning any reason. Decision of the AIIMS, BATHINDAwill be final in this regard.

#### Enclosures:

- 1. Annexure-1 ((Price-Bid Form with List of Items /Specifications).
- 2. Annexure-2 (Declaration Certificate.)

**Chairman** Procurement Cell, AIIMS, Bathinda

Annexure-1

### [Letter Head of Firm] PRICE BID FORM

To,

The Chairman, Procurement Cell, AIIMS, Bathinda 151001, Punjab.

Dear Sir,

1. I/We...... am/are submitting the quotation for Reference No: \_\_\_\_\_\_ due on \_\_\_\_\_ PM" for "Equipment for Nursing Foundation laboratory at Nursing College in AlIMS Bathinda.

2. I/We thoroughly examined and understood terms & conditions of contract given in the enquiry document.

3. I/We hereby offer to supply at the following rates. I/We undertake that I/We are not entitled to claim any enhancement of rates on any account during the validity of the rate contract.

S.N o	Items	Specification	Unit Price	Taxes	Total Price In Rs.
	Equipment Items				
1	SS Tray with Lid (Big) (30x25x5cm)	<ul> <li>Shape – Rectangular</li> <li>Size – Medium</li> <li>Material of Dressing Tray - Stainless Steel</li> <li>Lifting Arrangement of lid - Handle</li> <li>Tray edges – Curved</li> <li>Width – 25 cm – 30 cm</li> <li>length – 30 cm – 35cm</li> <li>Depth – 5cm – 8 cm</li> <li>Weight – 250gm – 300 gm</li> </ul>			
2	SS Tray with Lid (Medium) (30x20x5cm)	<ul> <li>Shape – Rectangular</li> <li>Size – Small</li> <li>Material of Dressing Tray – Stainless still</li> <li>Lifting Arrangement of lid - Grooved Flat Strip</li> <li>Width – 20 cm – 25 cm</li> <li>Length – 30 cm</li> <li>Depth – 5 cm</li> <li>Weight – 200 gm</li> </ul>			
3	SS Tray with Lid (small) (25x20x5cm)	<ul> <li>Medical Devices Stainless Steel Curved Surgical Dressing Trays</li> <li>Shape – Rectangular</li> <li>Size – small</li> <li>Lifting Arrangement of lid - Grooved Flat Strip</li> <li>Tray edges – Curved</li> <li>Width – 20cm</li> <li>length -25 cm</li> </ul>			

	• Depth –5 cm		
	• Weight - 280 gm		
SS Dressing	-Material of Body, Lid & amp;		
Drum (big)	-Belt and hasp - Stainless Steel		
381mm x	-Diameter & Height of		
304mm	-Sterilizer (Diameter in mm - 381 mm x 304		
50 11111	mm		
SS Kidney	Type : Without Lid		
•	-Shape : Kidney Shape		
tray (20x9x4.5cm)	-Size : Large		
(201914.3011)	-Material of Dressing Tray : Stainless Steel		
	-Lifting Arrangement of lid : Grooved Flat		
	Strip		
	-Tray edges : Curved		
	-Width : 9.3 centimeter		
	-length : 20.32 centimeter		
	-Depth : 4.5 centimeter		
	-Weight : 40 gram		
	-Lifting Arrangement of lid: Grooved Flat		
	Strip		
SS Kidney	Shape : Kidney Shape		
tray	Size : Medium		
(11x6x3cm)	Material of Dressing Tray : Stainless Steel		
	Width : 11 centimeter		
	length : 6 centimeter		
	Depth : 3 centimeter		
	Weight : 120 gram		
SS bowl (350	Material of the Bowls - Stainless Steel		
ml)	• Length of Bowl (10mm)		
,	<ul> <li>Width of Bowl (10mm)</li> </ul>		
	<ul> <li>Height of Bowl (10mm)</li> </ul>		
	e v v		
	• Capacity of Bowl (350ml)		
	• Weight of Bowl (110gm)		
	Shape - Round		
SS bowl (225	Shape : Round Bowl		
ml)	Colour : Steel Silver		
	Material of the Bowls : Stainless Steel		
	Length of Bowl (mm) : 110		
	Width of Bowl (mm) : 100		
	Height of Bowl (mm) : 40		
	Capacity of Bowl (ml): 225		
	Weight of Bowl (gm): 75		
SS Spoon	Type of Spoon -Tea spoon		
-	Material of the spoon - Stainless Steel		
SS Artery	-Type of Artery Forcep : Adson Artery Forcep	<u> </u>	
forceps	-Material Grade : Stainless Steel 316		
(curved)	-Jaw Pattern : Curved		
(var vou)	-Overall Length : 160 millimeter		
SS Artery	-Autoclavable: Yes		
Forceps	-Conformity to Indian		
•	•		
(straight)	Standard: IS 3645:1992 For Spencer Wells		
	Artery Forcep		
	-Type of Artery Forcep: Spencer Well Artery		
	Forcep		
	-Material :Surgical Stainless Steel		

	-Material Grade: Stainless Steel 316		
	-Jaw Pattern: Straight		
	-Overall Length: 150 millimeter		
1 SS Dissecting	-Teeth: 1x2		
forceps(toothe	-Type: Toothed		
d)	-Finish: Mirror Finish		
,	-Material Stainless: steel 410		
	-Tip Style: Straight		
	-Length : 20 centimetre		
1 SS Dissecting	Teeth : NA		
forceps(Non-	Type : Non Toothed		
toothed)	Finish : Satin Finish		
(counca)	Material : Stainless steel 410		
	Tip Style : Blunt		
	Length : 12 centimeter		
1 SS Allis	Allis Foreceps length : 8		
forceps	Teeth : 4 X 5		
loreeps	Surface finish : Polished		
	Material : Stainless steel 410		
1 Mosquito	-Type of Artery Forcep: Halsted Mosquito		
Artery Forceps			
Thery Toreeps	-Material: Surgical Stainless Steel		
	-Material Grade: Stainless Steel 316		
	-Working Surface Style- Serrated jaws		
	-Jaw Pattern: Curved		
	-Overall Length :180 millimeter		
1 SS Sponge			
holding			
forceps	• Shape – Straight		
loiceps	• Length, Inch – 10		
1 22	Material - Stainless Steel		
1 SS tongue	• Tongue depressor is a tool used in medical		
depressor	practice to depress the tongue to allow for		
(straight)	examination of the mouth and throat		
	Reusable and Autoclavable		
	• Shape of ends – rounded both ends		
	• Blade – Smooth		
	• Length (100mm – 150mm)		
1 SS tongue	-Type: L Shape		
depressor	-Material: Stainless Steel		
(L shape)	-Shape of ends: Rounded at both ends		
	-Blade: Smooth		
	-Surface finish :Matte Finish		
	-Length (approx): 100 millimeter		
	-Thickness (approx): 2 millimeter		
1 SS Scissors	Material - Stainless Steel		
(Straight)	• Sizes – 6 Inch		
	<ul> <li>Color – Silver</li> </ul>		
	<ul> <li>Tip shape - Straight</li> </ul>		
2 SS Scissors	-Sizes : 6 inch		
(curved)	-Tip shape : Curved		
	-Autoclave : Yes		
	-Autoclave : Yes -Material: Stainless steel 304		
	-Tip type: Blunt -Sizes: 6 inch		
	-Sizes. U IIICII		

2 Reflex	-Shape of Hammer Material: Triangular		
hammer	-Design of Reflex Hammer : Taylor		
	-Hammer Material : Plastic		
	-Handle Material : Stainless steel		
	-Handle Material Edge : Tapered		
	-Overall Length : 280 millimeter		
2 Tuning fork	Medical Tuning Fork		
	<ul> <li>Grade A (Tolerance for frequency +/-</li> </ul>		
	0.2%, Decrement time minimum		
	30seconds)		
	,		
	• Two-pronged metal fork used as an		
	acoustic resonator in medical purposes		
	• To determine certain types of hearing loss		
	• Material (Non-corrosive and Non-		
	magnetic) - Electroplated Steel		
	• Prong (leg), (round shaped), dia (4mm)		
	• Length of Prongs (each), (100mm)		
	• Space between the prongs at the end		
	(14mm)		
	• Stem length (Bar attached to the U shaped		
	body) (60mm)		
	• Overall Length of Tuning Fork (155mm)		
	• Frequency (Hz) 128		
	• Each tuning fork shall be marked at a		
	suitable place with the following: a)		
	Manufacturer's name and trade-mark, b)		
	Frequency, and c) Serial number and code		
	number or year of manufacture		
2 Laryngoscope	-Type of Laryngoscope : Standard		
2 Eurjiigoseope	Laryngoscope		
	-Size of Blades : 4		
	-Number of blades included : 4		
	-Type of Handle: Standard (Adults)		
	-Light Source : LED bulb		
	-Fitting of light source : Bulb on the blade		
	-Material of handle of Laryngoscope:		
	Stainless Steel Medical grade		
2 Retractor	Stainless Steel Retractors		
	-		
	• Length $-27 \text{ cm}$		
	• Weight – 200gm – 250 gm		
	• Width – 10cm		
	• Valve Deep – 30 mm		
	• Blade Width – 50mm		
	• Height – 3 cm		
	• Valve Wide - 50 mm		
	Material - Stainless Steel		
	Reusable		
	Manufacturer should have ISO		
	certification for quality standard		
2 BP Handle	<ul> <li>Material of Handles - Stainless Steel for</li> </ul>		
	• Material of Handles - Stamless Steel for Handles each blade is only used once		
	(sometimes just for a single, small cut).		
	The handle is also known as a "B.P.		
	The nancie is also known as a "B.P. I		

	<ul> <li>Length – 15 cm</li> <li>Blade Size – 15</li> </ul>	
2 Needle Holder	<ul> <li>Mayo Hegar Needle Holder</li> <li>To hold a suturing needle for closing wounds during suturing and surgical procedures in Pediatric surgery</li> <li>Material - Stainless Steel</li> <li>Autoclavable</li> <li>Reusable</li> <li>Needle Holder shall be free from cracks, pits, scales, seams, burrs</li> </ul>	
2 Instrument Trolley For Hospitals	<ul> <li>Type of Instrument Trolley - 2 Shelve Instrument trolley</li> <li>Shelve Position - one on Top and one at bottom above casters (for 2 shelves)</li> <li>Load carrying capacity of the trolley (in kg) - 50 to 60 kg</li> <li>Thickness of Sheet of trolley in mm - 25 millimeter</li> <li>Length of Trolley in 600mm - 700mm</li> <li>Width of Trolley in 400mm - 500mm</li> <li>Height of Trolley in 800mm - 900mm</li> <li>Overall Weight of the trolley 20Kg - 40 kg</li> <li>Ground Clearnance in 100mm - 150mm</li> </ul>	
2 Uro-bag	<ul> <li>Oround Creatinate in Toomin – Toomin</li> <li>Disposable, plastic</li> <li>Capacity of Bag (2000 ml)</li> <li>Sterile</li> <li>Length of Tubing (150 cm)</li> <li>Diameter of Tubing (12 mm)</li> <li>Material, Medical grade, Non-toxic and biocompatible : Transparent Polyvinyl Chloride</li> <li>Double layers</li> </ul>	
2 Pulse oximeter	<ul> <li>Type of Pulse Oximeter : Finger Tip</li> <li>Special Signal processing Technology (Motion artifact technology rejection) – Masimo set</li> <li>SPO2 probes – Reusable</li> <li>Display of SPO2 and PR - digital display with bar graph</li> <li>Type of Patient - Adult</li> <li>Display (with contrast adjust- ability) - LCD</li> <li>Number of probes provided (Hint: in case adult , pediatric and neonatal are selected for type of probe all the three have to be given and in case adult &amp; pediatric are selected both are to be given) - 1 each</li> <li>Non-invasive blood pressure (NIBP) provided – Yes</li> <li>Power source - Battery Used</li> </ul>	

3 Steam inhaler	-Electrical heating: Yes	
	-5 piece set consisting of	
	Facial Jar, Storage Jar,	
	Thread piece with wire,	
	-	
	nose piece and one way	
	steamer: Yes	
	-Smooth edges of nose and	
	mouth attachments for	
	general steam inhalation: Yes	
3 Thermometer	• Type of tip – Flexible	
(Digital)	• Material – Plastic	
	• Temperature measuring unit - Degree	
	Fahrenheit	
	• Temperature measurement range - 89.60F	
	to 107.60F	
	• Time for measurement of temperature,	
	(60 Sec)	
	• Weight (20 gm)	
3 Infrared	Interchangeable Celsius & Fahrenheit	
medical	-	
	modes	
thermometer	Low battery indicator	
	• Auto power on	
	Trigger/Button for operation	
	• Auto power o10 when not in use	
	<ul> <li>Display of previous reading on screen</li> </ul>	
	with current reading	
	• Sound indication when the thermometer is	
	ready to take or show the temperature	
	• Audible alarm for fever ,Di10erent	
	backlight colours to dilOerentiate	
	between the fever ranges ,Silent mode	
	,Auto hold function ,Waterproof lens easy	
	to clean and disinfect ,Data transfer	
	facility of other devices through	
	USB/Bluetooth/WiFI/RS 232 ,Limit	
	value for the adjustable alarm as	
	programmable	
3 Needle cutter	• To destroy needles and syringe hub	
	without the use of any electricity and	
	battery	
	Material of Cutter - Stainless Steel Alloy	
	• Cutter supplied with stainless steel handle	
	with a Knob	
	• Puncture proof and tamperproof container	
	• Container type - Reusable and	
	• Container type - Reusable and Autoclavable	
	• Container shall meet requirements of	
	BMW Rules, 2016 as ammended till date	
1	• Non-washable and non- removable label	
	on container	
	<ul> <li>Container capacity – 3 Litre</li> </ul>	
	• Number of needles and hub cuts without -	
	$\geq 100000$	

3 1	Waist lumber	-Outer Layer :TPU		
t	traction belt	Inner Layer : Polyethylene		
		Color: Grey		
		Waist Size: M(28-31 Inch)		
		Length of extension belt: 9.8 inch		
		Weight : 500-600 gram		
		After Inflation Width-7.9 inch		
3 1	Hot water	-Capacity (liter) : 1.5		
	pottle(1.4L)	-Surface Finish : Smooth		
	lce bag(Ice	-Portable sealed		
	Gel Cold			
		-Type of sealed container		
1	Pack) 350 ml	(Filled with gel): Pouch		
		-Nominal Capacity (ml) : 350m milliliter		
		-Weight of pack filled with gel		
		(gms): 200 to 300		
		Material of the pack : PVC		
		-Type of sealed container		
		(Filled with gel): Pouch		
		Color: Blue		
		Shape: Rectangular		
		Width of pack (External)		
		(cm): 105 centimeter		
31	Mackintosh(91	Type of Proofing rubber : Synthetic		
C	cm x 150cm)	Material of base fabric : Cotton		
		Colour of the Finished fabric : blue		
		Grade and mass of finished		
		fabric: Grade A with Finished		
		fabric mass of 500 gm per sq.m		
		Proofing content minimum : 350 gram per sq.		
		meter- for Grade A		
3 5	SS Sputum	•Type: With Lid		
	cup	•Shape Round		
	<b>u</b> p	•Material: Stain		
		•Width 13 centimeter		
		•length 27 centimeter		
		•Depth 8 centimeter		
		Weight :60 gram		
2 0	SS Basin	-Material: Stainless Steel Material		
2 5	55 Dasili	-Colour: Silver		
		-SS Basin: 22 Gauge - 1 Quantity - Size -14,		
		Dimensions - Width - 30 Cm & Height - 8 Cm.		
	SS Cheatle	-10 inch / Stainless Steel, Hemostats Forceps		
	forceps			
	SS Suture	-Surgical Suture Cutting Scissor 6" inches		
	cutting	Curved (Blunt/Sharp Blades) Scissors		
S	scissors	-Type: Ring Scissor		
4 5	Splints (Hand,	-Hand Splint-Cook Up Splint For Both Hand		
I	Foot, Thumb)	Side palm support , elbow support Hand		
		Support		
		-Size in Number:10 - 40 cm		
		Foot drop Splint: -Size in Number		
		25.7 - 27.7 cm, Colour: Grey, material: Plastic		
		-Thumb Brace Spica Splint Support -		
		Neoprene Reversible (BLACK), Size in		
		Number 15 - 25 cm		
		•Material: Polypropylene		

		•Colour : Blue	
		•Odour resistant, Attached with handle for	
		gripping and Attached with lid for preventing	
		spillage	
		•Capacity :2000 milliliter	
		•Weight (gm): 400	
		•Dimensions (mm) :20x15x30	
44	Oxygen -	Oxygen Mask:	
	Venturi Mask	Material : Acrylic	
		• Size: 2 Count (Pack of 1)	
		• Style : Oxygen Mask	
		• Dimensions: 10 x 7 x 2 cm; 50 Grams	
		<ul> <li>Weight: 50gm - 100gm</li> </ul>	
		<ul> <li>Venturi Mask: resuscitations venturi mask</li> </ul>	
		with valve with tubing adult	
		-	
		• The flow printed on the valves ensures	
		that the patient receives a total flow of	
		approximately 40 L/min	
		• The color of the device reflects the	
		delivered oxygen concentration, for	
		example: blue = $24\%$ ; yellow = $28\%$ ;	
		white = $31\%$ ; green = $35\%$ ; pink = $40\%$ ;	
15		orange = $50\%$ .	
45.	Oxygen - Face	• Oxygen Mask:	
	Mask	Material : Acrylic	
		• Size: 2 Count (Pack of 1)	
		Style : Oxygen Mask	
		• Dimensions: 10 x 7 x 2 cm; 50 Grams	
		• Weight: 50gm – 100gm	
46	Nasal cannula	Adult Nasal Cannula Length – 5 Meter	
		Color: White	
47	NG tube 10 Fr,	Material : PVC	
	12 Fr, 14 Fr	Size: 10fr, 12fr, 14 fr	
10			
48	Urinary	Silicone Coated Latex Foley Catheter	
	catheter	• Size 8F/12/14/16/18F	
		Silicone Coated	
		• The 2-way openings allow both urine to	
		flow out the tube and a balloon to be	
		inflated into the bladder	
		• Each catheter openings have separate	
		lumens	
		• Being 100 percent silicone, they have	
		lower incidents of encrustation and	
		blockage rates	
		• Each catheter size is color coded	
		<ul> <li>Each catheter is sterile and individually</li> </ul>	
		packaged	
49	Suction	-Material: Non-toxic medical grade PVC	
77	catheters 6 Fr,	material	
	,		
	8Fr, 10 Fr, 12 Fr, 14 Fr	Sizes: 6 Fr, 8Fr, 10 Fr, 12 Fr, 14 Fr	
50	Fr, 14 Fr	Desuscitations or on home madel and al air	
50	Oropharyngeal	-Resuscitations oropharyngeal guedel airways	
	Airway (adult	size 4.0 -Size: 40 mm to 110 mm	
	size)		

51	IV Cannula	Material: Plastic		
	14G, 16G,	Size: 14G, 16G, 17G, 18G, 20G, 22G		
	17G,			
	18G,20G,22G			
52	IV(Intravenou	Tube Length: 150cm		
	s) Set	Material: Plastic		
		Needle Length 21 Gauge		
53	ET Tube	Size: 7,7.5,8,8.5,9		
	(7, 7.5, 8, 8.5)	Patient Type-Adult		
		Cuff Type-Cuffed		
54	IV stand	• Type of frame: Tubular pipe frame		
		Provision of rod		
		• Number of hooks on rod :2		
		• Number of castor wheels: 4		
		• Number of castor brakes: 4		
		<ul> <li>Castor shall be rust proof</li> </ul>		
		<ul> <li>Provision of height adjustment</li> </ul>		
55	Cardiac table	-Overall Dimension:26x14x30		
55		-Height Adjustable: Yes		
		-Number Of Wheels: 4		
		-Wheel diameter: 50 mm		
		<ul> <li>-Material: ABS+Aluminum</li> </ul>		
56	Enema can	-Graduated PVC Enema kit can with lid,		
30	Elicina cali	attached to a tube and nozzle - Capacity 1500		
		ml.		
		-1 silicon tube, 2 nozzles, 1 clamp.		
57	Cold Ice Pack	-Skin-friendly rubber material, water-proof,		
51	Cold Ice Fack	light-weight		
		-Colour-Red or Blue		
		-20 x 3 x 3 cm; 180 Grams		
58	Haemoglobino	-Weight - 299 g		
30	meter	-Dimensions - 10.01 x 8 x 5.99 cm; 299.37		
	Incici	Grams		
		-Haemoglobinometer is a specialized		
		photometer for measuring blood Hb		
		concentration by its optical density (a liner		
		correlation)		
59	Measuring jug	-Capacity : 1L		
.,	incusuring jug	-Markings are visible and clear to measure		
		different quantities.		
60	Bed cradle	-Bed cradle is a frame that is installed at the		
00		foot of the bed to keep sheets/blankets off		
		legs/feet.		
		-This helps with air circulation, sensitive skin		
		and keeping skin dry, especially if the patient		
		is lying in bed for long periods of time.		
		-48" Length x 24" Width x 24" Height)		
		-Frame work made of Aluminum tubes		
		-Pre-treated and Epoxy Powder Coated.		
61	Mug	-Capacity:500ml, HDPE material		
62	Bucket	-Bucket body Material :Coloured HDPE		
02	DUCKCI	-Capacity (Ltrs) : 25 liter		
63	Urinal	-Weight of Bucket (grams) : 600 gram		
05	Ullial	Patient Category – Male & Female		
		Autoclavable		
	1	Material - High-Density Polyethylene	1	

Page **13** of **16** 

		<ul> <li>Graduation markings on the urinal for measuring urine intervals output – At every 100ml</li> <li>Disposable, plastic Capacity: 1000ml</li> </ul>	
64	Comb	<ul> <li>Comb to be seemless body, low static, smoothen tips and adjust, glossy</li> <li>Shape of comb</li> <li>Material of comb – wood, plastic</li> </ul>	
65	Face Towel(30cm x 30cm)	<ul> <li>Name of the Item –Face Towel Linen</li> <li>Size - 30cm x 30cm (Face Towel)</li> <li>Mass (Per square meter) (min) – 500gm</li> <li>Stitches per dm – 40 min.</li> </ul>	
66	Hand towel(60cm x 40cm)	-Size (Lenght X Width) (cm X cm): 60 X 40 -Construction/Weave : Terry -Colour: Any	
67	Bath towel (150cm x 75cm)	-Material : Cotton Terry -Size ( Length X Width ) (cm X cm)- 145 X 72.5 -Colour: Sky blue lead Acid battery	
68	Sponge cloth	Size/Dimension – 29.4 X 22.4x3.6 cm 100 Grms	
69	Torch	<ul> <li>Type of lamp/ Material – LED</li> <li>Dia of search light (70mm – 100mm)</li> <li>Color temperature (Degree K) - 4000 to 4500 deg K for Halegon</li> <li>Type of battery – SMF</li> <li>Range of Narrow beam angle (Degree) and Range of wide beam angle (Degree) - up to 4 deg</li> </ul>	
		Gross weight of Hand - 3.8 kg (max.) with SMF Lead Acid battery	
70	Draw sheets	<ul> <li>A draw sheet is a small bed sheet placed crosswise over the middle of the bottom sheet of a mattress to cover the area between the person's upper back and thighs, often used by medical professionals to move patients.</li> <li>Weight: 200gm - 300gm</li> <li>Size: 90×180/1mx2m.</li> <li>Colour - White</li> </ul>	
71	Counter Pane	Polycotton And 100% Polyster White, Size: 36" x 80"	
72	Bed Blocks	Block made of sturdy material, such as wood, to elevate one end of a bed relative to the other	
73	Fracture Borad	<ul><li>Fracture bed is a hard firm bed designed for the patient with fracture particularly of spine, pelvis or femur.</li><li>To give firm, even support to the fracture limbs and back</li></ul>	

#### Note:

1. The Bidder must quote only single Make & Model.

2. The supplier may be asked to arranging demonstration of their equipment for which rates have been quoted, to the AIIMS Bathinda, if required. The expenditure incurred for demonstrating the items will be borne by the supplier.

Date:
Place:

(Name): Name of Firm/Company/Agency: GSTIN No:

Phone No: Email:

(Signature of Authorized Person)

#### Annexure-2

#### DECLARATION

Date..... To, The Chairman, Procurement Cell, AIIMS, Bathinda-151001, Punjab. Dear Sir, Reference No.:\_\_\_\_\_ Due on PM. I / We ..... hereby confirm that our firm has not been banned or black listed by any government organization/Financial institution/Court /Public sector Unit/ Central Government. Signature of Authorized Person..... Name..... Designation..... Seal Place: Date:

Page 16 of 16