



ALL INDIA INSTITUTE OF MEDICAL SCIENCES, BATHINDA

**INSTITUTE OF NATIONAL IMPORTANCE UNDER MINISTRY OF HEALTH AND
FAMILY WELFARE NEAR GIANI ZAIL SINGH COLLEGE, JODHPUR
ROMANA, DABWALI ROAD-151001**

INVITATION FOR QUOTATIONS FOR PROCUREMENT OF GYM EQUIPMENTS

Reference No: AIIMS Bathinda/Proc.Cell/2023/Gym/1682

Date of Issue: 06 Feb 2023

Last Date of Submission: 07 Mar 2023 Time 17:00

**ALL INDIA INSTITUTE OF MEDICAL SCIENCES, BATHINDA
NEAR GIANI ZAIL SINGH COLLEGE, JODHPUR ROMANA, DABWALI ROAD-
151001**

Email: procurementcellaiimsbti@gmail.com

Invitation of quotations for procurement of gym equipment's at AIIMS, Bathinda

Sealed Quotations are hereby invited by the undersigned on behalf of the Director, AIIMS Bathinda for supply of gym equipment's.

for AIIMS, Bathinda as per terms & conditions mentioned below. The filled quotations along with all the required documents must reach in the office of The Procurement Cell, administrative block medical collage building, AIIMS, Bathinda-151001, Punjab on or before 07 Mar 2023. The Envelope containing the quotation would please be sealed and super scribed as under: -

“Quotation for the procurement of Gym equipment's AGAINST Reference AIIMS Bathinda/Proc.Cell/2023/Gym/1682 Due on 07 Mar 2023 Time 17:00

1. Terms & Conditions:

1. Quotations need to be submitted **by speed post/registered post** or may be submitted directly to **The Procurement Cell, administrative block medical collage building, AIIMS, Bathinda-151001, Punjab** after obtaining the acknowledgement for the same in the office of the Chairman, Procurement Cell, AIIMS Bathinda.
2. The envelope containing quotation should be sealed with wax/tape on both sides. The quotations received unsealed or after the deadline shall not be entertained under any circumstances whatsoever. In case of postal delay, the Institute will not be responsible. The offers submitted by fax/email shall not be considered and no correspondence will be entertained in this matter.
3. Quotations must be in the **enclosed prescribed Performa (Annexure – 1) on the letter head of the firm duly signed** by the Proprietor/ Partner/ Director or their authorized representative. In case of signing of quotation by the authorized representative, letter of authorization must be attached with the quotation.
4. The supplier should supply all the items.
5. Rates must be quoted in Indian Rupees in figures as well as in words. Rates must be quoted as per the format specified, taxes extra if any must be written separately.
6. Rates must be inclusive of all charges (including Freight charges, Insurance, installation, taxes etc.)

7. In general, no overwriting or cutting is permitted in the rate. If found, the quotation shall be summarily rejected. However, except rate all cuttings and over writings must be signed by the authorized person of the firm.
8. Quotations qualified by such vague and indefinite expression such as "subject to prior confirmation", subject to immediate acceptance" etc. will be treated as vague offers and it will be rejected accordingly. Any conditional quotation shall be rejected summarily.
9. The rates quoted must be valid for 90 days minimum from the date of opening of the quotation and silence of any tenderer on this issue shall be treated as agreed with this condition.
10. Becoming L1 will not be the criteria for awarding of purchase order unless the rates and quality are reasonable & justified.
11. **The supplier may be asked to submit a sample of the product, which will be evaluated technically at AIIMS, Bathinda...** Price bids of only those firms will be opened which qualifies technically as per the recommendation of the committee. The bid to be submitted by the Bidder shall consist of **2 (two) parts: - Part - I ... The bidder shall seal the two envelopes (both technical & financial bids in two separate envelopes, clearly mentioned on envelope)** and put in one outer cover. **L1 will be awarded only after satisfying the quality criteria and desired specifications by the authority.**
12. The expenditure incurred for demonstrating the items will be borne by the supplier.
13. RTGS/NEFT details need to be furnished by the supplier with the quotation on the letter head of supplier/firm/ agency.
14. The firm/agency may satisfy the following conditions and attach self-attested copy of the same with the quotation:
 - The firm shall have valid GST No. and PAN No.
 - **Certificate of non-inclusion in the black listed by Govt/Department as per given format attached in Annexure-2 Rs. 100/ - stamp paper duly notarized.**
 - **Purchase order of any Govt. Institute.**
15. Market standing of minimum 3 Years on company letter head.
16. **Delivery Period** – 30 days from the award of work.
17. **Liquidated Damage:** -In the event of the Seller's failure to supply the goods/services as specified in this inquiry, the Buyer may at his discretion, withhold any payment until the completion of the contract. The Buyer may also deduct from the Seller as agreed, liquidated damages to the sum of 0.5% of the contract price of the delayed/undelivered goods/services mentioned above for every week of delay or part thereof, subject to the maximum value of the

liquidated Damages being not higher than 10% of the value of delayed goods.

18. **Guarantee/Warranty Terms:** The materials supplied by result of this Quotation/supply order shall be of the best quality and workmanship and new in all respects and shall be strictly in accordance with the specifications and particulars contained /mentioned against each item in this document/ supply order. The seller guarantees that the said materials would continue to conform to the description and quality aforesaid for a period of 36 months from the date of delivery of the said materials to the buyer.

19. **Payment Terms: Payment will be only made after satisfactory delivery/ commissioning of material and after inspection by the authority at AIIMS Bathinda.** 100% payment will be done only after delivery and submission of following documents by vendors to Finance Accounts Section-

- a) Contingent Bill in triplicate along with supporting vouchers.
- b) Store Receipt Certificate issued by stores.
- c) Inspection Report issued by the concerned department if applicable.

20. **Disputes:** In the event of any dispute or disagreement arising between the contractors and any other department of AIIMS Bathinda with regards to the interpretation of "Terms & Conditions" of this inquiry, the same shall be referred to the Director, AIIMS Bathinda whose decision will be final and binding upon the contractor.

21. AIIMS, Bathinda reserves the right to increase or decrease amount of work. Decision of the AIIMS Bathinda on Quantity be final in this regard.

22. AIIMS, Bathinda reserves the right to reject any quotation or part or whole of the quotation process without assigning any reason. Decision of the AIIMS, BATHINDA will be final in this regard.

Enclosures:

1. Annexure-1 ((Price-Bid Form with List of Items /Specifications).
2. Annexure-2 (Declaration Certificate.)

Chairman
Procurement Cell,
AIIMS, Bathinda

**[Letter Head of Firm]
PRICE BID FORM**

To,
The Chairman,
Procurement Cell,

AIIMS, Bathinda-151001,
Punjab.
Dear Sir,

1. I/We _____ am/are submitting the quotation for **Reference No: _____ Due on _____** **PM.** for “supply of gym equipment’s” in AIIMS Bathinda.
2. I/We thoroughly examined and understood terms & conditions of contract given in the enquiry document.
3. I/We hereby offer to supply at the following rates. I/We undertake that I/We are not entitled to claim any enhancement of rates on any account during the validity of the rate contract.

Sr.	Items	Qty	Unit Price	Taxes	Unit Price with Taxes	Total Amount	Amount in words
1.	Rubberized Dumbbell of a reputed brand	5kg x 4					
		10kg x 4					
		12.5kg x 4					
		15kgx 4					
		17.5kg x 2					
		20kg x 2					
		25kg x 2					
		30kg x 2					
2.	Olympic Bars made up of high grade steel	Tricep rod (zig zag) x1					
		Straight rod (4ft.) x2					
		Straight rod (7ft.) x2					
3.	Functional trainer Weight stacks: 2 stacks of minimum 100 kgs each	01					
4.	Adjustable Incline & Decline Bench press with facility for leg extension and flexion	01					
5.	Rubberized Plates of a reputed	2.5kg x 2					

	brand	5kg x 2					
		10kg x 4					
		15kg x 2					
		20kg x 2					
		25kg x 2					
6.	Adjustable incline/decline bench	01					
7.	Lat pulldown rod with rubber coated ends	01					
8.	Lat rowing rod made up of high grade steel	01					
9.	Triceps rope	01					
10.	Triceps V handle made up of high grade steel	01					
11.	TILE FLOORING 10MM	145					
12.	Flat bench	01					

ADDITIONAL SPECIFICATION FOR ITEM NO. 1 TO 12 FOR procurement OF GYM EQUIPMENTS

1. Demonstration if needed has to be given.
2. Warranty period 3 years
3. Variation of 10% is acceptable in all sizes

Date:

Place:

(Name):

Name of Firm/Company/Agency:

GSTIN No:

Phone No:

Email:

(Signature of Authorized
Person)

Annexure-2

Specification For Gym Equipments –

S. No.	Items	Specifications
1.	Rubberized Dumbbell of a reputed brand	<ul style="list-style-type: none">• Shape of dumbbells: Circular• Dumbbells shall be rubber coated with steel inside• Dumbbells shall have knurled chrome steel handle• Dumbbells shall be anti rust
2.	Olympic Bars made up of high grade steel	<ul style="list-style-type: none">• Shape of bar: Cylindrical• Thickness of olympic bar in mm: 28• Size of bore of Olympic rod: 50 mm chrome bore• Olympic rod shall be Compatible with plates• Locks in olympic bars• Olympic rod shall be triple coated chrome finish which protects against chipping, scarring and peeling• Olympic rods shall be anti rust
3.	Functional trainer Weight stacks: 2 stacks of minimum 100 kgs each	<ul style="list-style-type: none">• Features: Easy to install, Wide and neutral grip bars, Aviation grade cables, Bars for pull up (3 pairs), Chrome plated columns, Compact footprint and low height, Adjustments: 18 pulley carriage adjustment positions• Material: MS• Color: Black• Target Muscles: Arms, Shoulders, Back, Chest, Core, Biceps, Triceps, Leg• Surface: Finish electrostatically applied• Application: To be used for multi function weight and resistance training exercises• Dimensions:<ul style="list-style-type: none">◦ Length: 1400-1600 mm◦ Weight: 300-350 kg◦ Height: 2400-2600 mm◦ Width: 2000-2400 mm
4.	Adjustable Incline & Decline Bench press with facility for leg extension and flexion	<ul style="list-style-type: none">• Type of coating on frame of multi adjustable bench: Electrostatic powder coating Stainless steel• High quality PVC + Polyurethane for upholstery• Adjustable seat and backrest• Individually adjustable back & seat• Seat pad must adjustment in degree: 0 degree to 30 degree• Back pad adjustment in degree: 0 degree to 85 degree• ABS rubber feet for floor protection• Dimensional:<ul style="list-style-type: none">◦ Thickness of frame of multi adjustable bench in mm: 3-5◦ Thickness of seat and backrest in inches: 4-5◦ Length in cm: 210-240◦ Width in cm: 100-115◦ Height in cm: 115-125◦ Weight in Kg: 60• Maximum User weight in kg: more than 250
5.	Rubberized Plates of a reputed brand	<ul style="list-style-type: none">• Plates shall be rubber coated with steel inside• Shape of plates: round• Plates shall have 50 mm steel ring• Plates shall be Compatible with Olympic bars• Plates shall be anti rust

6.	Adjustable incline/decline bench	<ul style="list-style-type: none"> • Type of coating on frame of multi adjustable bench: Electrostatic powder coating Stainless steel • High quality PVC + Polyurethane for upholstery • Adjustable seat and backrest • Individually adjustable back & seat • Seat pad must adjustment in degree: 0 degree to 30 degree • Back pad adjustment in degree: 0 degree to 90 degree • Dual rear transport wheels • ABS rubber feet for floor protection • Dimensions: <ul style="list-style-type: none"> ◦ Thickness of frame of multi adjustable bench in mm: 3-5 ◦ Thickness of seat and back rest in inches: 4-5 ◦ Length in cm: 160-170 ◦ Width in cm: 60-70 ◦ Height in cm: 100-110 ◦ Weight in Kg: 35-50 ◦ Maximum User weight in kg: more than 200
7.	Lat pulldown rod with rubber coated ends	<ul style="list-style-type: none"> • Handle Length: 1200-1400mm • Thickness of Swivel Hook: 8-10mm • Handle Diameter: 25-30mm • Rubber coated on ends
8.	Lat rowing rod made up of high grade steel	<ul style="list-style-type: none"> • Type: Angled • Chrome finish • Dimensions (approximately): • Distance Between Handles: 200-210 mm • Shaft Length: <= 250 mm • Depth: 170-180 mm • Shaft Diameter: 25 mm • Sleeve Diameter: 28-30 mm • Sleeve Length: <=100 mm • Length: <=100 mm • Weight: 2-3 kg
9.	Triceps rope	<ul style="list-style-type: none"> • Size of Rope (Length): 70-80 centimeter • Size of Rope (width): 3-5 centimeter • Size of Rope (Thickness): 5-7 centimeter • Ultra-durable braided rope • Load Capacity: more than 180 kilogram • Thickness of Rope: 30-35 millimeter
10.	Triceps V handle made up of high grade steel	<ul style="list-style-type: none"> • Material: Steel • Shape: V • Length (total): 18-20 inches
11.	Tile flooring	<ul style="list-style-type: none"> • Material: Rubber • Thickness: 10mm • Dimensions: 2 square feet • Anti skid
12.	Flat bench	<ul style="list-style-type: none"> • Dimensions: <ul style="list-style-type: none"> ◦ Height: minimum 40 cm ◦ Width: minimum 60 cm ◦ Length: minimum 120 cm • Weight: minimum 25 kg • Made up of high quality metal • Finishing: powder coated • Seat material: foam with covering

DECLARATION

Date.....

To,

The Chairman,
Procurement
Cell,
AIIMS, Bathinda-151001, Punjab.

Dear Sir,

Reference No.: _____ Due on _____ PM.

I / We _____ hereby confirm that our firm has not been banned or black listed by any government organization/Financial institution/Court /Public sector Unit/ Central Government.

Signature of Authorized Person.....

Name.....

Designation.....

Seal

Place:

Date: