# All India Institute of Medical Sciences Bathinda (Punjab)

Mandi Dabwali Road, Bathinda, Punjab-151001



### **Rate Contract of Various Dental**

## **Consumable items**

Ref. No.	:	AIIMS/BTI/Tender/ 8	5
Publishing Date	:	05 APR 2023	06:10 PM
Pre-Bid Meeting	:	13 APR 2023	o 3100 pm
<b>Bid Submission Start Date</b>	:	05 APR 2023	06:00 PM
Last Date of Bid Submission	:	27 APR 2023	12:00 PM
Bid Opening	:	28 APR 2023	D: NO PM

Tender documents may be downloaded from institute's web site <u>www.aiimsbathinda.edu.in</u> (for reference only) and CPPP site <u>https://eprocure.gov.in/eprocure/app</u>

Email: procurement@aiimsbathinda.in

#### TENDER NOTICE

#### Rate Contract of Various Dental Consumable Items at AIIMS, Bathinda, Mandi Dabwali Road, Bathinda, Punjab-151001

1.E-tenders in Two Bids (Technical & Financial) are invited on behalf of the Executive Director, All India Institute of Medical Sciences, Bathinda from interested and eligible manufacturer or their authorised distributors/dealers, for providing various dental consumable items at AIIMS Bathinda initially for one year and further extendable for one year on satisfactory performance.

2. Bids shall be submitted online only at CPPP website: https://eprocure.gov.in/eprocure/app.

3. The complete bidding process is online. Bidders should be possession of valid digital Signature Certificate (DSC) for online submission of bids. Prior to bidding DSC need to be registered on the website mentioned above. For any assistance for e-bidding process, if required, bidder may contact to the helpdesk at 0120-4001 002.

4. Tenderer/Contractor/Bidders are advised to follow the instructions provided in the 'Instructions to the Contractors/Tenderer/Bidders for the e-submission of the bids online through the Central Public Procurement Portal for e Procurement at <a href="https://eprocure.gov.in/eprocure/app">https://eprocure.gov.in/eprocure/app</a>'.

5. Bid documents may be scanned with 100 dpi with black and white option which helps in reducing size of the scanned document.

6. Hard Copy of Bid security declaration tender fee and documents for technical bid etc. must be delivered to AIIMS, Bathinda on or before last date/time of Bid Submission as mentioned above. The bid with Financial bid will be summarily rejected.

7. The tender shall be submitted online in two part, viz., technical bid and financial bid. All the pages of bid being submitted must be signed and sequentially numbered by the bidder irrespective of nature of content of the documents before uploading.

# The offers submitted by Telegram/Fax/email shall not be considered. No correspondence will be entertained in this matter.

8. Any future clarification and/or corrigendum(s) shall be communicated through <u>https://eprocure.gov.in/eprocure/app</u> or through our website: <u>www.aiimsbathinda.edu.in</u>. The bidders are required to regularly check the website to know about any/all such corrigendum(s) as only these bids, taking care of such corrigendum(s) shall be considered for finalization of the tender.

9. Bidder should necessarily enclose a covering letter mentioning a summary of applied document with proper numbering. Secondly, bid should also attach a compliance sheet as per specification mentioning that they are complying to all specification or have any variation.

10. The pre bid conference would be held through video conferencing. Interested firms are requested to share their details through email for video conferencing before the date and time of the conference. All firm's representative who are attending the pre bid meeting, shall produce an authorization letter from their firm on the firm's letter head. They are required to put their query in writing before the committee and submit the same in writing on its letter head. The query may also be submitted through email on procurement@aiimsbathinda.in.

11. All the duly filled/completed pages of the tender should be given serial /page number on each page and signed by the owner of the firm or his Authorized signatory. In case the tenders are signed by the Authorized signatory, a copy of the power of attorney/authorization may be enclosed along with tender. A copy of the terms & conditions shall be signed on each page and submitted with the technical bid as token of acceptance of terms & conditions. Tender with unsigned pages/incomplete/partial/part of tender if submitted will be rejected outrightly.

( Janar to

12 Any omission in filling the columns of Financial Bid form (Schedule of Rates) shall debar a tender from being considered. Rates should be filed up carefully by the tenderer. All corrections in this schedule must be duly attested by full signature of the tenderers. The corrections made by using fluid and overwriting will not be accepted and tender would be rejected by full signature of the tenderers. The corrections made by using fluid and overwriting will not be accepted and tender at tender would be rejected.

13. (i) Bid Security: - The bidder shall pay the respective amount of Bid Security (EMD) of Rs. 62,500.00 (Rupees Sixty Two Thousand Five Hundred Only) I along with the Technical Bid by way of demand draft/FD/TD/CD in favour of "Executive Director AIIMS Bathinda" drawn on any Nationalized Bank / Scheduled Bank and payable at Bathinda and must be valid for (6) six months. Bids received without tender fees and Earnest Money deposit (EMD) shall stand rejected and thus shall not be considered for evaluation etc. at any stage. The original EMD will be put in cover-1 containing with technical bid

- a) The Public Sector Undertaking of the Central/State Govt./MSEs/MSME/Registered with Central Purchase Organization are exempted from furnishing Earnest Money along with tender. Subject to submission of its valid proof.
- b) The firms Registered with DGS & D/SSI and any approval source of Central/State Govt. are not exempted from furnishing Earnest Money in so far as this institute is concerned.
- c) Earnest Money deposited with AIIMS, Bathinda in connection with any other tender enquiry even if for same/similar material / Stares by the tenderer will not be considered against this tender.

(ii) EMD is required to protect the purchaser against the risk of Bidders conduct. The EMD will be forfeited if the bidder withdraws or amends its tender or impairs or derogates from the tender in any respect within the period of validity of its tender or if it comes to the notice that the information/ documents furnished in its tender is incorrect or false

14. The bid security (EMD) without interest shall be returned to the unsuccessful bidder after finalization of conract successful bidder.

15. Bidders are not allowed to submit more than one bid for the same/similar tendered item else all his bids shall be cancelled thereby making him disqualified in addition blacklisted for participating in future tenders by AIIMS Bathinda.

16. The successful bidders have to execute a contract on Indian non judicial stamp paper of Rs.100/- (Rupees one hundred only) within twenty-one (21) days from the date of award of this tender in his favour and also required to furnish the Security Deposit equals to 3% of the contract value in the form of FD/DD/BG/TD/CD for two monthsextra of the contract period from any Nationalised/Schedule bank duly pledged in favour of "Executive Director AIIMS Bathinda" & payable at Bathinda only. The EMD deposited by successful bidder may be adjusted to wards Security Deposit as demanded above after its validation for the required period. If the successful bidder fails to furnish the full security deposit or difference amount between Security Deposit and EMD within 21 (twenty-one) days after the issue of Letter of Award of Work, his bid security (EMD) shall be forfeited and award of tender in suppliers favour automatically stands terminated at his cost & liability, unless time extension has been granted by AIIMS, Bathinda.

17. The needful action will be taken if successful bidder fails to supply the goods/equipment in stipulated time or fails to comply with any of the terms & conditions of the contract or fail to sign the contract.

18. The bid shall be valid and open for acceptance by the competent authority of AIIMS Bathinda for a period of 180 (one hundred eighty) days from the published date of opening of the tenders and no request for any variation in quoted rates and / withdrawal of tender on any ground by bidders shall be entertained. The unilateral withdraw at any stage will cause forfeiture of EMD in addition to any remedy that the purchaser may have under the law.

19. To assist in the analysis, evaluation and computation of the bids, the Competent Authority, may ask bidders individually for clarification of their bids. The request for Clarification and the response shall be in writing but no change in the price or substance of the bid offered shall be permitted.

20. After evaluation, the work shall be awarded normally to the Agency fulfilling all the conditions of the contract and who has quoted the lowest rate as per financial bid after complying with the all the Acts / provisions stated / referred to for adherence in the tender.

21. The competent authority of AIIMS, Bathinda reserves all rights to accept or reject any/ all tender(s) without assigning any reason. It can also impose/relax any administrative term and condition/specifications of the tender

esquiry after due discussion in pre-bid conference. This will be communicated and shown over the website of the Institute. No representation will be considered after pre-bid meeting and **bidders may ensure its queries only in p re-bid meeting**. AIIMS, Bathinda also reserves the right to reject any bid which in his opinion is non-responsive **orviolating** any of the conditions/specifications without any liability to any loss whatsoever it may cause to the bidder in the process.

22. Tender must be submitted on the prescribed Tender Form otherwise tender will be cancelled straightway.

23. The tender form is not transferable.

Joer Loge

24. Canvassing in any form is strictly prohibited and the tenderers who are found canvassing are liable to have their tenders rejected out rightly.

25. It is required by all concerned, namely the Bidders/Suppliers, as the case may be to observe highest standard of ethics during the procurement and execution of this Tender.

26. Installation at consignee's site should be free of cost immediately on arrival of equipment at consignee's site (for equipment).

27. In case the quality of goods supplied are not in conformity with the standard given in tender and as per the samples supplied or the supplies are found defective at any stage these goods shall immediately will be taken back by the supplier and will be replaced with the tender quality goods, without any delay. The competent authority reserves all rights to reject the goods if the same are not found in accordance with the required description / specifications and liquidates damages shall be charged in addition to the cost of re- tender. The supplier is required to provide the demonstration of equipment at AIIMS premises to the AIIMS representatives for its evaluation as per the specification & desired functionality standard. However, a submission of videography displaying functionality as per tender specification may also be considered by the AIIMS, representative.

28. It must be mentioned clearly whether bidder is a manufacturer/sole distributor/ sole agent for the items for which he is quoting.

- a. *Manufacturer* must add a certificate that item(s) is manufactured by them as per range of products.
- b. **Sole Manufacturers** must add a certificate that they are the sole manufacturer of the Item for which they are quoting in this tender enquiry & item is /are their proprietary Item in India. The rate certificate is also required from the sole manufactures that the Rates quoted are the same as they quote to other State/Centre Govt./reputed Private organization and DGS&D rate for the similar item(s) and these are not higher than those quoted by them.
- c. *Authorized* agents must add authority letter from their Manufacturer/Principals on the letter head of the manufacturer/principals signed by a competent person and comes in proforma given in attach must duly supported by a notarized affidavit on Indian Non-Judicial Stamp Paper of Rs.100/- (Rupees One Hundred only) that they are quoting Rates on behalf of them. The authorization letter must give/mention the purpose for which it is allowed. The validity period of the authorization letter must be mentioned in the authority letter otherwise tender will be liable to rejection.

29. In case the bidder on whom the supply order has been placed, fails to make supplies within the delivery schedule and the purchaser has to resort risk purchase, the purchaser (AIIMS, Bathinda) may recover from the tender the difference between the cost calculated on the basis of risk purchase price and that calculated on the basis of rates quoted by tenderer. In case of repeated failure in supplying the order goods the supplyorder may be cancelled and action will be taken as per bid security declaration.

30. The bidders should have furnished a copy of GST registration number, the State / U.T. of registration and the date of such registration. Tenders not complying with this condition will be rejected.

31. **Turnover provisions:** - (i) The tenderers should submit along with the tender, a photo state copy of the last three years Annual Accounts with Audit certificate by Chartered Accountant, Income Tax returns and a copy of current valid income tax <u>clearance certificate (IT CC</u>), otherwise bidder will not be considered for administrative evaluation (in evaluation of Technical bid) and will be declared **disqualified** in technical evaluation.

Page 4

(ii) In case of bidder falls under Section 44AD/44ADA/44AE of Income Tax shall be required to submit turnover certificate verified by Chartered Accountant with his Registration number issued by Institute of Chartered Accountants of India.

(iii) In case of supplier is an Indian Agent, the firm can submit copies of purchase orders issued in favour of firm (*As the payment is made through LC directly to foreign manufacturer and equipment payment does not exist in the book of account of the supplier*) in support to its turnover whatever amount is getting short.

32. **Sample/demonstration:** - In case, the item required prior submission of sample/ performing demonstration, tenderer will have to submit sample/perform demonstration of the equipment/item to the competent authority of the institute, the bidder will have to born all the expenses for the same. Non submission of sample/non performing demonstration will **disqualify** the bidder in the technical bidding process and financial bid of the bidder will not be opened.

The tenderer hereby guarantees that the equipment/consumable supplied to the Institute (purchaser) under 33. the Contract shall be of the best quality/latest version and workmanship and new in all respects and shall be strictly in accordance with the specification and particulars contained/ mentioned in the Tender Document. The kits/consumables at the time of receiving should have minimum 6 months shelves life (expiry). The tenderer will have further guarantees that the said equipment/consumable would continue to conform to the description and quality aforesaid for a period of five (5) years guarantee period (as per MoH&FW guidelines), from the date of installation of the said equipment/consumable to the purchaser and notwithstanding the fact that the Purchaser (Inspector) may have inspected and /or approved the said equipment, if during the aforesaid period of five years the said equipment/consumable be discovered not to confirm to the description and quality as required as per specification or not giving satisfactory performance or have deteriorated, the decision of the Purchaser in that behalf shall be final and binding on the tenderer and the Purchaser shall be entitled to call upon the tenderer to rectify/replace the equipment/consumable or such portion there of as is found to be defective by the purchaser within a reasonable period or such specified period as may be allowed by the purchaser in his discretion on/an application made thereofby the tenderer and in such an event, the above mentioned warranty period shall apply to the equipment/consumable replaced from the date of replacement thereof. In case of failure of the tenderer to rectify or replace the equipment/consumable, within specified time, the purchaser shall be entitled to recover the cost with all expenses from the tenderer for such defective equipment.

34. Full description & specifications, make/brand and name of the manufacturing firm must be clearly mentioned in the tender, failing which, the tender will not be considered. The tenderer must also mention whether the goods are imported / indigenous. Descriptive literature /catalogues must be attached with the tender in original, failing which, tender may be disqualified.

35. Force Majeure: Any failure or omission to carryout of the provisions of this supply by the supplier shall not give right for any claim by supplier and purchaser to one against the other, if such failure or omission arise from an act of God which shall include all acts of natural calamities from civil strikes compliance with any statistics and or requisitions of the Government lockout and Strikes, riots, embargoes or from any political or other reasons beyond the suppliers control including war (whether declared or not) civil war or state of incarceration provided that notice of the occurrence of any event by either party to the other shall be within two weeks from the date of occurrence of such an event which could be attributed to force majeure. Any delay due to Force Majeure will not be attributable to the either of the parties.

36. The equipment installed should be up for 95% of the total warranty time. If the equipment is down for more than 5% suitable action shall be taken against the supplier including imposition of penalty as deemed fit.

37. If there is a close system the tenderer shall ensure and will have to submit an affidavit on Indian Non Judicial stamp paper of Rs.100/- along with technical bid that spare parts and consumables for these equipment's/instruments/item will be available at reasonable fixed rates for next 10 (ten) years, such rates should not be more than the rates supplied to institutes of national importance.

38. The successful Bidder shall at all times agree to indemnify and keep indemnified the purchaser against all losses, damages which may arise in respect of action/inactions of such Bidder or breach of any term of this tender by such Bidder. All claims regarding indemnity shall survive the termination of the contract with such Bidder.

39. In case the vendor fails to supply the spare parts or fails to provide the agreed maintenance during the prescribed period, as per the terms of contract, the purchaser is automatically entitled to procure the required parts and hire

services from the market at the risk and cost of the vendor, such inability of bidder will entail forfeiture the security deposit. The purchaser also reserves the right to terminate the contract on immediate notice, if the vendor fails to comply with this clause for more than one instance.

40. Liquidated damage/demerge: - The time for the date of delivery/ dispatch stipulated in supply order shall be deemed to be the essence of the contract and if the supplier fails to deliver or dispatch any consignment within the period prescribed for such delivery or dispatch in the supply order, liquidated damages may be deducted from the bill @ 0.5% per week subject to maximum of 10% of the value of the delayed goods or services under the contract. The competent authority of the institute may also cancel the supply of equipment must be in single consignment, inclusive of all parts & accessories in adherence to the specification so as to make the equipment fully functional at the time of the installation. No installation repeat shall be signed in case of absence of any part as per the specification.Legal Jurisdiction: -The Courts at Bathinda alone and no other Court will have the jurisdiction to try the matter, dispute or reference between the parties arising out of this tender/supply Order/contract.

#### Applicable Law:

41. The contract shall be governed by the laws and procedures established by Govt. of India, within the framework of applicable legislation and enactment made from time to time concerning such Commercial dealings / processing.
42. Any disputes are subject to exclusive jurisdiction of Competent Court and Forum in Bathinda/Chandigarh, Punjab India only.

43. Except as otherwise provided under this Contract for immediate termination of the Contract, in the event of a disputes which may be arising out of the execution of the tender contract, the matter will be referred to the Deputy Director (Administration). Appeal against the decision of the DDA will lie to the Director, AIIMS Bathinda and his decision shall be final and binding upon both the parties.

I / We hereby accept the terms and Conditions given in the tender

(Signature & Stamp of the bidder)

Note-Please sign each page of document including terms & conditions & tender

Jour the

#### (B) Financial terms and conditions

- 1 Rates are strictly required to be offered/quoted on the prescribed "Financial Bid format". Financial bid submitted without prescribed format may not be considered and will be deemed improper subject to the condition that there is a requirement to mention other item which are not mentioned in the said format.
- 2. Rates quoted should be inclusive of all applicable taxes, packing, forwarding, postage and transportation charges at for AIIMS Bathinda (Site of installation/Use).
- 3. The supplier has to submit a notarised affidavit on Indian Non Judicial Stamp Paper of Rs.100/- that the bidder has not quoted the price higher than previously supplied to any government Institute/Organisation/reputed Private Organisation or DGS&D rate in recent past. Therefore, if at any stage it has been found that the supplier has quoted lower rates than those quoted in this tender; the Institute (the purchaser) would be given the benefit of lower rates by the Supplier and any excess payment if any, will become immediately payable to the AIIMS, Bathinda. If such affidavit is not submitted, tender will be out rightly rejected. (Part of technical bid)
- 4. If the price of the contracted articles is/ are controlled by the Government, in no circumstances the payment will be higher than the controlled rate.
- 5. Tender will be regarded as constituting an offer open to acceptance in whole or in part at the discretion of the competent authority of the institute for a period of 180 days (6 months) valid from the date of opening of the tender by the committee.
- 6. Order shall be issued for tentative annual requirement on actual need basis. Bills in triplicate for the items supplied by the selected firm(s), should be raised for payment. Payment shall be released after it is ensured that the items/quantity and quality of items supplied are to the entire satisfaction of this office and accepted. If any item is found to be defective, or not of the desired quality, the same shall be replaced immediately, for which no extra payment shall be made by AIIMS, Bathinda.
- 7. The corrections made by using fluid and overwriting will not be accepted and tender would be rejected.
- 8. Tender Currencies: The bidders are required to quote in Indian Rupees only.

9. **GST**: - If a bidder asks for GST to be paid extra, the rate and nature of tax applicable should be shown separately. The GST will be paid as per the rate at which it is liable to be assessed or has actually been assessed provided the transaction of sale is legally liable to GST and is payable as per the terms of the contract.

10. **Payment terms:** - The payment shall be made to the supplier on the satisfactory receipt of the goods ordered. Advance payment shall not be made under any circumstances. The payment shall be made to the supplier's A/C through NEFT/RTGS mode as per the details provided by the supplier.

NO DEMURRAGE / WHARFAGE CHARGES WILL BE PAYBALE BY THE INSTITUTE UNDER ANY CIRCUMSTANCES. NO ADVANCE PAYMENT WILL BE PAYABLE FOR CUSTOM CLEARANCE/ FREIGHT/INSURANCE ETC

### Note: In case of any dispute regarding award of tender, decision of AIIMS Administration would be final.

I / We hereby accept the terms and Conditions given in the tender

(Signature & Stamp of thebidder)

Note-Please sign each page of document including terms & conditions & tender

Par test Stop

#### TECHNICAL BID (Documents to be attached in the "Technical Bid")

1.	Name & Address of the manufacturer and their authorised dealers/ distributors/Agency with phone number, email, name and telephone/mobile	
2.	Specify your firm/company is a manufacturer/ authorised dealer/ distributor/ Agency	
3.	Whether the signature on each page has been made by the bidder or not.	
4.	Name, Address & designation of the authorized person (Sole proprietor/partner /Director)	
5.	Have you previously supplied these items to any government/ reputed private organization? If yes, attach the relevant poof.	
6. F	Please provide a notarised affidavit on Indian Non Judicial stamp paper of Rs. 100/- that you have not quoted the price higher than previously supplied to any government Institute/Organisation/reputed Private Organisation or DGS&D rate in last one year. If you don't fulfil this criteria, your tender will be out rightly rejected.	
7.	Please attach copy of last three years of Income Tax Return	
	<ul> <li>Turnover</li> <li>a. Please attach balance sheet (duly certified by Chartered Accountant) for last three (3) years (Attach copy of annual minimum turnover which should not be less than 25 lakh duly certified by the Chartered Accountant)</li> <li>b. The bidder falls under Section 44AD/44ADA/44AE of Income Tax Act shall be required to submit turnover certificate verified by Chartered Accountant with his Registration number issued by Institute of Chartered Accountants of India.</li> <li>c. Indian Agent can submit its copy of POs of LC cases, in support of its amount getting short in required turnover.</li> <li>d. Start-ups may submit its Start-up Registration for consideration (Relaxation in turnover can be considered as the case may be, subject to fulfilment of other conditions. However, it will not mandatory)</li> </ul>	
9.	PAN No. (Please attach copy)	
10.	GST Registration Number. (Please attach copy)	
	Acceptance of terms & conditions attached (Yes/No). Please sign each page of terms and conditions as token of acceptance and submit as part of tender document with technical bid. Otherwise your tender will be rejected.	
12.	Power of Attorney/authorization for signing the bid documents (Not required in case of sole- proprietorship.)	
13.	Please submit a notarized affidavit on Indian Non judicial stamp paper of Rs. 100/- that no case is pending with the police against the Proprietor/firm/partner or the Company (Agency). Indicate any convictions in the past against the Company/firm/partner.	
	Please declare that proprietor/firm/company has never been black listed/debarred by any organization. An oath certificate to this effect may be enclosed on Rs.100 notarized stamp paper.	
15.	Please submit two performance certificate from your two different customers to whom you have supplied such type of consumables in previous 3 years	
16.	EMD Details	
NEF Acco	Fender fee Rs. 1180/- should be deposited in the account of Executive Director, AIIMS Bathinda online the T/RTGS. The details of account are as under: - bunt No. : 40205094104 e of Account : Executive Director, AIIMS Bathinda	arough

Name of Bank & Branch : SBI, Milk Plant Branch

IFSC Code : SBIN0050872

The copy of UTR should be uploaded with technical bid, No Tender fee will be accepted offline. Incomplete tender in any respect shall be summarily rejected.

And

for fall sold

#### Undertaking

- 1. I/We have read and understood the contents of the Tender and agree to abide by the terms and conditions of this Tender.
- 2. I/We shall supply the items of requisite quality and quantity at given rate in timely manner.
- 3. I/We also confirm that in the event of my/our tender being accepted, I/we hereby undertake to furnish within 15 days, Bank Guarantee/ Performance Security after the issue of Purchase Order, as applicable, in the format to be provided by AIIMS Bathinda in addition to execution of a contract as pre-condition for obtaining the supply orders.
- 4. I/We further undertake that none of the Proprietor/Partners/Directors of the firm was or is Proprietor or Partner or Director of any firm with whom the Government have banned /suspended business dealings. I/We further undertake to report to the AIIMS Bathinda immediately after we are informed but in any case, not later 15 days, if any firm in which Proprietor/Partners/Directors are Proprietor or Partner or Director of such a firm which is banned/suspended in future during the currency of the Contract with you.
- 5. I/We undertake that the information given in this tender are true and correct in all respect and I/We hold the responsibility for the same.

(Signature of the Bidder)

Name:

Designation with Seal of the Firm:

July Std

# MANUFACTURER'S / PRINCIPAL'S AUTHORIZATION FORM

(Clause 11	(c) o	f other terms and conditions of the tender	()
------------	-------	--	----

Τc		
The Administrative Officer,		
Al India Institute of Medical Sciences		
Bahinda		
Dear Sir,		
TENDER:	<u> </u>	
we,	, who are established an	nd reputable manufacturers of
, having factories at	and	, hereby authorize
Messrs(name and add	ress of agents) to bid, negotiate	and conclude the contract with
you against Tender Nofor the	above goods manufactured by	us.
We hereby extend our full guarantee and wa	arranty as per the conditions of	tender contract for the goods
offered for supply against this tender by the above fir	m.	
The authorization is valid up to		
Yours faithfully,		

(Name) For and on behalf of Messrs. \_ (*Name of manufacturers*)/Principal.

(la CN prov

#### FORMAT OF BID SECURITY DECLARATION

(On Bidders Letter head)

I / We, the authorized signatory of M/s. ...., participating in the subject tender
No. ...., do hereby declare:
(i) That I / we have availed the benefit of waiver of EMD while submitting our offer against the subject Tender and nc EMD being deposited for the said tender.

(ii) That in the event we withdraw / modify our bid during the period of validity Or I/we fail to execute formal contract agreement within the given timeline OR I/we fail to submit a Performance Security within the given timeline Or I/we commit any breach of Tender Conditions / Contract which attracts penal action of forfeiture of EMD and I/we will be suspended from being eligible for bidding / award of all future contract(s) of All India Institute of Medical Sciences, Bathinda for a period of one year from the date of committing such breach.

Signature and Seal of Authorised Signatory of bidder Name of Authorized Signatory

Company Name .....

la cre

#### BANK GUARANTEE FORM FOR PERFORMANCE SECURITY/ CMC SECURITY

E secutive Director A 1 India Institute of Medical Sciences B ahinda, Mindi Dabwali Road, B ahinda (Punjab)-249201

TO

WHEREAS \_\_\_\_\_\_\_\_\_(Name and address of the supplier) (Hereinafter called "the supplier") has undertaken, in pursuance of contract no \_\_\_\_\_\_\_\_\_dated \_\_\_\_\_\_\_to supply (description of goods and services) (herein after called "the contract"). AND WHEREAS it has been stipulated by you in the said contract that the supplier shall furnish you with a bank guarantee by a scheduled commercial bank recognised by you for the sum specified therein as security for compliance with its obligations in accordance with the contract; AND WHEREAS we have agreed to give the supplier such a irrevocable bank guarantee;

NOW THEREFORE we hereby affirm that we are guarantors and responsible to you unconditionally, on behalf of the supplier, up to a total of.\_\_\_\_\_\_(Amount of the guarantee in words and figures), and we undertake to pay you, upon your first written demand declaring the supplier to be in default under the contract and without cavil or argument, any sum or sums within the limits of (amount of guarantee) as aforesaid, without your needing to prove or to show grounds or reasons for your demand or the sum specified therein.

We hereby waive the necessity of you to first demanding the said amount of guarantee from the supplier before raising the demand with us. You may directly raise the demand with us, without asking the supplier for the same.

We further agree that no change or addition to or other modification of the terms of the contract to be performed there under or of any of the contract documents which may be made between you and the supplier shall in any way release us from any liability under this guarantee and we hereby waive notice of any such change, addition or modification.

This guarantee will not be changed due to change in the constitution of the bank or the supplier.

This guarantee shall be valid up to 65 months from the date of satisfactory installation of the equipment i.e. up to --------- (indicate date).

(Signature with date of the authorized officer of the Bank) Name and designation of the officer

Seal, name & address of the Bank and address of the Branch

Par 12 Sol pre

#### Instruction for Online Bid Submission

The bidders are required to submit soft copies of their bids electronically on the CPP Portal, using valid Digital Signature Certificates. The instructions given below are meant to assist the bidders in registering on the CPP Portal, prepare their bids in accordance with the requirements and submitting their bids online on the CPP Portal.

More information useful for submitting online bids on the CPP Portal may be obtained at: https://eprocure.gov.in/eprocure/app.

#### REGISTRATION

- Bidders are required to enroll on the e-Procurement module of the Central Public Procurement Portal (URL: https://eprocure.gov.in/eprocure/app) by clicking on the link "Online bidder Enrollment" on the CPP Portal which is free of charge.
- As part of the enrolment process, the bidders will be required to choose a unique username and assign a
  password for their accounts.
- Bidders are advised to register their valid email address and mobile numbers as part of the registration
  process. These would be used for any communication from the CPP Portal.
- Upon enrolment, the bidders will be required to register their valid Digital Signature Certificate is sued by any Certifying Authority recognized by CCA India (e.g. Sify / nCode / eMudhra etc.), with their profile.
- Only one valid DSC should be registered by a bidder. Please note that the bidders are responsible to ensure that they do not lend their DSC's to others which may lead to misuse.
- Bidder then logs in to the site through the secured log-in by entering their user ID / password and the password of the DSC / e-Token.

#### SEARCHING FOR TENDER DOCUMENTS

- There are various search options built in the CPP Portal, to facilitate bidders to search active tenders by several parameters. These parameters could include Tender ID, Organization Name, Location, Date, Value, etc. There is also an option of advanced search for tenders, wherein the bidders may combine a number of search parameters such as Organization Name, Form of Contract, Location, Date, Other keywords etc. to search for a tender published on the CPP Portal.
- Once the bidders have selected the tenders they are interested in, they may download the required documents / tender schedules. These tenders can be moved to the respective 'My Tenders' folder. This would enable the CPP Portal to intimate the bidders through SMS / email in case there is any corrigendum issued to the tender document.
- The bidder should make a note of the unique Tender ID assigned to each tender, in case they want to obtain any clarification / help from the Helpdesk.

#### PREPARATION OF BIDS

Per how STR

- Bidder should take into account any corrigendum published on the tender document before submitting their bids.
- Please go through the tender advertisement and the tender document carefully to understand the documents required to be submitted as part of the bid.

Page 13

- Please note the Number of covers in which the bid documents have to be submitted, the number of documents
   including the names and content of each of the document that need to be submitted. Any deviations from these may lead to rejection of the bid.
- Bidder, in advance, should get ready the bid documents to be submitted as indicated in the tender document / schedule and generally, they can be in PDF / XLS / RAR / DWF/JPG Tender No.: ...... formats. Bid documents may be scanned with 100 dpi with black and white option which helps in reducing size of the scanned document.
- To avoid the time and effort required in uploading the same set of standard documents which are required to
  be submitted as a part of every bid, a provision of uploading such standard documents (e.g. PAN card copy,
  annual reports, auditor certificates etc.) has been provided to the bidders. Bidders can use "My Space" or
  'Other Important Documents' area available to them to upload such documents. These documents may be
  directly submitted from the "My Space" area while submitting a bid, and need not be uploaded again and
  again. This will lead to a reduction in the time required for bid submission process.

#### SUBMISSION OF BIDS

- Bidder should log into the site well in advance for bid submission so that they can upload the bid in time i.e. on or before the bid submission time. Bidder will be responsible for any delay due to other issues.
- The bidder has to digitally sign and upload the required bid documents one by one as indicated in the tender document.
- Bidder has to select the payment option as "offline" to pay the tender fee / EMD as applicable and enter details of the instrument.
- Bidder should prepare the EMD as per the instructions specified in the tender document. The original should be posted/couriered/given in person to the concerned official, latest by the last date of bid submission or as specified in the tender documents. The details of the DD/any other accepted instrument, physically sent, should tally with the details available in the scanned copy and the data entered during bid submission time. Otherwise the uploaded bid will be rejected.
- Bidders are requested to note that they should necessarily submit their financial bids in the format provided and no other format is acceptable. If the price bid has been given as a standard BOQ format with the tender document, then the same is to be downloaded and to be filled by all the bidders. Bidders are required to download the BOQ file, open it and complete the white coloured (unprotected) cells with their respective financial quotes and other details (such as name of the bidder). No other cells should be changed. Once the details have been completed, the bidder should save it and submit it online, without changing the filename. If the BOQ file is found to be modified by the bidder, the bid will be rejected.
- The server time (which is displayed on the bidders' dashboard) will be considered as the standard time for referencing the deadlines for submission of the bids by the bidders, opening of bids etc. The bidders should follow this time during bid submission.
- The documents being submitted by the bidders would be encrypted using PKI encryption all techniques to ensure the secrecy of the data. The data entered cannot be viewed by unauthorized persons until the time of bid opening. The confidentiality of the bids is maintained using the secured Socket Layer 128 bit encryption technology. Data storage encryption of sensitive fields is done. Any bid document that is uploaded to the server is subjected to symmetric encryption using a system generated symmetric key
- Further this key is subjected to asymmetric encryption using buyers/bid opener's public keys. Overall, the uploaded tender documents become readable only after the tender opening by the authorized bid openers.
- The uploaded tender documents become readable only after the tender opening by the authorized bid openers.

Ta & sky

• On the successful and timely submission of bids (i.e. after Clicking "Freeze Bid Submission" in the portal), the portal will give a successful bid submission message & a bid Tender No. :

summary will be displayed with the bid no. and the date & time of submission of the bid with all other relevant details.

• The bid summary has to be printed and kept as an acknowledgement of the submission of the bid. This acknowledgement may be used as an entry pass for any bid opening meetings.

#### ASSISTANCE TO BIDDERS

- Any queries relating to the tender document and the terms and conditions contained therein should be addressed to the Tender Inviting Authority for a tender or the relevant contact person indicated in the tender.
- Any queries relating to the process of online bid submission or queries relating to CPP Portal in general may be directed to the 24x7 CPP Portal Helpdesk number 0120-4200462, 0120-4001002.

Ta be Ste

L.	_	_	1	_	.9	.8	7.	6.	5.	4.	3.	2.	. 1.		No.
AN CON	13. Non Absorbable Black Braided Silk Surgical Suture	12. Dapen dish	11. Cotton role for isolation	10. Photographic Mirror	Cheek Retractor	Mouth Mirrors tops		Dental Floss	Anti cavity topical APF preventivetreatment gel	4% Articaine with adrenaline in catridges	Cidex	Disposable Glass	Bonding Agent Applicator Tips		Item name ofdental consumable
fre	Size: 3-0, 3/8 Circle Reverse cutting , 20mm, 90cm	Material- glass, Capacity- 100ml, Finish- glossy	For Intraoral Isolation	Antifogging Mirror	Pediatric/Adult	Non rusting, Antifogging Plain Mirror	Disposable, straight and contrangle, for narrow and widespaces (Pack of 6)	Packet should contain 1 dental floss and may be of different variants like waxed, nonwaxed, mint	1.23% acidulated 16hlorhexi fluoride gel	Local Anaesthetic solution	For chemical disinfection	100 ml size	For application of Bonding agent in prepared cavity for restoration	OPD It	Detailed Product Specification
	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex	All can apply	All Can apply	All can Apply	All can Apply	All can Apply	All can Apply	All can Apply	All Can apply	All can apply	All Can apply	All Can apply	All Can apply	Items	Preferred Brands Name(4-5)
	For suturing	For restorative procedures	For saliva isolation	For Diagnosis	For Diagnosis	For Diagnosis	For interdental spaces cleaning	For interproximalCleaning	Dental CariesTreatment	For local anaesthesia	Chemical Disinfection	Patient use	Restoration of Teeth		Purpose Justification
	50	20	600	10	10	100	20	10	_	50	10 litre	500	500		Quantit y required per year

a		-								
2	23.	22.	21.	20.	19.	18.	17.	16.	15.	14.
	23. Cotton role for isolation	Applicator Tips	Absorbable Monofilament Polyglecaprone 25 Undyed Surgical Suture	Absorbable Monofilament Polyglecaprone 25 Undyed Surgical Suture	Sythenic Absorbable Coated Polyglactin 910 Suture	Sythenic Absorbable Coated Polyglactin 910 Suture	Sythenic Absorbable Coated Polyglactin 910 Suture	Non Absorbable Monofilament Polypropylene Surgical Suture	Non Absorbable Monofilament Polypropylene Surgical Suture	Non Absorbable Black Braided Silk Surgical Suture
h	For Intraoral Isolation	For Bonding Agent application	Size : 3-0, 3/8 Circle R C, 16mm, 70cm	Size: 3-0, ½ Circle RC, 20mm, 70cm	Size : 7-0, 3/8 micropoint, 6mm, 30cm	Size : 5-0, 3/8Circle R C, 20mm, 70cm	Size : 3-0, 1/2 Circle R C, 20mm, 70cm	Size : 6-0, 3/8 Circle reverse cutting , 12mm, 45 cm	Size : 4-0, 3/8Circle Reverese cutting, 16mm, 70cm	Size: 5-0, 3/8 Circle Reverse cutting, 13mm, 90cm
	All Can apply	All Can Apply	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
	For saliva isolation	Bonding Agent application	For suturing	For suturing	For microsurgeries	For suturing				
	600	100	50	50	40	50	50	50	50	50

	•			-
impression	All can apply Zelgcin	Mixing time: 35 secs Working time: 1 min 20 secs	Alginate	33
	-	Putty- 1 base& 1 cataylist light body – Cartridge( base catalyst)	김 이야지는 아이곳에서 나	
	/equivalent	Setting time- 5.3	impression material	
	Coltene President	Elastic recover $> 99\%$	Rubber base	
Implant impression	tsply Flexceed	Shore hardness- 58-62		32
		comes in cake form	C. BERGELING	
Denture	All can apply	Thermoplastic, for primary impression in edentulous	Impressioncompound	31
Denture	All can apply	Heat activated, acrylic resin with polymer, monomer. high crosslinked	Heat cure acrylic-pink	30
Crown	All can apply	Esthetic post for anterior and premolar. Translucent reinforced composite fiber	Fiber post (plastic)	.29
Dental CastPreparation		Calcium sulphate betahemihydrate.		28
Denture	All can apply	Seperating agent for acrylic andcasts	Cold mould seal(DPI)	27
Dental OcclusionCorrection	All can apply	0.8 microns thicknes of 12 micron,;40 micron and 100 micron of black blue and red colour	Articulating paper	26
Denture fabrication	All can apply	10 STICKS /90GM	Sticky wax	25
Dental cast preparation	Kalabhai Kaldent All can apply	Dental Plaster type III Colour – green Compressive strength 200 -250 kg/cm2 Setting time- 5min	Dental stone Dental plaster type III	24
Purpose justification	Preferred brand name	Detailed Product Specification	Item name of dental consumable	Sr No.

h L	44	43	42	41	40	39	38	37	36	35	34	
SA -	4 Medium body Additional silicone monophase	3 Porcelain adjustment kit	2 Plastic wax (Hard wax)	1 Zinc oxide + eugenol basedpaste	0 Occlusion spray	39 Bite registration wax	-	WWW. CO. Hall Hall	5 Articulating paper BK-14 (200mm, 100mm, 40mm, 12mm)	Tooth coloured acrylic (Tooth moulding powder)	Temporization material (Temporary crown material)	
Å	Aquasil ultra monophase 50 ml cartridge (1*50 ml)	Dura white stone CA TC 1, FL2, RD1 Ceramiste points CA KN7, PC2, WH6 ULTRA 1 ULTRA 2 GRIT	Pack of 12 sheets Translucent pink Hard setup wax	For final impression in completedenture patients. Rigid material. (Packet of 100-125 + 60 – 90) 2 paste system	Recognition of high spot, bottleand nozzle.	Dimensionally stable 2 <sup>3</sup> / <sub>4</sub> , * 5 <sup>1</sup> / <sub>2</sub> , *1/16, Non shrinkable 44 sheet/ packet	self activated, acrylic resin with polymer, monomer. high crosslinked	self activated, acrylic resin with polymer, monomer. high crosslinked	<ol> <li>Role articulating paper roll in dispenser 16 mm wide 15 meters.</li> <li>Red BK-14</li> </ol>	1 Powder, 1 Liquid	1 cartridge 50 ml A1, A2, A3 Compressive strength:250Mpa Flexure strength: 65Mpa Setting in mouth: 1-2 mins	Setting time: 2 mins Shelf life: 6 years
	Aquasil Dentsply Reprosil	SHOFUE COLTENE Dentsply	Ruthinum	All can apply	All can apply	Alu-wax 19hlorhexi	All can apply	All can apply	baush	DPI Acrylx( 1-60801) Kulzer	Protemp Luxatemp Dentsply intesrity Cooltemp (Colten)	Plastalgin Zhermack
	Dentuloius impression	crown	Denture	Denture	OcclusionCorrection	For FMR	Denture	Denture	Occlusal correction	Temporary crown	Temporary crown	
	4	2 KIT	5 BOX	15	1	2 box	4	2	10 pack	S	4	

4											
- Mar	55 Torch gas Refill	54 NON EUGENOL temporary cement	53 DENTURE POLISHING Cake	52 TEETH SET	51 Hard liner (acrylic)	50 Boxing wax	49 Custom tray composite	48 Beading wax	47 Pattern resin	46 Silicon soft liner	45 Resin Cement
Jul .	Butane gas	For Cementation of Temporary Crown	For Denture	ISI/SEO APPROVED ANTERIOR 6 UPPER 6 LOWER POSTERIOR 8 UPPER 8 LOWER	Self cure polymethyl methacrylate 1* 100gm powder Liquid 1*105ml	ISI/SEO APPROVED	Maxilla and mandible 95*65*2mm 10 maxilla 10 mandible	ISI/SEO APPROVED	Self cure polymethyl methacrylate 1* 100gm powder Liquid 1*105ml Mixing cup Brush	2 tube; one base one activator Composition- silicone Cartridge system- 50ml or tube system (manual) base & catalyst Adhesive 10ml Glazing base-10ml Glazing catalyst- 10ml	Translucent-8.5gm Base Paste, Catalyst paste Automix tip & endo mix (A2 shade)
	All can apply	All can apply	All can apply	ACRYROCK BRUSTON	All can apply	All can apply	All can apply	All can apply	All can apply	Tokoyame Voco Mollosil	3M ESPE Relayx U200 3M Relayx VENEER
	Butane gas	For Cementation of Temporary Crown	For Denture	For Complete Denture		For impression	For impression	For impression	To make jig for implant impression Post impression	As adjunt to denture base in maxillofacial prosthesis	For luting venner,post
	4	5	2	6 set	2	5 pack	2 box	5 pack	2	2	2

3	_			1	_		1		1		1		7					
6	72	71	70	69		89	66	65	64	63.	62		61	6	5	5	57	56
AN A	A.J. Wilcock.012"	A.J. Wilcock .010"(Premium plus)	Ligature wire 0.009 inch	Vita Light Cure Band Cement	Ligature Ties	Separators	Orthodontic Relief wax	Ortho Model box	Flux for silver solder	Silver solder (spool of 5 feet)	Crimpable J hooks for 19x25 archwire		1 Temporary crown luting material	60 Tooth Brush (Super Soft)	59 Glass Slab	58 Veneer preparation kit	7 Metal cutting bur	6 Denture polishing kit (stone bur)
7 July	Packet should contain 10 no. high quality A.J Wilcock wire	Packet should contain 10 no. highquality A.J Wilcock wire	Spool of 500 grams of soft austenitic stainless-steel ligature wire of diameter 0.10 mm or 0.012mm.	For band cementation	Ligature Ties Pack of 1000	Packet should contain 1000seperators of high quality	Relief wax for orthodontic purpose	Plastic	For soldering	Spool of diameter 0.025" silver solder wire of 6 feet length.	Packet should contain 10 no. crimpable hooks of stainless steel for0.018x0.025" arch wiredimension.	Orthodontic Consumables	For cementation of temporary crown	For Cleaning Teeth	For mixing ZOE Paste	Set of 6 10 bur for porcelain preparation	Set of 5 bur	Set of 10-12 bur of various shape for denture polishing
	All can apply	All can apply	All can apply	All can apply	All can apply	All can apply	All can apply	All can apply	All can apply	All can apply	All can apply	bles	All can apply	All can apply	All can apply	All can apply	All can apply	All can apply
	for orthodontic purpose	for orthodonticpurpose	for orthodonticpurpose	for orthodonticpurpose	for orthodontic purpose	for orthodonticpurpose	for orthodonticpurpose	for orthodontic purpose	for orthodonticpurpose	for orthodontic purpose	for orthodonticpurpose	t	For Temporary crown	Dental	Dental	FPD	denture	denture
	2 spools	2 spools	2	5	5	5 Packets	10 Packets	200	1	1	10	:	5	50	10	2	2	2

3							1	~					- 1			
5	87	86	85	84	83	82	81	08	79	78	77	76	75	74	73	
CAM	S.S wire straight- 018x25"	S.S wire straight- 017x25"	S.S wire straight- 016x22"	S.S wire straight- 022"	S.S wire straight- 020"	S.S wire straight- 018"	S.S wire straight- 016"	S.S wire straight- 014"	A.J. Wilcock .020" (Special plus)	lcock ar	A.J.wilcock.018" (Special plus)	A.J.wilcock.018" (Regular plus)	A.J. Wilcock .016" (Special plus)	A.J. Wilcock.016" (Regular plus)	A.J. Wilcock.014" (Special plus)	(premium plus)
	Packet should contain 10 no. straight high quality austenitic stainless-steel orthodontic wire ofdimension 0.018x0.025".	Packet should contain 10 no. straight high quality austenitic stainless-steel orthodontic wire of dimension 0.017x0.025".	Packet should contain 10 no. straight high quality austenitic stainless-steel orthodontic wire of dimension 0.016 x 0.022".	Packet should contain 10 no. straight high quality austenitic stainless-steel orthodontic wire of diameter 0.022".	Packet should contain 10 no. straight high quality austenitic stainless-steel orthodontic wire ofdiameter 0.020".	Packet should contain 10 no. straight high quality austenitic stainless-steel orthodontic wire ofdiameter 0.018".	Packet should contain 10 no. straight high quality austenitic stainless-steel orthodontic wire of diameter 0.016".	Packet should contain 10 no. straight high quality austenitic stainless-steel orthodontic wire of diameter 0.014".	Packet should contain 10 no. highquality A.J Wilcock wire	Packet should contain 10 no. highquality A.J Wilcock wire	Packet should contain 10 no. highquality A.J Wilcock wire	Packet should contain 10 no. highquality A.J Wilcock wire	Packet should contain 10 no. highquality A.J Wilcock wire	Packet should contain 10 no. highquality A.J Wilcock wire	Packet should contain 10 no. highquality A.J Wilcock wire	
	All can apply	All can apply	All can apply	All can apply	All can apply	All can apply	All can apply	All can apply	All can apply	All can apply	All can apply	All can apply	All can apply	All can apply	All can apply	
	for orthodonticpurpose	for orthodonticpurpose	for orthodonticpurpose	for orthodonticpurpose	for orthodonticpurpose	for orthodonticpurpose	for orthodonticpurpose	for orthodonticpurpose	for orthodonticpurpose	for orthodonticpurpose	for orthodonticpurpose	for orthodonticpurpose	for orthodonticpurpose	for orthodonticpurpose	for orthodonticpurpose	
	10 pcs	10 pcs	10 pcs	10 pcs	10 pcs	10 pcs	10 pcs	10 pcs	2 spools							

AND

R	97	96	95	94	93	92	91	06	68	88
100 SAR	S.S wire preformed Lower- 020"	S.S wire preformedUpper- 020"	S.S wire preformed Lower- 018"	S.S wire preformedUpper- 018"	S.S wire preformed Lower-016"	S.S wire preformedUpper- 016"	S.S wire preformed Lower- 014"	S.S wire preformedUpper- 014"	S.S wire straight- 021x25"	S.S wire straight- 019x25"
Jan	Packet should contain 10 no. 0.020" round preformed blank ofaustenitic stainless-steel archwire for various orthodontic uses.	Packet should contain 10 no. 0.020" round preformed blank of austenitic stainless-steel archwirefor various orthodontic uses.	Packet should contain 10 no. 0.018" round preformed blank ofaustenitic stainless-steel archwire for various orthodontic uses.	Packet should contain 10 no. 0.018" round preformed blank ofaustenitic stainless-steel archwire for various orthodontic uses.	Packet should contain 10 no. 0.016" round preformed blank ofaustenitic stainless-steel archwire for various orthodontic uses.	Packet should contain 10 no. 0.016" round preformed blank of austenitic stainless-steel archwirefor various orthodontic uses.	Packet should contain 10 no. 0.014" round preformed blank of austenitic stainless-steel archwirefor various orthodontic uses.	Packet should contain 10 no. 0.014" round preformed blank ofaustenitic stainless-steel archwire for various orthodontic uses.	Packet should contain 10 no. straight high quality austenitic stainless-steel orthodontic wire of dimension 0.021x0.025".	Packet should contain 10 no. straight high quality austenitic stainless-steel orthodontic wire ofdimension 0.019x0.025".
	All can apply	All can apply	All can apply	All can apply	All can apply					
	for orthodonticpurpose	for orthodontic purpose	for orthodonticpurpose	for orthodonticpurpose	for orthodontic purpose	for orthodonticpurpose	for orthodonticpurpose	for orthodonticpurpose	for orthodonticpurpose	for orthodonticpurpose
	10 pcs	10 pcs	10 pcs	10 pcs	10 pcs					

5	107	106	105	104	103	102	101	100	66	86
- Sing	S.S wire preformed Lower- 021x025"	S.S wire preformedupper- 021x025"	S.S wire preformed Lower- 019x025"	S.S wire preformedUpper- 019x025"	S.S wire preformed Lower- 018x025"	S.S wire preformed Upper- 018x025"	S.S wire preformed Lower- 017x025"	S.S wire preformedUpper- 017x025"	S.S wire preformed Lower- 0.016x22"	S.S wire preformedUpper- 0.016x22"
- An	Packet should contain 10 no. 0.021" x 0.025" round preformedblank of austenitic stainless-steel archwire (Upper and Lower each) for various orthodontic uses.	Packet should contain 10 no. 0.021" x 0.025" round preformedblank of austenitic stainless-steel archwire (Upper and Lower each) for various orthodontic uses.	Packet should contain 10 no. 0.019" x 0.025" round preformedblank of austenitic stainless-steel archwire (Upper and Lower each)for various orthodontic uses.	Packet should contain 10 no. 0.019" x 0.025" round preformedblank of austenitic stainless-steel archwire (Upper and Lower each) for various orthodontic uses.	Packet should contain 10 no. 0.018" x 0.025" round preformedblank of austenitic stainless-steel archwire (Upper and Lower each)for various orthodontic uses.	Packet should contain 10 no. 0.018" x 0.025" round preformedblank of austenitic stainless-steel archwire (Upper and Lower each) for various orthodontic uses.	Packet should contain 10 no. 0.017" x 0.025" round preformedblank of austenitic stainless-steel archwire (Upper and Lower each)for various orthodontic uses.	Packet should contain 10 no. 0.017" x 0.025" round preformedblank of austenitic stainless-steel archwire (Upper and Lower each) for various orthodontic uses.	Packet should contain 10 no. 0.016" x 0.022" round preformedblank of austenitic stainless-steel archwire (Upper and Lower each) for various orthodontic uses.	Packet should contain 10 no. 0.016" x 0.022" round preformedblank of austenitic stainless-steel archwire (Upper and Lower each) for various orthodontic uses.
	All can apply	All can apply	All can apply	All can apply	All can apply	All can apply	All can apply	All can apply	All can apply	All can apply
	for orthodonticpurpose	for orthodonticpurpose	for orthodonticpurpose	for orthodonticpurpose	for orthodonticpurpose	for orthodontic purpose	for orthodonticpurpose	for orthodonticpurpose	for orthodonticpurpose	for orthodontic purpose
	10 pcs	10 pcs	10 pcs	10 pcs	10 pcs	10 pcs	10 pcs	10 pcs	10 pcs	10 pcs

57										
A	117	116	115	114	113	112	111	110	109	108
and a	Elgiloy Red – 016"	Elgiloy Red – 014"	Elgiloy blue- 21x25"	Elgiloy blue- 19x25"	Elgiloy blue- 18x25"	Elgiloy blue- 17x25"	Elgiloy blue- 16x22"	Elgiloy blue- 018"	Elgiloy blue- 016"	Elgiloy blue- 014"
	Packet should contain 10 no. highquality elgiloy for various orthodontic uses.	Packet should contain 10 no. highquality elgiloy for various orthodontic uses	Packet should contain 10 no. highquality elgiloy for various orthodontic uses.	Packet should contain 10 no. high quality elgiloy for variousorthodontic uses.	Packet should contain 10 no. high quality elgiloy for variousorthodontic uses.	Packet should contain 10 no. highquality elgiloy for various orthodontic uses.	Packet should contain 10 no. high quality elgiloy for variousorthodontic uses.	Packet should contain 10 no. high quality elgiloy for variousorthodontic uses.	Packet should contain 10 no. highquality elgiloy for various orthodontic uses.	Packet should contain 10 no. high quality elgiloy for variousorthodontic uses.
	All can apply	All can apply	All can apply	All can apply	All can apply	All can apply	All can apply	All can apply	All can apply	All can apply
	for orthodonticpurpose	for orthodonticpurpose	for orthodonticpurpose	for orthodonticpurpose	for orthodonticpurpose	for orthodonticpurpose	for orthodontic purpose	for orthodonticpurpose	for orthodonticpurpose	for orthodonticpurpose
	5 pcs	5 pcs	5 pcs	5 pcs	5 pcs	5 pcs	5 pcs	5 pcs	5 pcs	5 pcs

5									_	- 1
The	127	126	125	124	123	122	121	120	119	118
Solution	TMA wire preformed Lower- 018x025	TMA wire preformed Upper-018x025	TMA wire preformed Lower- 017x025	TMA wire preformed Upper-017x025	TMA wire preformed Lower- 016x022	TMA wire preformed Upper-016x022	Elgiloy Green – 018"	Elgiloy Green- 016"	Elgiloy Green – 014"	Elgiloy Red – 018"
Jul	Packet should contain 10 no. highquality TMA wire for various orthodontic uses.	Packet should contain 10 no. high quality TMA wire for variousorthodontic uses.	Packet should contain 10 no. highquality TMA wire for various orthodontic uses.	Packet should contain 10 no. high quality TMA wire for variousorthodontic uses.	Packet should contain 10 no. highquality TMA wire for various orthodontic uses.	Packet should contain 10 no. highquality TMA wire for various orthodontic uses.	Packet should contain 10 no. high quality elgiloy for variousorthodontic uses.	Packet should contain 10 no. highquality elgiloy for various orthodontic uses.	Packet should contain 10 no. high quality elgiloy for variousorthodontic uses.	Packet should contain 10 no. highquality elgiloy for various orthodontic uses.
	All can apply	All can apply	All can apply	All can apply	All can apply	All can apply	All can apply	All can apply	All can apply	All can apply
	for orthodonticpurpose	for orthodontic purpose	for orthodonticpurpose	for orthodonticpurpose	for orthodonticpurpose	for orthodonticpurpose	for orthodonticpurpose	for orthodonticpurpose	for orthodonticpurpose	for orthodonticpurpose
	5 pcs	5 pcs	5 pcs	5 pcs	5 pcs	5 pcs	5 pcs	5 pcs	5 pcs	5 pcs

K) 4

7										
15	137	136	135	134	133	132	131	130	129	128
Stor	Niti Round Upper-014"	TMA wire straight-032"	TMA wire straight- 019x025	TMA wire straight- 018x025	TMA wire straight- 017x025	TMA wire straight- 016x022	TMA wire preformed Lower-021x025	TMA wire preformed Upper- 021x025	TMA wire preformed Lower-019x025	TMA wire preformed Upper- 019x025
July .	Packet should contain 10 no. 0.014" preformed blank of Nickeltitanium orthodontic archwire	Packet should contain 10 no. straight high quality titanium molybdenum (TMA/CNA) alloyround wire of dimension 0.032" for various orthodontic uses.	Packet should contain 10 no. straight high quality titanium molybdenum (TMA/CNA) alloyarchwire of dimension 0.019x0.025" for various orthodontic uses.	Packet should contain 10 no. straight high quality titanium molybdenum (TMA/CNA) alloyarchwire of dimension 0.018x0.025" for various orthodontic uses.	Packet should contain 10 no. straight high quality titanium molybdenum (TMA/CNA) alloy archwire of dimension 0.017x0.025" for variousorthodontic uses.	Packet should contain 10 no. straight high quality titanium molybdenum (TMA/CNA) alloyarchwire of dimension 0.016x0.022" for various orthodontic uses.	Packet should contain 10 no. high quality TMA wire for various orthodontic uses.	Packet should contain 10 no. highquality TMA wire for various orthodontic uses.	Packet should contain 10 no. high quality TMA wire for variousorthodontic uses.	Packet should contain 10 no. highquality TMA wire for various orthodontic uses.
	All can apply	All can apply	All can apply	All can apply	All can apply	All can apply	All can apply	All can apply	All can apply	All can apply
	for orthodonticpurpose	for orthodonticpurpose	for orthodonticpurpose	for orthodonticpurpose	for orthodonticpurpose	for orthodontic purpose	for orthodontic purpose	for orthodonticpurpose	for orthodonticpurpose	for orthodonticpurpose
	10 pcs	5 pcs	5 pcs	5 pcs	5 pcs	5 pcs	5 pcs	5 pcs	5 pcs	5 pcs

h

5	154	153	152	151	150	149	148	147	146	145	144	143	142	141	140	139	138
- SW	Niti Rectangular Lower- 021x025"	Niti Rectangular Upper- 021x025"	Niti Rectangular Lower-019x025"	Niti Rectangular Upper- 019x025"	Niti Rectangular Lower-018x025"	Niti Rectangular Upper- 018x025"	Niti Rectangular Lower- 017x025"	Niti Rectangular Upper- 017x025"	Niti Rectangular Lower-016x022"	Niti Rectangular Upper- 016x022"	Niti Round Lower- 020"	Niti Round Upper-020"	Niti Round Lower-018"	Niti Round Upper-018"	Niti Round Lower-016"	Niti Round Upper-016"	Niti Round Lower-014"
	Packet should contain 10 no. 0.021" x0.025" preformed blank ofNickel titanium orthodontic archwire	Packet should contain 10 no. 0.021" x0.025" preformed blank ofNickel titanium orthodontic archwire	Packet should contain 10 no. 0.019" x0.025" preformed blank ofNickel titanium orthodontic archwire	Packet should contain 10 no. 0.019" x0.025" preformed blank ofNickel titanium orthodontic archwire	Packet should contain 10 no. 0.018" x0.025" preformed blank of Nickel titanium orthodonticarchwire	Packet should contain 10 no. 0.018" x0.025" preformed blank ofNickel titanium orthodontic archwire	Packet should contain 10 no. 0.017" x0.025" preformed blank ofNickel titanium orthodontic archwire	Packet should contain 10 no. 0.017" x0.025" preformed blank of Nickel titanium orthodontic archwire	Packet should contain 10 no. 0.016" x0.022" preformed blank of Nickel titanium orthodonticarchwire	Packet should contain 10 no. 0.016" x0.022" preformed blank ofNickel titanium orthodontic archwire	Packet should contain 10 no. 0.020" preformed blank of Nickel titanium orthodontic archwire	Packet should contain 10 no. 0.020" preformed blank of Nickeltitanium orthodontic archwire	Packet should contain 10 no. 0.018" preformed blank of Nickeltitanium orthodontic archwire	Packet should contain 10 no. 0.018" preformed blank of Nickel titanium orthodontic archwire	Packet should contain 10 no. 0.016" preformed blank of Nickeltitanium orthodontic archwire	Packet should contain 10 no. 0.016" preformed blank of Nickeltitanium orthodontic archwire	Packet should contain 10 no. 0.014" preformed blank of Nickel titanium orthodontic archwire
	All can apply	All can apply	All can apply	All can apply	All can apply	All can apply	All can apply	All can apply	All can apply	All can apply							
	for orthodontic purpose	for orthodontic purpose	for orthodontic purpose	for orthodontic purpose	for orthodontic purpose	for orthodontic purpose	for orthodontic purpose	for orthodontic purpose	for orthodontic purpose	for orthodontic purpose							
-	10 pcs	10 pcs	10 pcs	10 pcs	10 pcs	10 pcs	10 pcs	10 pcs	10 pcs	10 pcs							

1. 1

2		1	1			1	1	1	1	T							
/	171	170	169	168	167	166	165	164	163	162	161	160	159	158	157	156	155
Since	molar (Std edgewise,	Weldable molar tubes for first molar (Std edgewise, convertible)- Upper left(Double)	Weldable molar tubes for first molar (Std edgewise, convertible)- Upper right(Double)	Prewelded bands for first molar (in all sizes)- Lower left(Single)	Prewelded bands for first molar (in all sizes)- Lower right (Single)	Prewelded bands for first molar (in all sizes)- Upper left(Double)	Prewelded bands for first molar (in all sizes)- Upper right (Double)	Preformed bands for first molars (in all sizes)- Lower left	Preformed bands for first molars (in all sizes)- Lower right	Preformed bands for first molars (in all sizes)- Upper left	Preformed bands for first molars (in all sizes)- Upper right	Band materialstainless steel 180x0.006"	Band materialstainless steel 150x0.004"	Band materialstainless steel 125x0.003"	Bioforce wires Lower-018x025"	Bioforce wires Upper-018x025"	Multistranded straight wire -016"
X	Packet should contain four weldable 1 <sup>st</sup> molar tubes (0.018"slot)	Packet should contain four weldable 1 <sup>st</sup> molar tubes (0.018"slot)	Packet should contain four weldable 1 <sup>st</sup> molar tubes (0.018"slot)	Packet should contain pre weldedmolar bands of high quality	Packet should contain pre welded molar bands of high quality	Packet should contain pre weldedmolar bands of high quality	Packet should contain pre welded molar bands of high quality	Packet should contain preformed molar bands of high quality	Packet should contain preformedmolar bands of high quality	Packet should contain preformedmolar bands of high quality	Packet should contain preformedmolar bands of high quality	It should be in a box having dimension of 180x0.006" and 8 feet length. The inner side of theband should be laser etched.	It should be in a box having dimension of 150x0.004" and 8 feet length. The inner side of theband should be laser etched.		Packet should contain 10 no. 0.018" x0.025" high quality wires for orthodontic purpose	Packet should contain 10 no. 0.018" x0.025" high quality wiresfor orthodontic purpose	Packet should contain 10 no.
	All can apply	All can apply	All can apply	All can apply	All can apply	All can apply	All can apply	All can apply	All can apply	All can apply	All can apply	All can apply	All can apply	All can apply	All can apply	All can apply	All can apply
	for orthodontic purpose	for orthodontic purpose	for orthodontic purpose	for orthodontic purpose	for orthodontic purpose	for orthodontic purpose	for orthodontic purpose	for orthodontic purpose	for orthodontic purpose	for orthodontic purpose	for orthodontic purpose	for orthodontic purpose	for orthodontic purpose	for orthodontic purpose	for orthodontic purpose	for orthodontic purpose	for orthodontic purpose
	10 pcs	10 pcs	10 pcs	200 pcs	200 pcs	200 pcs	200 pcs	200 pcs	200 pcs	200 pcs	200 pcs	5 pcs	5 pcs	5 pcs	5 pcs		10 pcs

R	184	183	182	181	180	179	178	177	176	175	174	173	172	
SWAT	Weldable molar tubes for first molar (Roth,	Weldable molar tubes for first molar (Roth, convertible)- Lower right(double)		Weldable molar tubes for first molar (Roth, convertible)- Upper right(Triple)		Weldable molar tubes for first molar (Roth, convertible)- Lower right(Single)		Weldable molar tubes for first molar (Roth, convertible)- Upper right(Double)	Weldable molar tubes for first molar (Std edgewise, convertible)- Lower left(double)	Weldable molar tubes for first molar (Std edgewise, convertible)- Lower right(double)	Weldable molar tubes for first molar (Std edgewise, convertible)- Upper left (Triple)	Weldable molar tubes for first molar (Std edgewise, convertible)- Upper right(Triple)	Weldable molar tubes for first molar (Std edgewise, convertible)- Lower left(Single)	convertible)- Lower right(Single)
for	Packet should contain four weldable 1 <sup>st</sup> molar tubes (0.018"slot)	Packet should contain four weldable 1 <sup>st</sup> molar tubes (0.018"slot)	Packet should contain four weldable 1 <sup>st</sup> molar tubes (0.018"slot)	Packet should contain four weldable 1 <sup>st</sup> molar tubes (0.018"slot)	Packet should contain four weldable 1 <sup>st</sup> molar tubes (0.018" slot)	Packet should contain four weldable 1 <sup>st</sup> molar tubes (0.018"slot)	Packet should contain four weldable 1 <sup>st</sup> molar tubes (0.018"slot)	Packet should contain four weldable 1 <sup>st</sup> molar tubes (0.018"slot)	Packet should contain four weldable 1 <sup>st</sup> molar tubes (0.018"slot)	Packet should contain four weldable 1 <sup>st</sup> molar tubes (0.018"slot)	Packet should contain four weldable 1 <sup>st</sup> molar tubes (0.018"slot)	Packet should contain four weldable 1 <sup>st</sup> molar tubes (0.018"slot)	Packet should contain four weldable 1st molar tubes (0.018"slot)	
	All can apply	All can apply	All can apply	All can apply	All can apply	All can apply	All can apply	All can apply	All can apply	All can apply	All can apply	All can apply	All can apply	
	for orthodontic purpose	for orthodontic purpose	for orthodontic purpose	for orthodontic purpose	for orthodontic purpose	for orthodontic purpose	for orthodontic purpose	for orthodontic purpose	for orthodontic purpose	for orthodontic purpose	for orthodontic purpose	for orthodontic purpose	for orthodontic purpose	
	10 pcs	10 pcs	10 pcs	10 pcs	10 pcs	10 pcs	10 pcs	10 pcs	10 pcs	10 pcs	10 pcs	10 pcs	10 pcs	

21	197	196	195	194	193	192	191	190	189	188	187	186	185	
- Land	Fan shaped expansion screw (Single piece)	(Universal)	Set of orthodonticbases with hinge	White stone	Debonding carbide burs	Bondable molar tubes (with broad base) for secondmolar - Lower left	Bondable molar tubes (with broad base) for secondmolar - Lower right	Bondable molar tubes (with broad base) for secondmolar - Upper left	Bondable molar tubes (with broad base) for secondmolar - Upper right	Weldable molar tubes for second molar -Lower left	Weldable molar tubes for second molar -Lower right	Weldable molar tubes for second molar -Upper left	Weldable molar tubes for second molar -Upper right	convertible)- Lower left(double)
Ju	Fan shaped expansion screw(Single piece)	Three pin expansion screw(Universal)	orthodontic base	(tor orthodontic study models, working time 4-6 minutes, settingtime should not exceed 10 min, should produce excellent surfacedetails)	Debonding burs	Packet should contain four bondable 2 <sup>nd</sup> molar tubes (0.018"slot). Each packet should have 4 number of molar tubes for each2 <sup>nd</sup> molar in every quadrant.	Packet should contain four bondable 2 <sup>nd</sup> molar tubes (0.018" slot). Each packet should have 4 number of molar tubes for each2 <sup>nd</sup> molar in every quadrant.	Packet should contain four bondable 2 <sup>nd</sup> molar tubes (0.018"slot). Each packet should have 4 number of molar tubes for each 2 <sup>nd</sup> molar in every quadrant.	Packet should contain four bondable 2 <sup>nd</sup> molar tubes (0.018"slot). Each packet should have 4 number of molar tubes for each 2 <sup>nd</sup> molar in every quadrant.	Packet should contain four weldable 2 <sup>nd</sup> molar tubes (0.018"slot). Each packet should have 4 number of molar tubes for each2 <sup>nd</sup> molar in every quadrant.	Packet should contain four weldable 2 <sup>nd</sup> molar tubes (0.018"slot). Each packet should have 4 number of molar tubes for each 2 <sup>nd</sup> molar in every quadrant.	Packet should contain four weldable 2 <sup>nd</sup> molar tubes (0.018"slot). Each packet should have 4 number of molar tubes for each 2 <sup>nd</sup> molar in every quadrant.	Packet should contain four weldable 2 <sup>nd</sup> molar tubes (0.018"slot). Each packet should have 4 number of molar tubes for each 2 <sup>nd</sup> molar in every quadrant.	
	All can apply	All can apply	All can apply	All can apply	All can apply	All can apply	All can apply	All can apply	All can apply	All can apply	All can apply	All can apply	All can apply	
	for orthodontic purpose	for orthodontic purpose	for orthodontic purpose	for orthodontic purpose	for orthodontic purpose	for orthodontic purpose	for orthodontic purpose	for orthodontic purpose	for orthodontic purpose	for orthodontic purpose	for orthodontic purpose	for orthodontic purpose	for orthodontic purpose	
	10 pcs	10 pcs	50 No.	20 kg	10 packet	10 pcs	10 pcs	10 pcs	10 pcs	10 pcs	10 pcs	10 pcs	10 pcs	

	215	:	214		213		212	211		210		209		208	107	700	206	205			204	C07	~~~~		202	201	2	200			199	198	
A Sul	Elastic chain	1	Elastic chain		Elastic chain		Lip bumper	colored)	Elastomeric modules (Multi	Headgear tube foractivator		Headgear tube foractivator		Preformed ligature	Sour inguine mileo.ooo	Soft ligature wiren 000"	0.012"	spring 250 gm –11 mm	NiTi closed coil	mm ·	9 9		NiTi closed coil	mm	9 9		NiTi closed coilspring 100 gm -11	spring 100 gm – 9mm	NiTi closed coil	coated)	Abrasive strips (4mm, diamond	mm, diamondcoated)	Abrasive strins (4
A	long		medium		short		high quality		multi coloured	0.045" diameter		0.045" diameter		(short) - )0.010"	(approx or 12-22 Sm)	(snool of 15-75 cm)	Packet should contain Ni liopencoil springs in spool having internal diameter of 036" of 15 inch length.		NiTi closed coil spring 250 gm -11 mm		N111 closed coil spring 250 gm – 9mm		NiTi closed coil spring 150 gm -11 mm		NTT closed con spring 150 gm - 2000	NUT: Jack and and 150 cm 0mm	NiTi closed coil spring 100 gm -11 mm		NiTi closed coil spring 100 gm - 9mm		Single sided		Double sided
	All can apply	apply	All can	apply	All can	apply	All can	apply	All can	All can	apply	All can	apply	All can	apply	Allcan	All can apply	apply	All can		apply	11 ocn	All can		apply	All can	All can	apply	All can	apply	All can	apply	All can
	for orthodontic purpose	purpose	for orthodontic	purpose	for orthodontic	purpose	for orthodontic	purpose	for orthodontic	for orthodontic	purpose	for orthodontic	purpose	for orthodontic	purpose	for orthodontic	purpose	purpose	for orthodontic		purpose	for orthodontio	for orthodontic		purpose	for orthodontic	tor orthodontic	purpose	for orthodontic	purpose	for orthodontic	purpose	for orthodontic
	5 spools	spools	s.	spools	5		10 pcs	to peo	10 nce	10		20 pcs		0.5 kg	spools	c	10 pcs	10	10 pcs		10 pcs	10 200	10 pcs		ro peo	10 ncs	IU pcs	5	10 pcs	;	10 pcs		10 ncs

E.	234		233	232			231		230	ļ	229		228	227	226		225		224		223		222	221		220	219		218		1	217
	Crimpable surgical hooks for 19x25 archwire		Preformedquadhelix	expander with twolingual sheaths	NiTi palatal		Jones jig -		Forsus appliance		Preformed NiTiintrusion arch	screw	Hyrax expansion	Hyrax expansionscrew	•	Extra oral elastics		Extra oral elastics		Extra oral elastics		Extra anal alactica	Intra oral elastics		Intra oral elastics	Intra oral elastics		Intra oral elastics		Intra oral elastics	elastomeric tube	Protective
	Crimpable surgical hooks for 19x25 archwire		Preformed quadhelix		NiTi palatal expander with twolingual sheaths		Appliance for molar distalization		Forsus appliance		Preformed NiTi intrusion arch		for mandibular arch	(for maxillary arch)8mm	having force of 4.5 Oz.	Each packet should contain 1000 no latex elastics of 1/2" dimension	force of 4.5 Oz.	Each packet should contain 1000 no latex elastics of 3/8" dimensionhaving	no latex elastics of 5/16" dimension having force of 4.5 Oz.	Each packet should contain 1000	having force of 4.5 Oz.	Each market should contain 1000 no later electice of 1/1" dimension	Each packet should contain 1000 no latex elastics of 3/16" dimension having force of 4.5 Oz.	no latex elastics of 3/8" dimensionhaving force of 4.5 Oz.	Each packet should contain 1000	Each packet should contain 1000 no latex elastics of 1/8" dimension having force of 4.5 Oz.	force of 4.5 Oz.	Each packet should contain 1000 no latex elastics of 1/4" dimensionhaving	no latex elastics of 3/16" dimension having force of 4.5 Oz.	Each packet should contain 1000		3 mts.
appiy	All can	apply	All can	apply	All can	apply	All can	apply	All can	apply	All can	apply	All can	All can apply	apply	All can	apply	All can	apply	All can	apply	All can	All can apply	apply	All can	All can apply	apply	All can	apply	All can	apply	All can
purpose	for orthodontic	purpose	for orthodontic	purpose	for orthodontic	purpose	for orthodontic	purpose	for orthodontic	purpose	for orthodontic	purpose	for orthodontic	for orthodontic purpose	purpose	for orthodontic	purpose	for orthodontic	purpose	for orthodontic	purpose	for orthodontic	for orthodontic purpose	purpose	for orthodontic	for orthodontic purpose	purpose	for orthodontic	purpose	for orthodontic	purpose	for orthodontic
	50		s		S		s		10		10		10	10		100 pcs		100 pcs		100 pcs		100 nce	100 pcs		100 pcs	I UU pcs		100 pcs		100 pcs		3 mts

R																															
a	253	252		150	250	17	3/10	248	111	747	246		245	111	244		243	242		241	240		239		238	237	,	500	326	235	
- Stal	Biostar hard acrylic sheet (round) thickness- 1.0x125mm	Biostar soft acrylic sheet (round) thickness- 1.0x125mm	thickness- 0.75x125mm	Binetar aligner sheet (round)	Orthodontic Patient case file	on Ounder with	SC Galine wire	Orthodontic appliances box	Сниза шигингЭрхихи	Glass markingnencil	Tracing pencils(0.5mm tip) (	thickness)A4 size	micron	A notata tenanta al nota (50	Variable size crimpable hooks	miniscrew implantwith driver	Orthodontic	Orthodontic miniscrew implantwith driver		Direct bondingretainer	mm)		Lingual sheath(weldable)	,	Lingual buttonweldable	0	Lingual buttonbondable	TANK MOTH TIMON	Kohvashi hook	Crimpable stops for 19x25archwire	
And	1.0x125mm hard sheets 1 packet of 10 sheets each	1.0x125mm soft sheets 1 packet of 10 sheets each		0 75. 175mm 1 modest of 10 chasts mode	Orthodontic Patient case file		18 10 20 21 22 22 and the format stain land stain land with small	Orthodontic appliances box madeof non toxic, unbreakable plastic	Ополотии В ропол	Glass marking pencil	black,blue,red,green)		Acetate tracing sneets (50 micronunickness)A4 size	A and the sine short (50 minute is in a short is in a shor	Variable size crimpable hooks forwire size 016-022x028 assorted from		1.4mm diameter.8mm.10mmlength.tapered (short head)	1.4mmdiameter,8mm,10mm,length tapered(bracket head)		Direct bonding retainer	Preformed transpalatal bar (0.9mm)		Packet should contain 10 no.weldable lingual sheath.		Packet should contain 10 no.weldable lingual button.	stainless steel with curved base.	Packet should contain 10 no.bondable lingual button of	TYOU HILL HOUR	Kohvashi hook	Crimpable stops for 19x25archwire	
	All can apply	All can apply	All vall apply	apply	All can	apply	apply	All can	apply	All can	All can	-	apply	A 11 pp	All can	apply	All can	All can apply	apply	All can	apply	apply	All can	apply	All can	apply	All can	apply	All can	All can apply	
		For orthodontic purpose	purpose		for orthodontic	purpose	purpose	for orthodontic	purpose	for orthodontic	for orthodontic		purpose	for outbodoution	for orthodontic	purpose	for orthodontic	for orthodontic purpose	purpose	for orthodontic	purpose	purpose	for orthodontic	purpose	for orthodontic	purpose	for orthodontic	purpose	for orthodontic	for orthodontic purpose	
	10 pkts	50 pkts	pkts	100	50	J pris	5 plate	5 pkts	(	л	10		100	100	2		20	5		2	20 pcs	2	20 pcs		20 pcs		20 pcs		20 ncs	50	

	155 Binervl co	(round) th	254 Biostar hard acrylic sheet
	Id cure resin	(round) thickness- 1.5x125mm	rd acrylic sheet
The restriction of the second se	1kg resin nolymer nowder and monomer liquid hottle		1.5x125mm hard sheets 1 packet of 10 sheets each
purpose	All can apply For orthodontic	purpose	All can apply For orthodontic
-	5 nkts		10 pkts

		Periodo	Periodontal Items		
256	Artificial Bone Substitute	Calcium phosphosilicate with polyethylene glycol, Putty format ,allows easy manipulation ,Should have retention and	All can Apply	Used for bone Augmentation, Implants	6
		adapt to the defect, Syringe form in cartridges (0.25cc pack of 4)			
257	Bondable reinforcement	strips, resin coated , bondable reinforcement ribbon 35hlorhe 2- 3mm width for	All can Apply	For splinting of mobile teeth	5
	ribbon	periodontal Splinting, 1 pack of 20-25 cm			
258	Allograft	Osteoconductive, xenograft, bone substitute material, paricle size0.25-1mm	All can Apply	For Bone Grafting	10 .
259	Bone Graft(Synthetic Alloplast)	Regenerative, 35hlorhexid, osteoconductive, biphasic graft		For Bone Grafting	10
		combination of 35hlorhexidine35 and TCP (0.5 cc in vial)	All can Apply	•	
260	Bone Graft – bovine bone with collagen	bovine bone graft with collagen 0.25/0.5 cc	Bioss/Similar	Ideal for minimally invasive surgeries, hard to access defects, immediate implant surgeries,	5
261	Bone Graft(Synthetic Alloplast)	Bioactive bioglass synthetic particulate bone graft material vials of 0.5cc	All can Apply	Ideal for minimally invasive surgeries, hard to access	15
262	Bone Scraper	Straight and angulated ; scrape the cortical bone for use as bone matrix for bone grafting; survical oracle stainless steel	All can Apply	for bone grafting	10
263	Bone Trephines for harvesting Bone graft	for removing the implant or collecting bone for autograft ranges from 2mm to 10 mm	All can Apply	for bone harvesting and bone grafting	1 set
264	Chlorhexidine gel	1% chlorhexidine gel as active ingredient	All can Apply	For wound healing	10
265	Collagen Matrix	Three dimensional collagen matrix , should 35hlorhexi the blood clot, promote soft tissue ingrowth 15*20 mm	All can apply	soft tissue augmentation during surgeries	2
-	~				

Par ber gin

RUN

277	276	275	274		273	272	271	270	269	268	267	266
Titanium Brush	Surgical Blades 15 C	Root Conditioning Agent	Photosensitiser Dye		PTFE membrane	Periodontal local drug Delivery	Periodontal Local Drug Delivery	Oxygen Rich gel	Microsurgery Blades	Mucotome	Membrane fixation screws and Tent Screws	Laser Fiber
For debridement of Implant Surface During open flap surgeries in case of periimplantitis Autoclavable	For periodontal Surgeries	EDTA/Tetracycline/Citric acid can be used for root conditioning agents	For Photodynamic therapy in Periodontal pckets in form of syringe; Methylene blue compatible with Dentsply Sirona	• Rounded blunt edges:.	Thickness: 0.25 mm (titanium core thickness 0.07) • Convenient fixation with titanium screws or	Chlorhexidine chips	Gel/fibres form containing tetracycline/Minocycline	should be in gel form, supplied with applicator; should contain high concentration of active oxygen, should be used to accelerate wound healing	for mucogingival surgeries, at least 4 different shapes	ranging from 2mm to 5 mm, to remove gingiva and uncover implants and insert healing screw	for stabilization of membrane and block grafts; micro screws for stablisation of graft, micromesh flexible along with screw driver set, autoclavable	320 um, Laser tip, compatible withDentsply Sirona dental diode laser (1 pack of 25 tips)
All Can Apply	All can apply	All can Apply	All Can Apply	All can Apply		All can apply	All Can Apply	Blue M or Similar	All Can Apply	All can Apply	All Can Apply	All can Apply
Periodontal Surgeries	periodontal surgeries		photobiomodulation	Ridge Augmentation		For intrapocket drug delivery	For periodontal therapies	For wound healing	for periodontal surgeries	implant surgiers	For bone block stabilization for ridge augmentation	
1 Set	100	10	10	ζ		5	5	10	50	1 set	1 kit	1

F	290	289	288	287	286	285	284	283	282	281	280	279	278
no.8	Matrix band strips	Interlig Fiber Splint	Hypo chloiride 3%	Teflon Tape	Gingival Barrier fo Bleaching	Veneer Cementation Cement	Hydro fluoric (hf)	Sterilization Pouches	Dental Floss	Cold Spray	Calcium hydroxide Powder	Gates glidden drill 32 mm No. 1-6	Chlohexidine gluconate root canal gel 2% (CAVISEPT by Neelkanth)
steel, thickness of0.0015 inches	Used in mesio-occluso-distal cavity, stainless	For Periodontal splinting	Root canal irrigant. Antimicrobialactivity	For proximal Region	Gingival Barrier for For vital Bleaching Bleaching	For Veneer cementation	Porcelein etchant. 5% / 10%Hydrofluric acid	All can Apply	For dental use	For Pulp Vitality	Root Canal dressing	Shaping of coronal third of rootcanal. Stainless steel	2% Chlorhexidine gluconate
	All can Apply	All can Apply	All can Apply	All can Apply	All can Apply	All can Apply	Dentsply/ Vita/3M orEquivalent	All can Apply	All can Apply	All can Apply	All can Apply	All can Apply	All can Apply
	Restoration	Spling of teeth	Dental Restoration	Dental Restoration	Bleaching	For Veneer cementation	Dental Restoration	All can Apply	For interdental Cleaning	Root CanalTreatment	Root CanalTreatment	Root CanalTreatment	Root CanalTreatment
	s	S	∞	_	ω	ω	1	100	10	S	10	2	4

(Interling)	305 Composite splint	304 Dual Core Bonding Agent	303 Flowable Composite	302 MTA based Sealer	301 Palodent Matrix system	300 Saddle Matrix System	299 Side Vented Needles	298 Flowable Composite	297 Bioceramic Sealer	296 Root Canal Sealer	295 Biodentine	294 Round diamond bur for contrangle	293 Plugger 21mm 15- 40	292 Direct Cavifil	291 Smart Dentine Replacement	
	lint For Splinting	nt For Restoration	For Restoration	ealer For Obturation of Root Canal	rix For Restoration of Proximal Contact	For Restoration of Proximal Contact	For Root canal irrigation	For Restoration	ealer For sealing of root canals	caler For sealing of root canals	Use for Revascularization	nd Diamond bur for caries removal.	1 15- Used for placement of MTA/BIODENTIN in apical region.	Restorative Capsule	Restorative Capsule	
:	All can Apply	Dentsply or KerrEndo or Coltene	Dentsply or KerrEndo or Coltene	Dentsply or KerrEndo or Coltene	All Can Apply	All Can Apply	All Can Apply	All Can Apply	All Can Apply	Dentsply or KerrEndo or Coltene	Dentsply or Septodent orAngelus	Ss White/ Crosstech orMani	Dentsply or KerrEndo od Coltene	All can Apply	All can Apply	
	Splinting6	Restoration	Restoration	RCT	Class 2 Restoration	Class 2 Restoration	Root CanalTreatment	For Restoration	Root CanalTreatment	Root CanalTreatment	Restoration	Restoration	Root CanalTreatment	Dental Restoration	Dental Restoration	
	-	3	15	1	4	4	20	20	ω	ω	* 1	S	2	10	20	

5	~
2	-
1	

te	318	317	316	315	314	313	312	311	310	309	308	307	306
R	Hero Shaper gold Endodontic Files (4%)	Wave One Gutta percha	Wave One Endodontic Files	Opalescence Nonvital Bleaching Agent	Lubrication Spray for Handpiece	Sterilization Pouch	Endo-Z Bur	Core Build up Material	Bleeching Kit	Endodontic Refrigerant Sprays	Butane Blow Torch with Refill Cylender	Diamond Burs- For airotor handpice - assorted	Burs assorted for contrangle handpieve (Round, taper Fissure, Inverted cone)
Jun	For Cleaning and Shaping	For Obturation	For Cleaning and Shaping	For Nonvital Bleaching	For Oiling of Handpiece	For Autoclav	For Access opening	For Temporary crown	For Teeth Bleaching	To check pulp Vitality	For Endodontic Obturation	For Cavity Cutting	For cavity cutting
	All can apply	All can apply	All can apply	All can apply	All can apply	All can apply	All can apply	All can apply	Opalesence/Pola office/Ultradent	All can apply	All can apply	Mani or Dentsply or Shofu	Mani or Dentsply or Shofu
	For root canal procedure	For root canal procedure	For root canal procedure	For Bleaching of Teeth	For airotor and Micromotor Handpiece	For Instruments Sterilization	For RCT	For ProvisionalCrown	For Inoffice bleach by chemical and light cure method	For vitality ofpulp	To Heat obturationinstrument	Restoration	Restoration
	10	ļ	10	ري ا	10	100	10	2	4	1	دی -	U	<u>,</u> у

	110
-	-
2	-
1	

										1		1 1	Т	1			
45	334	333	332	331	330	329	328	327	326	325		324	323	322	321	320	319
AN	APF thixotropic gel	Mixing pad	Pediatric endodontic files	Pediatric endodontic files	Composite restoration	Pit and fissure sealent	Cellophane sheet	Matrix band	Retainer free matrix band	stainless steel crown kit		UltraX ultrasonic Tips	Mortar and Pestle	Endo activator	EndoCowboy	Retreatment Files	Hero Shaper gold Endodontic Files (6%)
And	APF thixotropic gel	3*3 sheet for mixing ofrestorations	Hand files used in primary tooth	Rotary endodontic files used inprimary tooth	IPS Emprss direct	Pit and fissure sealent	cellophane sheet compositerestorations	stainless steel matrix band used with retainer no:8	stainless steel matrix band used without retainer	stainless steel crown for primarytooth	Pedodont	For Fractured endodontic instrument removal	For medicine Grinding	For root canal irrigation	For broken file retrievals	For endodontic retreatment	For Cleaning and Shaping
	Any brand canapply	Coltene/Dentsply/3M	kedo s	kedo s	Coltene/Dentsply/3M	Coltene/Dentsply/3M	Any brand canapply	Any brand canapply	Any brand canapply	Coltene/Dentsply/3M	Pedodontics Consumables	All can apply	All can apply	All can apply	All can apply	All can apply	All can apply
	Fluoride application	for restorationpurpose	root canaltreatment	root canaltreatment	for restorationpurpose	for restorationpurpose	for restorationpurpose	for restorationpurpose	for restorationpurpose	Crown		For retrieval of Fractured Instrument	For root canal procedure	For root canal procedure	For root canal procedure	For root canal procedure	For root canal procedure
	2	ω	ω	2	3	ω	3	4	2	1		2	1	1	1	10	10

R H SA 336 335 340 339 338 337 341 342 344 343 345 346 Bonewax Sponge Surgical Blade Surgical Blade micropore tape 2" micropore tape 4" Absorbable Hemostatic porcine gelatin absorable sponge Approved by Compressed Gelatin USFDA/European CE Sizes: Tooth dye Caries detecting Disposable tray Agent Mouth prop Mouth gag Fluoride varnish application for fluoride remineralizing Bone wax- specifications: sterile bone wax for Approved 8cmX12.5cmX10mm Should have European CE 8cmX6.25cmX10mm 2cmX6cmX7mm Gelfoam-Sterile water insoluble, malleable isopropyl palmitate. 2.5 g Box of 12 pieces bone hemostasis made of bees wax, paraffin and Four digit Genuine CE Certified/USFDA For surgical use Mouth prop for children Fluoride varnish Caries detecting dye for fluoride gel Size: 11 Size: 15 For surgical use Tooth reminerzation agent Mouth gag for children **Oral Surgery Consumables** Xenon Any brand canapply Similar Coltene/Dentsply/3M Coltene/Dentsply/3M GC Tooth Mousse or Any brand canapply All can apply Fluoride application For surgical procedure For dressing and bandage For dressing and bandage Remineralization of incipent caries for keeping mouthopen in children for keeping mouthopen in children Fluoride application Caries management For hemostasis For surgical procedure For hemostasis N N -N 25 500 S S S 10 S 100

Z

all	354	353	352	351	350 <b>0</b>	349	348	347	
R.	4 Gauze Swab	3 50ml Sterile biopsy container	2 SS Wire Reel – 9mtr 26G	Erich arch bar	Steri-Drape Medium Drape Sheet	Skin Incision Market	Needle 18 gauge	Needle 26 gauge	•
Z	<ol> <li>Size - 5 cm x 5cm x 12 Ply</li> <li>It should be sterilized</li> <li>Should have 5 swab in one pack</li> <li>With X-Ray detectable thread in woven the gauze to promote safety</li> <li>Soft and highly absorbent gauze to increase efficiency</li> </ol>	For surgical use	r For surgical use	For surgical use	Steri-Drape MediumSize -size 183cm x 183cm with Adhesive linerDrape SheetHigh barrier reinforced laminate of polypropylene nonwoven and a polyethylene film across the entire drape material. It should be low-linting, non- breathable with an adhesive area, Containing hypoallergenic acrylate type adhesive covered with a silicone coated paper liner and should also comply with the requirements of ISO 13485:2003 and ISO 9001:2008. It Should be EPD Certified	Skin Incision MarkerIt should be non-toxic, non-smearing with non- irritating	For surgical use	For surgical use	should have European CE four digit genuine CE certified/USFDA approved
	All can apply	All can apply	Orthomax S.K.surgicals Stryker	Orthomax S.K.surgicals Stryker	All can apply	All can apply	All can apply	All can apply	
	For minor surgical procedures	For biopsy procedures	For maxillofacial trauma procedures	For maxillofacial trauma procedures	For Patient Use	For surgical procedure	For local anaesthesia	For local anaesthesia	
	300	30	50	50	20	S	20	100	

**							
	355	Formalin solution	For surgical use	A	All can apply	For biopsy	5 litre
	356	CDs	For patient x-rays	A	All can apply	To give patient	200
	357	DVDs	For patient CBCT scans	A	All can apply	Record keeping	200
		P St	John Ju				