



ALL INDIA INSTITUTE OF MEDICAL SCIENCES, BATHINDA

NEAR GIANI ZAIL SINGH COLLEGE, JODHPUR ROMANA, DABWALI ROAD-151001

Invitation of quotation for Aluminum Partition for Addiction Treatment Facility (ATF) Centre at AIIMS Bathinda

Reference No.: AIIMS Bathinda/Engg. & Estate/26-27/ 5368

Dated: 25 April 2026

Notice for Invitation of quotations

Sealed Quotations are invited on behalf AIIMS, Bathinda for the subject work at AIIMS Bathinda as per terms & conditions mentioned below. The filled quotations along with all the required documents must reach in the office of the undersigned on or before **04th May 2026 (Monday), 17:00 hrs. (Date & Time)**. The **Envelope containing the quotation** must be sealed and **super scribed as under: -**

***"Invitation of quotation for Aluminum Partition for
Addiction Treatment Facility (ATF) Centre
at AIIMS Bathinda-
Department of Engineering & Estate"***

The Quotation should be sent to the address: -

The Executive Director
AIIMS Bathinda,
Mandi Dabwali Road,
Punjab - 151001.

Terms & Conditions:

1. The quotations received **after this deadline or unsealed shall not be entertained** under any circumstances whatsoever. In case of postal delay this Institute will not be responsible. The offer submitted by Fax / email shall not be considered and no correspondence will be entertained in this matter.
2. Quotations must be in the **enclosed prescribed Performa (BoQ) on the letterhead of the firm duly signed** by the Proprietor/ Partner/ Director or their authorized representative, in case of signing of quotation by the authorized representative letter of authorization must be attached with the quotation.
3. The supplier should supply and installed all the items.
4. Rates must be quoted in Indian rupees. Rates must be inclusive of **all charges** (including Freight charges, taxes, etc.). **No overwriting or cutting** is permitted in the rate. If found, the quotation shall be summarily rejected.
5. The **rates quoted must be valid for 90 days minimum from the date of opening of the quotation** and silence of any tendered on this issue shall be treated as agreed with this condition.
6. **Total cost/amount will be taken in consideration for L1.** Becoming L1 will not be the criteria for awarding of purchase order unless the rates are reasonable & justified.
7. The firm/agency may satisfy the following conditions: -
 - (i) The firm shall have valid GST/Other taxes and IT PAN.
 - (ii) The firm should not be black listed by any Government agency/Department.
8. Quantity may increase or decrease as per the decision of the competent authority of



AIIMS Bathinda.

9. **Work Completion period** – within 15 days from Purchase order or as per work order awarded.
10. **Payment Terms:** Payment will be only after satisfactorily execution of the work and after inspection by the AIIMS Bathinda. Payment will be done after verification of the work done by the engineering wing. No advance payment shall be admissible.
11. Unsealed quotations, quotations received after due date, quotations not superp
12. Scribed as mentioned above, unsigned quotations are liable to be rejected. No queries regarding the same shall be entertained in this office. Quotations received through email, fax, telegram etc. shall not be entertained.
13. The decision of AIIMS Bathinda on all matters concerning this work shall be final and binding on the party submitting the quotation.
14. **Defect Liability Period:** DLP shall be of 03 month from completion date of the work.
15. To ensure the compliance during the **DLP period, 05% of the amount shall be withheld** from each bill of the contractor and that will be released after completion of the DLP period.
16. If the contractor does not start the work within the scheduled time, the contractor shall be debarred from participating in future tender of the Institute as per the respective clause of the Manual for Procurement of Works.
17. The work shall required to be executed as per the CPWD specifications. Substandard material/ work shall be rejected. Replacement of the same be done within 03 days from the issue of the notice, otherwise the contractor shall be liable to be penalized.
18. **LIQUIDATED DAMAGES:** - The successful bidder must start the work within 7 days of issuance of Letter of Commencement of work and complete the work within the time frame as stipulated by the AIIMS Bathinda, failing which, AIIMS Bathinda will recover Compensation for Delay of work @ .5 % per week or part of the week of delayed of the total amount of work (accepted Tendered Value of work) which may be recovered from bill/Performance Security/Security Deposit of the contractor. The total amount of compensation for delay to be paid under this condition shall not exceed 5 % (Five percent) of the Accepted tendered value of work. The said work can also be executed under the Risk and Cost of the Contractor with prior intimation of 15 days based upon the performance of the contractor.
19. **STATUTORY DEDUCTIONS:** - All the statutory deductions towards GST/Income Tax etc. shall be made from the bill/s as applicable as per the prevailing rates under the rules. TDS as applicable will be deducted from each bill of the contractor under the statutory rules of the



Union Govt., in respect of Income Tax and other taxes. No claim on account of any other statutory charges for execution of work awarded under this contract will be entertained by AIIMS Bathinda and such charges should be paid by the contractor himself.

20. **INDEMNIFICATION:** - AIIMS Bathinda shall have no liability whatsoever towards the persons deployed by the contractor for the subject of work. The contractor shall keep AIIMS Bathinda indemnified against all losses/damages/liabilities/claims arising out of deployment of the contractor's workers during the period of the contract. Any claim which may arise during the currency of the contract or at any subsequent point of time shall be the sole responsibility of the contractor and AIIMS Bathinda shall in no way be held responsible for it.

21. **LIABILITY AGAINST LOSS OR DAMAGE TO LIFE OR PROPERTY:** - The contractor shall be liable to pay AIIMS Bathinda for any loss/damage caused because of theft/pilferage of any property of AIIMS Bathinda from the premises where the staffs of the contractor have been deployed, provided such loss/damage is due to the negligence of the contractor or its deployed manpower which shall be deducted from Security deposit/Performance Guarantee if not paid. The contractor shall also be liable for the consequences of any incident of major/minor injury or accident or death caused to any of its worker arising out of or in the course of his employment under the scope of the contract. AIIMS Bathinda shall not be responsible for any injury or loss of life in respect of the contractor that may take place while on work. Any compensation or expenditure towards treatment for such injury or loss of life shall be the sole responsibility of the contractor. The contractor shall be solely responsible for any damage, injury or accident that may occur to any of his personnel working under his contract. No claim whatsoever arises to AIIMS Bathinda.


Department of Engineering & Estate,
AIIMS Bathinda



Technical Specifications

Material Specifications:

1. Aluminium Profiles:

- a. Material: High-quality, extruded aluminium alloy of 10 gauge.
- b. Ensure that materials comply with relevant fire safety regulations and standards.
- c. Finish: 50-micron Powder-coated or anodized finish; colour as per architectural requirements.
- d. Dimensions: Profiles to be designed as per the architectural drawings in presence of site in-charge, typically including vertical and horizontal members.

2. Glass Panels:

- e. Type: Tempered glass or laminated glass, as specified.
- f. Thickness: Minimum 5 mm thickness
- g. Glass Installation:
- h. Install glass panels securely within the aluminium frame.
- i. Use rubber gaskets to ensure a snug fit and prevent movement.
- j. Ensure proper sealing around glass edges.

3. Hardware:

- k. Hinges: Heavy-duty, stainless steel or aluminium, with corrosion resistance.
- l. Locks: High-quality, durable locking mechanisms suitable for partition doors.
- m. Handles: Stainless steel or aluminium handles, as per design.
- n. Door closers: Hydraulic door closer tubular type aluminium section body with screws, bolts, nuts, and washer complete.
- o. Door stoppers: Aluminium hanging floor door stopper with twin rubber & stopper screws, bolts, nuts and washer complete
- p. Install doors with precise alignment and smooth operation.
- q. Ensure all hardware is properly fixed and functioning.

4. Sealants and Gaskets:

- r. Sealants: Weather-resistant, high-performance silicone sealants.
- s. Gaskets: EPDM or similar rubber gaskets for sealing between glass and aluminium profiles.

5. Frame Construction:

- t. Construct the partition frames using aluminium profiles with precision cutting and joining.
- u. Ensure all joints are securely fastened and aligned.

6. Quality Checks:

- v. Inspect all joints, fittings, and glass panels for defects or misalignment.

Technical Specifications

Material Specifications:

Approved Make list (Table-1)		
S.no	Description	Approved Make
1.	Door handles	Classic/Ebco/Argent/Newlit/Doram/Oxford/Crown
2	Door Stopper	Classic/Ebco/Argent/Newlit/Doram/Oxford/Crown
3	Door closer	Godrej/Everite/Doorking/Dorma/Harrison/Sandhu
4	Float Glass	Modi/Saintgobin/Ashai india
5	Aluminium Section	Hindalco, Jindal, Bharat, NALCO, BALCO, MALCO, INDAL .any good quality having ISI mark
6	Cement	Ultratech, Ambuja, ACC, Ambani, JK
7	Paint	Berger, Asian paints, Nerolac
8	False Ceiling	Saint Gobin, USG Knauf or ISI marked
9	In case of Non-Availability of above, prior approval is mandatory from the Engineering Team.	



Check List

S. No.	Particulars	Whether attached	Remarks
1	GST certificate	YES / NO	
2	PAN Card	YES / NO	
3	Non-Blacklisting Undertaking on letter head	YES / NO	
4	All the documents mentioned above and the quotation document has been signed & stamped	YES / NO	



BOQ

S.No	Description	Unit	Quantity	Rate	Amount
1	Providing and fixing Aluminium work for doors, windows, ventilators and partitions with extruded built up standard tubular sections/appropriate Z sections and other sections of approved make conforming to IS:733 and IS:1285. Fixing with dash fasteners of required dia and size including necessary filling up the gaps at junctions i.e. at top, bottom and sides with required EPDM rubber/neoprene gasket etc. Aluminium sections shall be smooth, rust free, straight, mitred and jointed mechanically wherever required including cleat angle, aluminium snap beading for glazing/panelling, C.P. brass/stainless steel screws, all complete as per architectural drawings and directions of Engineer-in-charge. (Glazing, panelling and dash fasteners to be paid separately.)				
	For fixed portion.				
	Powder coated aluminium (Minimum thickness of powder coating 50 micron)	Kg	200		
2	For shutters of doors, windows & ventilators including providing and fixing hinges/pivots and making provision for fixing of fittings wherever required including the cost of EPDM rubber/neoprene gasket required (Fittings shall be paid for separately)				
	Powder coated aluminium (minimum thickness of powder coating 50 micron)	Kg	250		
3	Providing and fixing glazing in aluminium door, window, ventilator shutters and partitions etc. with EPDM rubber/neoprene gasket etc. complete as per the architectural drawings and the directions of Engineer-in-charge. (Cost of aluminium snap beading shall be paid in basic item) With float glass panes of 5mm thickness.				
	With float glass panes of 5 mm thickness (weight not less than 12.50 kg/sqm)	Sqm	25		
4	Providing and fixing 12 mm thick pre-laminated particle board flat pressed three layer or graded wood particle board conforming to IS: 12823 Grade I Type II, in panelling fixed in aluminium doors, windows shutters and partition frames with C.P. brass / stainless steel screws etc. complete as per architectural drawings and directions of engineer-in-charge				
	Pre-laminated particle board with decorative lamination on both sides	Sqm	15		
5	Providing and fixing aluminium round shape handle of outer dia 100 mm with SS screws etc. complete as per direction of Engineer-in-charge				
	Powder coated minimum thickness 50 micron aluminium	Each	12		
6	Providing and fixing aluminium die cast body tubular type universal hydraulic door closer (having brand logo with ISI, IS : 3564, embossed on the body, door weight upto 35 kg and door width upto 700 mm), with necessary accessories and screws etc. complete.	Each	6		
7	Providing and fixing bright finished 100 mm mortice lock with 6 levers without pair of handles of approved quality for aluminium door, with necessary screws etc complete as per direction of Engineer-in-charge.	Each	6		
8	Providing and fixing aluminium hanging floor door stopper, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour and shade, with necessary screws etc. complete.				
	Twin rubber stopper	Each	6		
9	Providing and fixing tiled false ceiling of specified materials of size 595x595 mm in true horizontal level, suspended on inter locking metal grid of hot dipped galvanized steel sections (galvanized @ 120 grams/sqm, both side inclusive) consisting of main "T" runner with suitably spaced joints to get required length and of size 24x38 mm made from 0.30 mm thick (minimum) sheet, spaced at 1200 mm center to center and cross "T" of size 24x25 mm made of 0.30 mm thick (minimum) sheet, 1200 mm long spaced between main "T" at 600 mm center to center to form a grid of 1200x600 mm and secondary cross "T" of length 600 mm and size 24x25 mm made of 0.30 mm thick (minimum) sheet to be interlocked at middle of the 1200x600 mm panel to form grids of 600x600 mm and wall angle of size 24x24x0.3 mm and laying false ceiling tiles of approved texture in the grid including, required cutting/making, opening for services like diffusers, grills, light fittings, fixtures, smoke detectors etc. Main "T" runners to be suspended from ceiling using GI slotted cleats of size 27 x 37 x 25 x 1.6 mm fixed to ceiling with 12.5 mm dia and 50 mm long dash fasteners, 4 mm GI adjustable rods with galvanised butterfly level clips of size 85 x 30 x 0.8 mm spaced at 1200 mm center to center along main T, bottom exposed width of 24 mm of all T-sections shall be pre-painted with polyester paint, all complete for all heights as per specifications, drawings and as directed by Engineer-in-charge.				

	GI Metal Ceiling Lay in perforated Tegular edge global white color tiles of size 595x595 mm and 0.5 mm thick with 8 mm drop; made of GI sheet having galvanizing of 100 gms/sqm (both sides inclusive) and 20% perforation area with 1.8 mm dia holes and having NRC (Noise Reduction Coefficient) of 0.5. electro statically polyester powder coated of thickness 60 microns (minimum), including factory painted after bending and perforation and backed with a black Glass fiber acoustical fleeces.	sqm	18		
10	Steel work in built up tubular (round, square or rectangular hollow tubes etc.) trusses etc., including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer, including welding and bolted with special shaped washers etc. complete				
	Hot finished welded type tubes	KG	200		
11	Providing and Fixing of oxidised mild steel tower bolt(barrel type)	Each	6		
12	Providing and Fixing of Frosted Films with all Accessories	Sqft	400		
13	Providing and laying 2 mm thick Epoxy Polyurethane (EPU) flooring of approved quality and colour on finished tiles flooring and walls with necessary approved adhesive for laying EPU including cleaning the floor before and after laying of flooring as per National Hemodialysis Guidelines including all transportation charges	Sqft	200		
14	Providing and Fixing coving around the EPU in corner of with all Accessories	Metre	20		
Total					
GST @ 18%					
GRAND TOTAL					

